

WellSense Added Value (HMO)

2026 Formulary

(List of Covered Drugs or "Drug List")

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID: 26064 Version 06

This formulary was updated on 09/19/2025. We have made no changes to this formulary since 08/28/25. For more recent information or other questions, please contact the WellSense Member Service department at **855-833-8128** (TTY users should call **711**), Monday through Friday 8 a.m. to 8 p.m. (April 1 through September 30, except holidays) or seven days a week (October 1 through March 31) or visit wellsense.org/yourmedicare.

H6851_NHMA_AVFormulary_2026_C

Note to existing members:

This Formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this Drug List (Formulary) refers to "we," "us", or "our," it means WellSense Health Plan. When it refers to "plan" or "our plan," it means WellSense Added Value (HMO).

This document includes a Drug List (formulary) for our plan, which is current as of 08/28/2025. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2027, and from time to time during the year.

What is the WellSense Added Value Formulary?

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is a list of covered drugs selected by WellSense Health Plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. WellSense will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a WellSense network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the formulary during the year or add new restrictions. We must follow the Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here: wellsense.org/yourmedicare.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug from our formulary if we are replacing it with a certain new version of that drug with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name or original biological product on our formulary but immediately add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled "How do I request an exception to the WellSense Added Value's Formulary?"

Some of these drug types may be new to you. For more information, see the section below titled "What are original biological products and how are they related to biosimilars?"

- **Drugs removed from the market.** If a drug is withdrawn from sales by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change.

If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the WellSense Added Value's Formulary?"

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2026 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2026 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 08/28/2025. To get updated information about the drugs covered by WellSense Added Value, please contact us. Our contact information appears on the front and back cover pages. Printed formularies are available upon request and may be updated throughout the year. You can review our plan's up-to-date formulary online at wellsense.org/yourmedicare or by contacting Member Service to request a copy. We will notify you via mail if mid-year non-maintenance formulary changes occur.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 8. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category Cardiovascular, Hypertension/Lipids. If you know what your drug is used for, look for the category name in the list that begins on page 9. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 99. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

WellSense Added Value covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs work just as well and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

What are original biological products and how are they related to biosimilars?

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less.

There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, "The 'Drug List' tells which Part D drugs are covered."

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** WellSense Added Value requires you or your prescriber to get prior authorization for certain drugs. This means that you will need to get approval from WellSense Added Value before you fill your prescriptions. If you don't get approval, WellSense Added Value may not cover the drug.

- **Quantity Limits:** For certain drugs, WellSense Added Value limits the amount of the drug that WellSense Added Value will cover. For example, WellSense Added Value provides 30 capsules per prescription for omeprazole. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, WellSense Added Value requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, WellSense Added Value may not cover Drug B unless you try Drug A first. If Drug A does not work for you, WellSense Added Value will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 8. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online a document that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask WellSense Added Value to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the WellSense Added Value's formulary?" on page 6 for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Service and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that WellSense Added Value does not cover your drug, you have two options:

- You can ask Member Service for a list of similar drugs that are covered by WellSense Added Value. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by WellSense Added Value
- You can ask WellSense Added Value to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the WellSense Added Value's Formulary?

You can ask WellSense Added Value to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, WellSense Added Value limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, WellSense Added Value will only approve your request for an exception if the alternative drugs included on the plan's formulary or applying the restrictions would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for a formulary exception, including an exception to a coverage restriction. **When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber's supporting statement.

What can I do if my drug is not on the formulary or has a restriction?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. If coverage is not approved after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Enrollees who are undergoing a change in care are eligible for a temporary supply to ensure the continuity of needed medications across care settings. If the enrollee is not in their transition period during their care change or is in the transition period but has already received their transition supply fill days' supply maximum, the system will reject the claim and appropriate reject codes are returned to the pharmacy. The network pharmacy receives additional secondary messaging (If Level of Care) and training to inform the pharmacy of the appropriate procedure. In the circumstance where an enrollee is changing care setting and may not have access to current prescriptions, the network pharmacy may contact the Express Scripts help desk for an override to dispense a temporary transition supply.

For more information

For more detailed information about your WellSense Added Value prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about WellSense Added Value, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

WellSense Added Value Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by WellSense Added Value. If you have trouble finding your drug in the list, turn to the Index that begins on page 99.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., OZEMPIC) and generic drugs are listed in lower-case italics (e.g., *lisinopril*).

The information in the Requirements/Limits column tells you if WellSense Added Value has any special requirements for coverage of your drug.

WellSense Health Plan is an HMO plan with a Medicare contract. Enrollment in WellSense Medicare Advantage HMO plans depends on contract renewal.

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug.

List of Abbreviations

B/D PA: This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

LA: Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

MO: Mail-Order Drug. This prescription drug is available through our mail-order service, as well as through our retail network pharmacies. Consider using mail order for your long-term (maintenance) medications (such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

PA: Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

QL: Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

ST: Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

V: This vaccine is provided to adults at no cost when used based on recommendations by the Centers for Disease Control and Prevention's (CDC) Advisory Committee on Immunization Practices (ACIP).

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| ANTI - INFECTIVES | | |
| ANTIFUNGAL AGENTS | | |
| ABELCET | 1 | B/D PA |
| <i>amphotericin b</i> | 1 | B/D PA; MO |
| <i>amphotericin b liposome</i> | 1 | B/D PA |
| <i>caspofungin</i> | 1 | |
| <i>clotrimazole mucous membrane</i> | 1 | MO |
| CRESEMBA ORAL | 1 | PA |
| <i>fluconazole</i> | 1 | MO |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i> | 1 | PA; MO |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 400 mg/200 ml</i> | 1 | PA |
| <i>flucytosine</i> | 1 | MO |
| <i>griseofulvin microsize</i> | 1 | MO |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i> | 1 | MO |
| <i>itraconazole oral capsule</i> | 1 | MO; QL (120 per 30 days) |
| <i>itraconazole oral solution</i> | 1 | MO |
| <i>ketoconazole oral</i> | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| <i>micafungin</i> | 1 | MO |
| <i>nystatin oral</i> | 1 | MO |
| <i>posaconazole oral tablet, delayed release (dr/ec)</i> | 1 | PA; MO; QL (96 per 30 days) |
| <i>terbinafine hcl oral</i> | 1 | MO |
| <i>voriconazole intravenous</i> | 1 | PA; MO |
| <i>voriconazole oral suspension for reconstitution</i> | 1 | PA; MO |
| <i>voriconazole oral tablet</i> | 1 | PA; MO |
| <i>voriconazole-hpbc</i> | 1 | PA |
| ANTIVIRALS | | |
| <i>abacavir</i> | 1 | MO |
| <i>abacavir-lamivudine</i> | 1 | MO |
| <i>acyclovir oral capsule</i> | 1 | MO |
| <i>acyclovir oral suspension 200 mg/5 ml</i> | 1 | MO |
| <i>acyclovir oral suspension 200 mg/5 ml (5 ml)</i> | 1 | |
| <i>acyclovir oral tablet</i> | 1 | MO |
| <i>acyclovir sodium intravenous solution</i> | 1 | B/D PA; MO |
| <i>adefovir</i> | 1 | MO |
| <i>amantadine hcl</i> | 1 | MO |
| <i>APTIVUS</i> | 1 | MO |
| <i>atazanavir</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| BARACLUDE ORAL SOLUTION | 1 | MO |
| BIKTARVY | 1 | MO |
| CABENUVA | 1 | MO |
| <i>cidofovir</i> | 1 | B/D PA; MO |
| CIMDUO | 1 | MO |
| <i>darunavir oral tablet 600 mg</i> | 1 | MO |
| <i>darunavir oral tablet 800 mg</i> | 1 | MO |
| DELSTRIGO | 1 | MO |
| DESCOVY | 1 | MO |
| DOVATO | 1 | MO |
| EDURANT | 1 | MO |
| EDURANT PED | 1 | MO |
| <i>efavirenz oral tablet</i> | 1 | MO |
| <i>efavirenz-emtricitabin-tenofovir</i> | 1 | MO |
| <i>efavirenz-lamivu-tenofovir disop</i> | 1 | MO |
| emtricitabine | 1 | MO |
| emtricitabine-tenofovir (tdf) | 1 | MO |
| <i>emtricitabine-rilpivirine-tenofovir</i> | 1 | |
| EMTRIVA ORAL SOLUTION | 1 | MO |
| <i>entecavir</i> | 1 | MO |
| <i>etravirine</i> | 1 | MO |
| EVOTAZ | 1 | MO |
| <i>famciclovir</i> | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| <i>fosamprenavir</i> | 1 | MO |
| FUZEON SUBCUTANEOUS RECON SOLN | 1 | |
| <i>ganciclovir sodium intravenous recon soln</i> | 1 | B/D PA; MO |
| <i>ganciclovir sodium intravenous solution</i> | 1 | B/D PA |
| GENVOYA | 1 | MO |
| INTELENCE ORAL TABLET 25 MG | 1 | MO |
| ISENTRESS HD | 1 | MO |
| ISENTRESS ORAL POWDER IN PACKET | 1 | MO |
| ISENTRESS ORAL TABLET | 1 | MO |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG | 1 | MO |
| ISENTRESS ORAL TABLET,CHEWABLE 25 MG | 1 | MO |
| JULUCA | 1 | MO |
| KALETRA ORAL SOLUTION | 1 | MO |
| <i>lamivudine</i> | 1 | MO |
| <i>lamivudine-zidovudine</i> | 1 | MO |
| LEDIPASVIR-SOFOSBUVIR | 1 | PA; MO; QL (28 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|---------------------------------|
| LIVTENCITY | 1 | PA; LA; QL (120 per 30 days) |
| <i>lopinavir-ritonavir oral tablet</i> | 1 | MO |
| maraviroc | 1 | MO |
| MAVYRET ORAL PELLETS IN PACKET | 1 | PA; MO; QL (168 per 28 days) |
| MAVYRET ORAL TABLET | 1 | PA; MO; QL (84 per 28 days) |
| <i>nevirapine oral suspension</i> | 1 | |
| <i>nevirapine oral tablet</i> | 1 | MO |
| <i>nevirapine oral tablet extended release 24 hr 400 mg</i> | 1 | MO |
| NORVIR ORAL POWDER IN PACKET | 1 | MO |
| ODEFSEY | 1 | MO |
| <i>oseltamivir</i> | 1 | MO |
| PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)-100 MG (10) | 1 | QL (20 per 30 days) |
| PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (6)-100 MG (5) | 1 | QL (11 per 30 days) |
| PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG | 1 | QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|-------------------------------------|------------------|--------------------------------|
| PIFELTRO | 1 | MO |
| PREVYMIS INTRAVENOUS | 1 | PA |
| PREVYMIS ORAL TABLET | 1 | PA; MO; QL (30 per 30 days) |
| PREZCOBIX ORAL TABLET 800-150 MG-MG | 1 | MO |
| PREZISTA ORAL SUSPENSION | 1 | MO |
| PREZISTA ORAL TABLET 150 MG, 75 MG | 1 | MO |
| RELENZA DISKHALER | 1 | MO |
| RETROVIR INTRAVENOUS | 1 | MO |
| REYATAZ ORAL POWDER IN PACKET | 1 | MO |
| <i>ribavirin oral capsule</i> | 1 | MO |
| <i>ribavirin oral tablet 200 mg</i> | 1 | MO |
| <i>rimantadine</i> | 1 | MO |
| <i>ritonavir</i> | 1 | MO |
| RUKOBIA | 1 | MO |
| SELZENTRY ORAL SOLUTION | 1 | MO |
| SOFOSBUVIR-VELPATASVIR | 1 | PA; MO; QL (28 per 28 days) |
| STRIBILD | 1 | MO |
| SUNLENCA | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| SYMTUZA | 1 | MO |
| SYNAGIS | 1 | MO; LA |
| <i>tenofovir disoproxil fumarate</i> | 1 | MO |
| TIVICAY ORAL TABLET 50 MG | 1 | MO |
| TIVICAY PD | 1 | MO |
| TRIUMEQ | 1 | MO |
| TRIUMEQ PD | 1 | MO |
| TROGARZO | 1 | MO; LA |
| <i>valacyclovir oral tablet 1 gram</i> | 1 | MO; QL (120 per 30 days) |
| <i>valacyclovir oral tablet 500 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>valganciclovir oral recon soln</i> | 1 | MO |
| <i>valganciclovir oral tablet</i> | 1 | MO |
| VEMLIDY | 1 | MO |
| VIRACEPT ORAL TABLET | 1 | MO |
| VIREAD ORAL POWDER | 1 | MO |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 1 | MO |
| VOSEVI | 1 | PA; MO; QL (28 per 28 days) |
| XOFLUZA ORAL TABLET 40 MG, 80 MG | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| <i>zidovudine oral capsule</i> | 1 | MO |
| <i>zidovudine oral syrup</i> | 1 | MO |
| <i>zidovudine oral tablet</i> | 1 | MO |
| CEPHALOSPORINS | | |
| <i>cefaclor oral capsule</i> | 1 | MO |
| <i>cefaclor oral suspension for reconstitution 250 mg/5 ml</i> | 1 | |
| <i>cefadroxil oral capsule</i> | 1 | MO |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> | 1 | MO |
| <i>cefazolin in dextrose (iso-os) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i> | 1 | MO |
| <i>cefazolin injection recon soln 1 gram, 500 mg</i> | 1 | MO |
| <i>cefazolin injection recon soln 10 gram, 100 gram, 300 gram</i> | 1 | |
| <i>cefazolin intravenous recon soln 1 gram</i> | 1 | |
| <i>cefdinir oral capsule</i> | 1 | MO |
| <i>cefdinir oral suspension for reconstitution</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|---|------------------|-----------------------------|
| cefepime in dextrose,iso-osm | 1 | | cefuroxime sodium intravenous recon soln 1.5 gram | 1 | PA; MO |
| cefepime injection | 1 | MO | cefuroxime sodium intravenous recon soln 7.5 gram | 1 | PA |
| cefixime | 1 | MO | cephalexin oral capsule 250 mg, 500 mg | 1 | MO |
| cefoxitin in dextrose, iso-osm | 1 | PA | cephalexin oral suspension for reconstitution | 1 | MO |
| cefoxitin intravenous recon soln 1 gram, 2 gram | 1 | PA; MO | tazicef injection | 1 | PA; MO |
| cefoxitin intravenous recon soln 10 gram | 1 | PA | tazicef intravenous | 1 | PA |
| cefpodoxime | 1 | MO | TEFLARO | 1 | PA; MO |
| cefprozil | 1 | MO | ERYTHROMYCINS / OTHER MACROLIDES | | |
| ceftazidime injection recon soln 1 gram, 2 gram | 1 | PA; MO | azithromycin intravenous | 1 | PA; MO |
| ceftazidime injection recon soln 6 gram | 1 | PA | azithromycin oral suspension for reconstitution | 1 | MO |
| ceftriaxone in dextrose,iso-os | 1 | MO | azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack) | 1 | |
| ceftriaxone injection recon soln 1 gram, 2 gram, 250 mg, 500 mg | 1 | MO | azithromycin oral tablet 250 mg, 500 mg, 600 mg | 1 | MO |
| ceftriaxone injection recon soln 10 gram | 1 | | clarithromycin | 1 | MO |
| ceftriaxone intravenous | 1 | MO | DIFICID ORAL TABLET | 1 | MO; QL (20 per 10 days) |
| cefuroxime axetil oral tablet | 1 | MO | | | |
| cefuroxime sodium injection recon soln 750 mg | 1 | PA; MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|---------------------------------|
| ery-tab oral tablet,delayed release (dr/ec) 250 mg, 333 mg | 1 | MO |
| erythromycin ethylsuccinate oral tablet | 1 | |
| erythromycin oral | 1 | MO |
| MISCELLANEOUS ANTIINFECTIVES | | |
| albendazole | 1 | MO |
| amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml | 1 | PA; MO |
| ARIKAYCE | 1 | PA; LA |
| atovaquone | 1 | MO |
| atovaquone-proguanil | 1 | MO |
| aztreonam | 1 | PA; MO |
| CAYSTON | 1 | PA; MO; LA; QL (84 per 56 days) |
| chloramphenicol sod succinate | 1 | |
| chloroquine phosphate | 1 | MO |
| clindamycin hcl | 1 | MO |
| clindamycin in 5 % dextrose | 1 | PA; MO |
| clindamycin phosphate injection | 1 | PA; MO |
| COARTEM | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| colistin (colistimethate na) | 1 | PA; MO; QL (30 per 10 days) |
| dapsone oral | 1 | MO |
| DAPTOMYCIN INTRAVENOUS RECON SOLN 350 MG | 1 | MO |
| daptomycin intravenous recon soln 500 mg | 1 | MO |
| EMVERM | 1 | MO |
| ertapenem | 1 | PA; MO; QL (14 per 14 days) |
| ethambutol | 1 | MO |
| gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 60 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml | 1 | PA; MO |
| gentamicin injection | 1 | PA; MO |
| gentamicin sulfate (ped) (pf) | 1 | PA; MO |
| hydroxychloroquine oral tablet 200 mg | 1 | MO |
| imipenem-cilastatin | 1 | PA; MO |
| IMPAVIDO | 1 | PA; MO |
| isoniazid injection | 1 | |
| isoniazid oral | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|--------------------------------|
| <i>ivermectin oral tablet 3 mg</i> | 1 | PA; MO; QL (20 per 30 days) |
| <i>ivermectin oral tablet 6 mg</i> | 1 | PA; QL (8 per 30 days) |
| <i>lincomycin</i> | 1 | PA |
| <i>linezolid in dextrose 5%</i> | 1 | PA; MO |
| <i>linezolid oral suspension for reconstitution</i> | 1 | MO |
| <i>linezolid oral tablet</i> | 1 | MO |
| <i>linezolid-0.9% sodium chloride</i> | 1 | PA |
| <i>mefloquine</i> | 1 | MO |
| <i>meropenem intravenous recon soln 1 gram, 2 gram</i> | 1 | PA; QL (30 per 10 days) |
| <i>meropenem intravenous recon soln 500 mg</i> | 1 | PA; QL (10 per 10 days) |
| <i>metro i.v.</i> | 1 | PA; MO |
| <i>metronidazole in nacl (iso-os)</i> | 1 | PA; MO |
| <i>metronidazole oral tablet 250 mg, 500 mg</i> | 1 | MO |
| <i>neomycin</i> | 1 | MO |
| <i>nitazoxanide</i> | 1 | MO; QL (12 per 30 days) |
| <i>pentamidine inhalation</i> | 1 | B/D PA; MO; QL (1 per 28 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|------------------------------|
| <i>pentamidine injection</i> | 1 | MO |
| <i>praziquantel</i> | 1 | MO |
| <i>PRIFTIN</i> | 1 | MO |
| <i>PRIMAQUINE</i> | 1 | MO |
| <i>pyrazinamide</i> | 1 | MO |
| <i>pyrimethamine</i> | 1 | PA; MO |
| <i>quinine sulfate</i> | 1 | MO |
| <i>rifabutin</i> | 1 | MO |
| <i>rifampin intravenous</i> | 1 | MO |
| <i>rifampin oral</i> | 1 | MO |
| <i>SIRTURO</i> | 1 | PA; LA |
| <i>STREPTOMYCIN</i> | 1 | PA; MO; QL (60 per 30 days) |
| <i>tigecycline</i> | 1 | PA; MO |
| <i>tinidazole</i> | 1 | MO |
| <i>TOBI PODHALER</i> | 1 | MO; QL (224 per 56 days) |
| <i>tobramycin in 0.225 % nacl</i> | 1 | PA; MO; QL (280 per 28 days) |
| <i>tobramycin inhalation</i> | 1 | PA; MO; QL (224 per 28 days) |
| <i>tobramycin sulfate injection recon soln</i> | 1 | PA; QL (9 per 14 days) |
| <i>tobramycin sulfate injection solution</i> | 1 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | 1 | PA; QL (4000 per 10 days) |
| VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 500 MG/100 ML | 1 | PA; QL (1000 per 10 days) |
| VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 750 MG/150 ML | 1 | PA; QL (4050 per 10 days) |
| <i>vancomycin intravenous recon soln 1,000 mg</i> | 1 | MO; QL (20 per 10 days) |
| <i>vancomycin intravenous recon soln 10 gram</i> | 1 | QL (2 per 10 days) |
| <i>vancomycin intravenous recon soln 5 gram</i> | 1 | PA; QL (4 per 10 days) |
| <i>vancomycin intravenous recon soln 500 mg</i> | 1 | MO; QL (10 per 10 days) |
| <i>vancomycin intravenous recon soln 750 mg</i> | 1 | MO; QL (27 per 10 days) |
| <i>vancomycin oral capsule 125 mg</i> | 1 | PA; MO; QL (40 per 10 days) |
| <i>vancomycin oral capsule 250 mg</i> | 1 | PA; MO; QL (80 per 10 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| VIBATIV INTRAVENOUS RECON SOLN 750 MG | 1 | PA |
| XIFAXAN ORAL TABLET 200 MG | 1 | PA; QL (9 per 30 days) |
| XIFAXAN ORAL TABLET 550 MG | 1 | PA; MO; QL (90 per 30 days) |
| PENICILLINS | | |
| <i>amoxicillin oral capsule</i> | 1 | MO |
| <i>amoxicillin oral suspension for reconstitution</i> | 1 | MO |
| <i>amoxicillin oral tablet</i> | 1 | MO |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i> | 1 | MO |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution</i> | 1 | MO |
| <i>amoxicillin-pot clavulanate oral tablet</i> | 1 | MO |
| <i>amoxicillin-pot clavulanate oral tablet extended release 12 hr</i> | 1 | MO |
| <i>ampicillin oral capsule 500 mg</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|---|------------------|-----------------------------|
| ampicillin sodium injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg | 1 | PA; MO | nafcillin injection recon soln 1 gram, 2 gram | 1 | PA; MO |
| ampicillin sodium intravenous | 1 | PA | nafcillin injection recon soln 10 gram | 1 | PA |
| ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram | 1 | PA; MO | oxacillin in dextrose(iso-osm) intravenous piggyback 2 gram/50 ml | 1 | PA |
| ampicillin-sulbactam injection recon soln 15 gram | 1 | PA | oxacillin injection recon soln 1 gram, 10 gram | 1 | PA |
| ampicillin-sulbactam intravenous | 1 | PA | oxacillin injection recon soln 2 gram | 1 | PA; MO |
| AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 125-31.25 MG/5 ML | 1 | MO | PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 2 MILLION UNIT/50 ML, 3 MILLION UNIT/50 ML | 1 | PA |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML | 1 | PA; MO | penicillin g potassium | 1 | PA; MO |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 2,400,000 UNIT/4 ML, 600,000 UNIT/ML | 1 | PA | penicillin g sodium | 1 | PA; MO |
| dicloxacillin | 1 | MO | penicillin v potassium | 1 | MO |
| nafcillin in dextrose iso-osm intravenous piggyback 2 gram/100 ml | 1 | PA | pfizerpen-g | 1 | PA |
| | | | piperacillin-tazobactam intravenous recon soln 13.5 gram, 40.5 gram | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| <i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram</i> | 1 | MO |
| QUINOLONES | | |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i> | 1 | MO |
| <i>ciprofloxacin in 5 % dextrose</i> | 1 | PA; MO |
| <i>ciprofloxacin oral suspension,microcap sule recon 500 mg/5 ml</i> | 1 | |
| <i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml</i> | 1 | PA |
| <i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i> | 1 | PA; MO |
| <i>levofloxacin intravenous</i> | 1 | PA |
| <i>levofloxacin oral solution</i> | 1 | MO |
| <i>levofloxacin oral tablet</i> | 1 | MO |
| <i>moxifloxacin oral</i> | 1 | MO |
| <i>moxifloxacin-sod.chloride(iso)</i> | 1 | PA; MO |
| SULFA'S / RELATED AGENTS | | |
| <i>sulfadiazine</i> | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| <i>sulfamethoxazole-trimethoprim intravenous</i> | 1 | PA; MO |
| <i>sulfamethoxazole-trimethoprim oral suspension</i> | 1 | MO |
| TETRACYCLINES | | |
| <i>demeclacycline</i> | 1 | MO |
| <i>doxy-100</i> | 1 | PA; MO |
| <i>doxycycline hyclate intravenous</i> | 1 | PA |
| <i>doxycycline hyclate oral capsule</i> | 1 | MO |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg, 50 mg</i> | 1 | MO |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i> | 1 | MO |
| <i>doxycycline monohydrate oral suspension for reconstitution</i> | 1 | MO |
| <i>doxycycline monohydrate oral tablet 100 mg, 50 mg, 75 mg</i> | 1 | MO |
| <i>minocycline oral capsule</i> | 1 | MO |
| <i>minocycline oral tablet</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| <i>monodoxine nl oral capsule 100 mg</i> | 1 | |
| <i>tetracycline oral capsule</i> | 1 | MO |
| URINARY TRACT AGENTS | | |
| <i>fosfomycin tromethamine</i> | 1 | MO |
| <i>methenamine hippurate</i> | 1 | MO |
| <i>methenamine mandelate</i> | 1 | MO |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i> | 1 | MO |
| <i>nitrofurantoin monohyd/m-cryst</i> | 1 | MO |
| <i>trimethoprim</i> | 1 | MO |
| ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS | | |
| ADJUNCTIVE AGENTS | | |
| <i>dexrazoxane hcl</i> | 1 | B/D PA; MO |
| <i>ELITEK</i> | 1 | MO |
| <i>KHAPZORY INTRAVENOUS RECON SOLN 175 MG</i> | 1 | B/D PA |
| <i>leucovorin calcium oral</i> | 1 | MO |
| <i>levoleucovorin calcium intravenous recon soln</i> | 1 | B/D PA; MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|------------------------------|
| <i>levoleucovorin calcium intravenous solution</i> | 1 | B/D PA |
| <i>mesna intravenous</i> | 1 | B/D PA; MO |
| <i>mesna oral</i> | 1 | MO |
| <i>WYOST</i> | 1 | B/D PA; MO |
| ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS | | |
| <i>abiraterone oral tablet 250 mg</i> | 1 | PA; MO; QL (120 per 30 days) |
| <i>abiraterone oral tablet 500 mg</i> | 1 | PA; MO; QL (60 per 30 days) |
| <i>abirtega</i> | 1 | PA; QL (120 per 30 days) |
| <i>ADCETRIS</i> | 1 | B/D PA; MO |
| <i>ADSTILADRIN</i> | 1 | PA |
| <i>AKEEGA</i> | 1 | PA; LA; QL (60 per 30 days) |
| <i>ALECENSA</i> | 1 | PA; MO; QL (240 per 30 days) |
| <i>ALUNBRIG ORAL TABLET 180 MG, 90 MG</i> | 1 | PA; QL (30 per 30 days) |
| <i>ALUNBRIG ORAL TABLET 30 MG</i> | 1 | PA; QL (60 per 30 days) |
| <i>ALUNBRIG ORAL TABLETS,DOSE PACK</i> | 1 | PA; QL (30 per 180 days) |
| <i>anastrozole</i> | 1 | MO |
| <i>ANKTIVA</i> | 1 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| arsenic trioxide <i>intravenous solution</i> 1 mg/ml | 1 | B/D PA |
| arsenic trioxide <i>intravenous solution</i> 2 mg/ml | 1 | B/D PA; MO |
| ASPARLAS | 1 | PA |
| AUGTYRO ORAL CAPSULE 160 MG | 1 | PA; QL (60 per 30 days) |
| AUGTYRO ORAL CAPSULE 40 MG | 1 | PA; QL (240 per 30 days) |
| AVMAPKI- FAKZYNJA | 1 | PA; QL (66 per 28 days) |
| AYVAKIT | 1 | PA; LA; QL (30 per 30 days) |
| azacitidine | 1 | B/D PA; MO |
| azathioprine oral tablet 50 mg | 1 | B/D PA; MO |
| azathioprine sodium | 1 | B/D PA; MO |
| BALVERSA | 1 | PA; LA |
| BAVENCIO | 1 | B/D PA; LA |
| BELEODAQ | 1 | B/D PA |
| bendamustine <i>intravenous recon</i> <i>soln</i> | 1 | B/D PA; MO |
| BENDEKA | 1 | B/D PA; MO |
| BESPONSA | 1 | B/D PA; MO; LA |
| bexarotene | 1 | PA; MO |
| bicalutamide | 1 | MO |
| BIZENGRI | 1 | PA |
| bleomycin | 1 | B/D PA; MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|----------------------------------|
| BLINCYTO <i>INTRAVENOUS KIT</i> | 1 | B/D PA |
| BORTEZOMIB INJECTION RECON SOLN 1 MG, 2.5 MG | 1 | B/D PA |
| <i>bortezomib injection</i> recon soln 3.5 mg | 1 | B/D PA; MO |
| BOSULIF ORAL CAPSULE 100 MG | 1 | PA; MO; QL (180 per 30 days) |
| BOSULIF ORAL CAPSULE 50 MG | 1 | PA; MO; QL (330 per 30 days) |
| BOSULIF ORAL TABLET 100 MG | 1 | PA; MO; QL (90 per 30 days) |
| BOSULIF ORAL TABLET 400 MG, 500 MG | 1 | PA; MO; QL (30 per 30 days) |
| BRAFTOVI | 1 | PA; MO; LA; QL (180 per 30 days) |
| BRUKINSA ORAL CAPSULE | 1 | PA; LA; QL (120 per 30 days) |
| <i>busulfan</i> | 1 | B/D PA |
| CABOMETYX | 1 | PA; MO; LA; QL (30 per 30 days) |
| CALQUENCE (ACALABRUTINIB MAL) | 1 | PA; LA; QL (60 per 30 days) |
| CAPRELSA ORAL TABLET 100 MG | 1 | PA; LA; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|---------------------------------|--|------------------|-----------------------------|
| CAPRELSA ORAL TABLET 300 MG | 1 | PA; LA; QL (30 per 30 days) | cyclophosphamide oral capsule | 1 | B/D PA; MO |
| <i>carboplatin intravenous solution</i> | 1 | B/D PA; MO | CYCLOPHOSPHAM IDE ORAL TABLET | 1 | B/D PA |
| <i>carmustine intravenous recon soln 100 mg</i> | 1 | B/D PA; MO | <i>cyclosporine modified oral capsule</i> | 1 | B/D PA; MO |
| <i>cisplatin intravenous solution</i> | 1 | B/D PA; MO | <i>cyclosporine modified oral solution</i> | 1 | B/D PA |
| <i>cladribine</i> | 1 | B/D PA; MO | <i>cyclosporine oral capsule</i> | 1 | B/D PA; MO |
| <i>clofarabine</i> | 1 | B/D PA | CYRAMZA | 1 | B/D PA; MO |
| COLUMVI | 1 | PA; MO | <i>cytarabine</i> | 1 | B/D PA; MO |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1) | 1 | PA; MO; QL (56 per 28 days) | <i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i> | 1 | B/D PA; MO |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3) | 1 | PA; MO; QL (112 per 28 days) | <i>cytarabine (pf) injection solution 20 mg/ml</i> | 1 | B/D PA |
| COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY) | 1 | PA; MO; QL (84 per 28 days) | dacarbazine | 1 | B/D PA; MO |
| COPIKTRA | 1 | PA; LA; QL (60 per 30 days) | <i>dactinomycin</i> | 1 | B/D PA; MO |
| COTELLIC | 1 | PA; MO; LA; QL (63 per 28 days) | DANYELZA | 1 | B/D PA |
| <i>cyclophosphamide intravenous recon soln</i> | 1 | B/D PA; MO | DANZITEN | 1 | PA; QL (112 per 28 days) |
| | | | DARZALEX | 1 | B/D PA; MO; LA |
| | | | <i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 80 mg</i> | 1 | PA; MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|--------------------------------|--|------------------|--------------------------------|
| dasatinib oral tablet 20 mg | 1 | PA; MO; QL (90 per 30 days) | doxorubicin <i>intravenous solution</i> 10 mg/5 ml, 20 mg/10 ml, 50 mg/25 ml | 1 | B/D PA; MO |
| dasatinib oral tablet 70 mg | 1 | PA; MO; QL (60 per 30 days) | doxorubicin <i>intravenous solution</i> 2 mg/ml | 1 | B/D PA |
| DATROWAY | 1 | PA; MO | doxorubicin, peg-liposomal | 1 | B/D PA; MO |
| daunorubicin | 1 | B/D PA | DROXIA | 1 | MO |
| DAURISMO ORAL TABLET 100 MG | 1 | PA; MO; QL (30 per 30 days) | ELAHERE | 1 | PA; LA |
| DAURISMO ORAL TABLET 25 MG | 1 | PA; MO; QL (60 per 30 days) | ELIGARD | 1 | PA; MO |
| decitabine | 1 | B/D PA; MO | ELIGARD (3 MONTH) | 1 | PA; MO |
| docetaxel <i>intravenous solution</i> 160 mg/16 ml (10 mg/ml), 80 mg/8 ml (10 mg/ml) | 1 | B/D PA | ELIGARD (4 MONTH) | 1 | PA; MO |
| docetaxel <i>intravenous solution</i> 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml) | 1 | B/D PA; MO | ELIGARD (6 MONTH) | 1 | PA; MO |
| doxorubicin <i>intravenous recon soln</i> 10 mg | 1 | B/D PA | ELREXFIO | 1 | PA |
| doxorubicin <i>intravenous recon soln</i> 50 mg | 1 | B/D PA; MO | ELZONRIS | 1 | B/D PA; LA |
| | | | EMPLICITI | 1 | B/D PA; MO |
| | | | EMRELIS | 1 | PA |
| | | | ENVARSUS XR | 1 | B/D PA; MO |
| | | | epirubicin <i>intravenous solution</i> 200 mg/100 ml | 1 | B/D PA |
| | | | EPKINLY | 1 | PA |
| | | | ERBITUX | 1 | B/D PA; MO |
| | | | eribulin | 1 | B/D PA |
| | | | ERIVEDGE | 1 | PA; MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|------------------------------|--|------------------|-----------------------------|
| ERLEADA ORAL TABLET 240 MG | 1 | PA; MO; QL (30 per 30 days) | everolimus (immunosuppressive) oral tablet 0.5 mg, 0.75 mg, 1 mg | 1 | B/D PA; MO |
| ERLEADA ORAL TABLET 60 MG | 1 | PA; MO; QL (120 per 30 days) | exemestane | 1 | MO |
| <i>erlotinib oral tablet 100 mg, 150 mg</i> | 1 | PA; MO; QL (30 per 30 days) | FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG | 1 | PA; MO |
| <i>erlotinib oral tablet 25 mg</i> | 1 | PA; MO; QL (60 per 30 days) | FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG | 1 | PA; MO |
| ERWINASE | 1 | B/D PA | <i>flouxuridine</i> | 1 | B/D PA |
| ETOPOPHOS | 1 | B/D PA; MO | <i>fludarabine intravenous recon soln</i> | 1 | B/D PA; MO |
| <i>etoposide intravenous</i> | 1 | B/D PA; MO | <i>fludarabine intravenous solution</i> | 1 | B/D PA |
| EULEXIN | 1 | | <i>fluorouracil intravenous solution 1 gram/20 ml, 500 mg/10 ml</i> | 1 | B/D PA; MO |
| everolimus (antineoplastic) oral tablet | 1 | PA; MO; QL (30 per 30 days) | <i>fluorouracil intravenous solution 2.5 gram/50 ml, 5 gram/100 ml</i> | 1 | B/D PA |
| everolimus (antineoplastic) oral tablet for suspension 2 mg | 1 | PA; MO; QL (150 per 30 days) | FOTIVDA | 1 | PA; LA; QL (21 per 28 days) |
| everolimus (antineoplastic) oral tablet for suspension 3 mg | 1 | PA; MO; QL (90 per 30 days) | FRUZAQLA ORAL CAPSULE 1 MG | 1 | PA; QL (84 per 28 days) |
| everolimus (antineoplastic) oral tablet for suspension 5 mg | 1 | PA; MO; QL (60 per 30 days) | FRUZAQLA ORAL CAPSULE 5 MG | 1 | PA; QL (21 per 28 days) |
| everolimus (immunosuppressive) oral tablet 0.25 mg | 1 | B/D PA; MO | <i>fulvestrant</i> | 1 | B/D PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|------------------------------|---|------------------|---------------------------------|
| FYARRO | 1 | PA | GOMEKLI ORAL CAPSULE 2 MG | 1 | PA; QL (84 per 28 days) |
| GAVRETO | 1 | PA; LA; QL (120 per 30 days) | GOMEKLI ORAL TABLET FOR SUSPENSION | 1 | PA; QL (168 per 28 days) |
| GAZYVA | 1 | B/D PA; MO | GRAFAPEX | 1 | B/D PA |
| <i>gefitinib</i> | 1 | PA; MO; QL (30 per 30 days) | <i>hydroxyurea</i> | 1 | MO |
| <i>gemcitabine intravenous recon soln 1 gram, 200 mg</i> | 1 | B/D PA; MO | IBRANCE | 1 | PA; MO; QL (21 per 28 days) |
| <i>gemcitabine intravenous recon soln 2 gram</i> | 1 | B/D PA | IBTROZI | 1 | PA; QL (90 per 30 days) |
| <i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i> | 1 | B/D PA; MO | ICLUSIG | 1 | PA; QL (30 per 30 days) |
| GEMCITABINE INTRAVENOUS SOLUTION 100 MG/ML | 1 | B/D PA | <i>idarubicin</i> | 1 | B/D PA; MO |
| <i>genograf oral capsule</i> | 1 | B/D PA; MO | IDHIFA | 1 | PA; MO; LA; QL (30 per 30 days) |
| GILOTRIF | 1 | PA; MO; QL (30 per 30 days) | <i>ifosfamide intravenous recon soln</i> | 1 | B/D PA; MO |
| GLEOSTINE ORAL CAPSULE 10 MG, 40 MG | 1 | MO | <i>ifosfamide intravenous solution 1 gram/20 ml</i> | 1 | B/D PA; MO |
| GLEOSTINE ORAL CAPSULE 100 MG | 1 | MO | <i>ifosfamide intravenous solution 3 gram/60 ml</i> | 1 | B/D PA |
| GOMEKLI ORAL CAPSULE 1 MG | 1 | PA; QL (126 per 28 days) | <i>imatinib oral tablet 100 mg</i> | 1 | PA; MO; QL (180 per 30 days) |
| | | | <i>imatinib oral tablet 400 mg</i> | 1 | PA; MO; QL (60 per 30 days) |
| | | | IMBRUVICA ORAL CAPSULE | 1 | PA; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|----------------------------------|
| IMBRUICA ORAL SUSPENSION | 1 | PA; QL (324 per 30 days) |
| IMBRUICA ORAL TABLET 140 MG, 280 MG, 420 MG | 1 | PA; QL (30 per 30 days) |
| IMDELLTRA | 1 | PA; MO |
| IMFINZI | 1 | B/D PA; MO; LA |
| IMJUDO | 1 | PA; MO |
| IMKELDI | 1 | PA; MO; QL (280 per 28 days) |
| INLYTA ORAL TABLET 1 MG | 1 | PA; MO; QL (180 per 30 days) |
| INLYTA ORAL TABLET 5 MG | 1 | PA; MO; QL (120 per 30 days) |
| INQOVI | 1 | PA; MO; QL (5 per 28 days) |
| INREBIC | 1 | PA; MO; LA; QL (120 per 30 days) |
| <i>irinotecan intravenous solution 100 mg/5 ml</i> | 1 | B/D PA; MO |
| <i>irinotecan intravenous solution 300 mg/15 ml, 500 mg/25 ml</i> | 1 | B/D PA |
| <i>irinotecan intravenous solution 40 mg/2 ml</i> | 1 | B/D PA; MO |
| ISTODAX | 1 | B/D PA; MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|------------------------------|
| ITOVEBI ORAL TABLET 3 MG | 1 | PA; MO; QL (60 per 30 days) |
| ITOVEBI ORAL TABLET 9 MG | 1 | PA; MO; QL (30 per 30 days) |
| IWILFIN | 1 | PA; LA; QL (240 per 30 days) |
| IXEMPRA | 1 | B/D PA; MO |
| JAKAFI | 1 | PA; MO; QL (60 per 30 days) |
| JAYPIRCA ORAL TABLET 100 MG | 1 | PA; MO; QL (60 per 30 days) |
| JAYPIRCA ORAL TABLET 50 MG | 1 | PA; MO; QL (30 per 30 days) |
| JEMPERLI | 1 | PA; MO |
| JEVTANA | 1 | B/D PA; MO |
| JYLAMVO | 1 | B/D PA; MO |
| KADCYLA | 1 | PA; MO |
| KEYTRUDA | 1 | PA; MO |
| KIMMTRAK | 1 | B/D PA |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1) | 1 | PA; MO; QL (21 per 28 days) |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2) | 1 | PA; MO; QL (42 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|------------------------------|--|------------------|------------------------------|
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3) | 1 | PA; MO; QL (63 per 28 days) | LENVIMA ORAL CAPSULE 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X1) | 1 | PA; MO; QL (90 per 30 days) |
| KOSELUGO | 1 | PA | LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) | 1 | PA; MO; QL (60 per 30 days) |
| KRAZATI | 1 | PA; QL (180 per 30 days) | letrozole | 1 | MO |
| KYPROLIS | 1 | B/D PA | LEUKERAN | 1 | MO |
| <i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> | 1 | PA; MO | <i>leuprolide subcutaneous kit</i> | 1 | PA; MO |
| <i>lapatinib</i> | 1 | PA; MO; QL (180 per 30 days) | LIBTAYO | 1 | PA; LA |
| LAZCLUZE ORAL TABLET 240 MG | 1 | PA; LA; QL (30 per 30 days) | LONSURF | 1 | PA; MO |
| LAZCLUZE ORAL TABLET 80 MG | 1 | PA; LA; QL (60 per 30 days) | LOQTORZI | 1 | PA; MO |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 25 mg, 5 mg</i> | 1 | PA; MO; QL (28 per 28 days) | LOBRENA ORAL TABLET 100 MG | 1 | PA; MO; QL (30 per 30 days) |
| <i>lenalidomide oral capsule 2.5 mg, 20 mg</i> | 1 | PA; QL (28 per 28 days) | LOBRENA ORAL TABLET 25 MG | 1 | PA; MO; QL (90 per 30 days) |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 4 MG | 1 | PA; MO; QL (30 per 30 days) | LUMAKRAS ORAL TABLET 120 MG | 1 | PA; MO; QL (240 per 30 days) |
| | | | LUMAKRAS ORAL TABLET 240 MG | 1 | PA; MO; QL (120 per 30 days) |
| | | | LUMAKRAS ORAL TABLET 320 MG | 1 | PA; MO; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-------------------------------|--|------------------|----------------------------------|
| LUNSUMIO | 1 | PA; MO | MEKINIST ORAL TABLET 0.5 MG | 1 | PA; MO; QL (90 per 30 days) |
| LUPRON DEPOT | 1 | PA; MO | MEKINIST ORAL TABLET 2 MG | 1 | PA; MO; QL (30 per 30 days) |
| LYNOZYFIC | 1 | PA | MEKTOVI | 1 | PA; MO; LA; QL (180 per 30 days) |
| LYNPARZA | 1 | PA; MO; QL (120 per 30 days) | <i>melphalan hcl</i> | 1 | B/D PA |
| LYSODREN | 1 | | <i>mercaptopurine oral suspension</i> | 1 | MO |
| LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3) | 1 | PA; LA; QL (84 per 28 days) | <i>mercaptopurine oral tablet</i> | 1 | MO |
| LYTGOBI ORAL TABLET 16 MG/DAY (4 MG X 4) | 1 | PA; LA; QL (112 per 28 days) | <i>methotrexate sodium</i> | 1 | B/D PA; MO |
| LYTGOBI ORAL TABLET 20 MG/DAY (4 MG X 5) | 1 | PA; LA; QL (140 per 28 days) | <i>methotrexate sodium (pf) injection recon soln</i> | 1 | B/D PA |
| MARGENZA | 1 | B/D PA | <i>methotrexate sodium (pf) injection solution</i> | 1 | B/D PA; MO |
| MATULANE | 1 | | <i>mitomycin intravenous recon soln 20 mg, 5 mg</i> | 1 | B/D PA; MO |
| <i>megestrol oral suspension 400 mg/10 ml (10 ml)</i> | 1 | PA | <i>mitomycin intravenous recon soln 40 mg</i> | 1 | B/D PA; MO |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i> | 1 | PA; MO | <i>mitoxantrone</i> | 1 | B/D PA; MO |
| <i>megestrol oral suspension 625 mg/5 ml (125 mg/ml)</i> | 1 | PA; MO | MONJUVI | 1 | PA; LA |
| <i>megestrol oral tablet</i> | 1 | PA; MO | <i>mycophenolate mofetil (hcl)</i> | 1 | B/D PA; MO |
| MEKINIST ORAL RECON SOLN | 1 | PA; MO; QL (1260 per 30 days) | <i>mycophenolate mofetil oral capsule</i> | 1 | B/D PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|----------------------------------|--|------------------|---------------------------------|
| <i>mycophenolate mofetil oral suspension for reconstitution</i> | 1 | B/D PA; MO | <i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i> | 1 | PA; MO |
| <i>mycophenolate mofetil oral tablet</i> | 1 | B/D PA; MO | <i>octreotide acetate injection syringe</i> | 1 | PA; MO |
| <i>mycophenolate sodium</i> | 1 | B/D PA; MO | <i>octreotide,microspheres</i> | 1 | PA |
| MYHIBBIN | 1 | B/D PA; MO | ODOMZO | 1 | PA; MO; LA; QL (30 per 30 days) |
| MYLOTARG | 1 | B/D PA; MO; LA | OGSIVEO ORAL TABLET 100 MG, 150 MG | 1 | PA; QL (56 per 28 days) |
| <i>nelarabine</i> | 1 | B/D PA; MO | OGSIVEO ORAL TABLET 50 MG | 1 | PA; QL (180 per 30 days) |
| NEMLUVIO | 1 | PA; MO; QL (2 per 28 days) | OJEMDA ORAL SUSPENSION FOR RECONSTITUTION | 1 | PA; QL (96 per 28 days) |
| NERLYNX | 1 | PA; MO; LA | OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4) | 1 | PA; QL (16 per 28 days) |
| <i>nilotinib hcl oral capsule 150 mg, 200 mg</i> | 1 | PA; MO; QL (112 per 28 days) | OJEMDA ORAL TABLET 500 MG/WEEK (100 MG X 5) | 1 | PA; QL (20 per 28 days) |
| <i>nilotinib hcl oral capsule 50 mg</i> | 1 | PA; MO; QL (120 per 30 days) | OJEMDA ORAL TABLET 600 MG/WEEK (100 MG X 6) | 1 | PA; QL (24 per 28 days) |
| <i>nilutamide</i> | 1 | PA; MO | OJJAARA | 1 | PA; QL (30 per 30 days) |
| NINLARO | 1 | PA; MO; QL (3 per 28 days) | ONCASPAR | 1 | B/D PA |
| NUBEQA | 1 | PA; MO; LA; QL (120 per 30 days) | ONIVYDE | 1 | B/D PA |
| NULOJIX | 1 | B/D PA; MO | | | |
| <i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i> | 1 | PA; MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|---------------------------------|
| ONUREG | 1 | PA; MO; QL (14 per 28 days) |
| OPDIVO | 1 | PA; MO |
| OPDIVO QVANTIG | 1 | PA; MO |
| OPDUALAG | 1 | PA; MO |
| ORGOVYX | 1 | PA; LA; QL (30 per 28 days) |
| ORSERDU ORAL TABLET 345 MG | 1 | PA; QL (30 per 30 days) |
| ORSERDU ORAL TABLET 86 MG | 1 | PA; QL (90 per 30 days) |
| <i>oxaliplatin</i> <i>intravenous recon</i> <i>soln 100 mg</i> | 1 | B/D PA |
| <i>oxaliplatin</i> <i>intravenous recon</i> <i>soln 50 mg</i> | 1 | B/D PA; MO |
| <i>oxaliplatin</i> <i>intravenous solution</i> <i>100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i> | 1 | B/D PA; MO |
| <i>oxaliplatin</i> <i>intravenous solution</i> <i>200 mg/40 ml</i> | 1 | B/D PA |
| paclitaxel | 1 | B/D PA; MO |
| paclitaxel protein-bound | 1 | B/D PA; MO |
| PADCEV | 1 | PA; MO |
| paraplatin | 1 | B/D PA |
| pazopanib | 1 | PA; MO; QL (120 per 30 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|---------------------------------|
| PEMAZYRE | 1 | PA; LA; QL (28 per 28 days) |
| <i>pemetrexed</i> <i>disodium</i> <i>intravenous recon</i> <i>soln 1,000 mg, 500 mg</i> | 1 | B/D PA; MO |
| <i>pemetrexed</i> <i>disodium</i> <i>intravenous recon</i> <i>soln 100 mg</i> | 1 | B/D PA; MO |
| <i>pemetrexed</i> <i>disodium</i> <i>intravenous recon</i> <i>soln 750 mg</i> | 1 | B/D PA |
| PERJETA | 1 | B/D PA; MO |
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1) | 1 | PA; QL (28 per 28 days) |
| PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) | 1 | PA; QL (56 per 28 days) |
| POLIVY | 1 | PA; MO |
| POMALYST | 1 | PA; MO; LA; QL (21 per 28 days) |
| POTELIGEO | 1 | PA |
| PRALATREXATE | 1 | B/D PA; MO |
| PROGRAF INTRAVENOUS | 1 | B/D PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|---------------------------------|---|------------------|----------------------------------|
| PROGRAF ORAL GRANULES IN PACKET | 1 | B/D PA; MO | ROZLYTREK ORAL PELLETS IN PACKET | 1 | PA; MO; QL (336 per 28 days) |
| QINLOCK | 1 | PA; LA; QL (90 per 30 days) | RUBRACA | 1 | PA; MO; LA; QL (120 per 30 days) |
| RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG | 1 | PA; MO; LA; QL (60 per 30 days) | RUXIENCE | 1 | PA; MO |
| RETEVMO ORAL TABLET 40 MG | 1 | PA; MO; LA; QL (90 per 30 days) | RYBREVANT | 1 | PA; MO |
| REVUFORJ ORAL TABLET 110 MG | 1 | PA; QL (120 per 30 days) | RYDAPT | 1 | PA; MO; QL (224 per 28 days) |
| REVUFORJ ORAL TABLET 160 MG | 1 | PA; QL (60 per 30 days) | RYLAZE | 1 | B/D PA |
| REVUFORJ ORAL TABLET 25 MG | 1 | PA; QL (240 per 30 days) | RYTELO | 1 | PA |
| REZLIDHIA | 1 | PA; QL (60 per 30 days) | SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 10 MG | 1 | PA; MO |
| REZUROCK | 1 | PA; LA; QL (30 per 30 days) | SARCLISA | 1 | PA; LA |
| <i>romidepsin intravenous recon soln</i> | 1 | B/D PA | SCEMBLIX ORAL TABLET 100 MG | 1 | PA; QL (120 per 30 days) |
| ROMVIMZA | 1 | PA; LA; QL (8 per 28 days) | SCEMBLIX ORAL TABLET 20 MG | 1 | PA; QL (60 per 30 days) |
| ROZLYTREK ORAL CAPSULE 100 MG | 1 | PA; MO; QL (150 per 30 days) | SCEMBLIX ORAL TABLET 40 MG | 1 | PA; QL (300 per 30 days) |
| ROZLYTREK ORAL CAPSULE 200 MG | 1 | PA; MO; QL (90 per 30 days) | SIGNIFOR | 1 | PA |
| | | | SIMULECT | 1 | B/D PA; MO |
| | | | <i>sirolimus</i> | 1 | B/D PA; MO |
| | | | SOLTAMOX | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|---------------------------------|
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML | 1 | PA; MO |
| <i>sorafenib</i> | 1 | PA; MO; QL (120 per 30 days) |
| STIVARGA | 1 | PA; MO; QL (84 per 28 days) |
| <i>sunitinib malate</i> | 1 | PA; MO; QL (28 per 28 days) |
| SYLVANT | 1 | B/D PA; MO |
| TABLOID | 1 | MO |
| TABRECTA | 1 | PA; MO |
| <i>tacrolimus oral capsule</i> | 1 | B/D PA; MO |
| TAFINLAR ORAL CAPSULE | 1 | PA; MO; QL (120 per 30 days) |
| TAFINLAR ORAL TABLET FOR SUSPENSION | 1 | PA; MO; QL (840 per 28 days) |
| TAGRISSO | 1 | PA; MO; LA; QL (30 per 30 days) |
| TALVEY | 1 | PA |
| TALZENNA | 1 | PA; MO; QL (30 per 30 days) |
| <i>tamoxifen</i> | 1 | MO |
| TAZVERIK | 1 | PA; LA |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|------------------------------|
| TECENTRIQ | 1 | B/D PA; MO; LA |
| TECENTRIQ HYBREZA | 1 | B/D PA; MO; LA |
| TECVAYLI | 1 | PA |
| TEMODAR INTRAVENOUS | 1 | B/D PA; MO |
| <i>temsirolimus</i> | 1 | B/D PA; MO |
| TEPMETKO | 1 | PA; LA |
| TEVIMBRA | 1 | PA |
| THALOMID ORAL CAPSULE 100 MG | 1 | PA; MO; QL (112 per 28 days) |
| THALOMID ORAL CAPSULE 50 MG | 1 | PA; MO; QL (28 per 28 days) |
| <i>thiotepa injection recon soln 100 mg</i> | 1 | B/D PA |
| <i>thiotepa injection recon soln 15 mg</i> | 1 | B/D PA; MO |
| TIBSOVO | 1 | PA |
| TIVDAK | 1 | PA; MO |
| <i>topotecan</i> | 1 | B/D PA; MO |
| <i>toremifene</i> | 1 | MO |
| <i>torpenz</i> | 1 | PA; QL (30 per 30 days) |
| TRAZIMERA | 1 | B/D PA; MO |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION | 1 | PA; MO |
| <i>tretinoin (antineoplastic)</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|------------------------------|------------------|---------------------------------|----------------------------------|------------------|----------------------------------|
| TRODELVY | 1 | PA; LA | VITRAKVI ORAL CAPSULE 100 MG | 1 | PA; MO; LA; QL (60 per 30 days) |
| TRUQAP | 1 | PA; QL (64 per 28 days) | VITRAKVI ORAL CAPSULE 25 MG | 1 | PA; MO; LA; QL (180 per 30 days) |
| TUKYSA ORAL TABLET 150 MG | 1 | PA; LA; QL (120 per 30 days) | VITRAKVI ORAL SOLUTION | 1 | PA; MO; LA; QL (300 per 30 days) |
| TUKYSA ORAL TABLET 50 MG | 1 | PA; LA; QL (300 per 30 days) | VIZIMPRO | 1 | PA; MO; QL (30 per 30 days) |
| TURALIO ORAL CAPSULE 125 MG | 1 | PA; LA; QL (120 per 30 days) | VONJO | 1 | PA; QL (120 per 30 days) |
| UNITUXIN | 1 | B/D PA | VORANIGO ORAL TABLET 10 MG | 1 | PA; QL (60 per 30 days) |
| <i>valrubicin</i> | 1 | B/D PA; MO | VORANIGO ORAL TABLET 40 MG | 1 | PA; QL (30 per 30 days) |
| VANFLYTA | 1 | PA; QL (56 per 28 days) | VYLOY | 1 | PA; LA |
| VECTIBIX | 1 | B/D PA; MO | VYXEOS | 1 | B/D PA |
| VENCLEXTA ORAL TABLET 10 MG | 1 | PA; LA; QL (60 per 30 days) | WELIREG | 1 | PA; LA |
| VENCLEXTA ORAL TABLET 100 MG | 1 | PA; LA; QL (180 per 30 days) | XALKORI ORAL CAPSULE | 1 | PA; MO; QL (60 per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG | 1 | PA; LA; QL (30 per 30 days) | XALKORI ORAL PELLET 150 MG | 1 | PA; MO; QL (180 per 30 days) |
| VENCLEXTA STARTING PACK | 1 | PA; LA; QL (42 per 180 days) | XALKORI ORAL PELLET 20 MG, 50 MG | 1 | PA; MO; QL (120 per 30 days) |
| VERZENIO | 1 | PA; MO; LA; QL (60 per 30 days) | XERMELO | 1 | PA; LA; QL (84 per 28 days) |
| <i>vinblastine</i> | 1 | B/D PA; MO | | | |
| <i>vincristine</i> | 1 | B/D PA; MO | | | |
| <i>vinorelbine</i> | 1 | B/D PA; MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--------------------------|------------------|---------------------------------|
| XOSPATA | 1 | PA; LA; QL (90 per 30 days) |
| XPOVIO | 1 | PA; LA |
| XTANDI ORAL CAPSULE | 1 | PA; MO; QL (120 per 30 days) |
| XTANDI ORAL TABLET 40 MG | 1 | PA; MO; QL (120 per 30 days) |
| XTANDI ORAL TABLET 80 MG | 1 | PA; MO; QL (60 per 30 days) |
| YERVOY | 1 | B/D PA; MO |
| YONDELIS | 1 | B/D PA |
| ZALTRAP | 1 | B/D PA; MO |
| ZEJULA ORAL TABLET | 1 | PA; MO; LA; QL (30 per 30 days) |
| ZELBORAF | 1 | PA; MO; QL (240 per 30 days) |
| ZEPZELCA | 1 | PA |
| ZIIHERA | 1 | PA |
| ZIRABEV | 1 | B/D PA; MO |
| ZOLADEX | 1 | PA; MO |
| ZOLINZA | 1 | PA; MO; QL (120 per 30 days) |
| ZYDELIG | 1 | PA; MO; QL (60 per 30 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|--------------------------------|
| ZYKADIA | 1 | PA; MO; QL (90 per 30 days) |
| ZYNLONTA | 1 | PA; LA |
| ZYNYZ | 1 | PA; MO |
| AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH | | |
| ANTICONVULSANTS | | |
| BRIVIACT INTRAVENOUS | 1 | MO; QL (600 per 30 days) |
| BRIVIACT ORAL SOLUTION | 1 | MO; QL (600 per 30 days) |
| BRIVIACT ORAL TABLET | 1 | MO; QL (60 per 30 days) |
| carbamazepine oral capsule, er multiphase 12 hr | 1 | MO |
| carbamazepine oral suspension 100 mg/5 ml | 1 | MO |
| carbamazepine oral suspension 100 mg/5 ml (5 ml), 200 mg/10 ml | 1 | |
| carbamazepine oral tablet | 1 | MO |
| carbamazepine oral tablet extended release 12 hr | 1 | MO |
| carbamazepine oral tablet, chewable 100 mg | 1 | MO |
| clobazam oral suspension | 1 | PA; MO; QL (480 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|------------------------------|
| clobazam oral tablet | 1 | PA; MO; QL (60 per 30 days) |
| clonazepam oral tablet 0.5 mg, 1 mg | 1 | MO; QL (90 per 30 days) |
| clonazepam oral tablet 2 mg | 1 | MO; QL (300 per 30 days) |
| clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg | 1 | MO; QL (90 per 30 days) |
| clonazepam oral tablet,disintegrating 2 mg | 1 | MO; QL (300 per 30 days) |
| DIACOMIT | 1 | PA; LA |
| diazepam rectal | 1 | MO |
| DILANTIN 30 MG | 1 | MO |
| divalproex | 1 | MO |
| EPIDIOLEX | 1 | PA; MO; LA |
| epitol | 1 | MO |
| EPRONTIA | 1 | PA; MO |
| eslicarbazepine oral tablet 200 mg | 1 | MO; QL (180 per 30 days) |
| eslicarbazepine oral tablet 400 mg | 1 | MO; QL (90 per 30 days) |
| eslicarbazepine oral tablet 600 mg, 800 mg | 1 | MO; QL (60 per 30 days) |
| ethosuximide | 1 | MO |
| felbamate | 1 | MO |
| FINTEPLA | 1 | PA; LA; QL (360 per 30 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| fosphenytoin | 1 | MO |
| FYCOMPA ORAL SUSPENSION | 1 | MO; QL (720 per 30 days) |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG | 1 | MO; QL (30 per 30 days) |
| FYCOMPA ORAL TABLET 2 MG | 1 | MO; QL (60 per 30 days) |
| FYCOMPA ORAL TABLET 4 MG, 6 MG | 1 | MO; QL (60 per 30 days) |
| gabapentin oral capsule 100 mg, 400 mg | 1 | MO; QL (270 per 30 days) |
| gabapentin oral capsule 300 mg | 1 | MO; QL (360 per 30 days) |
| gabapentin oral solution 250 mg/5 ml | 1 | MO; QL (2160 per 30 days) |
| gabapentin oral solution 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml) | 1 | QL (2160 per 30 days) |
| gabapentin oral tablet 600 mg | 1 | MO; QL (180 per 30 days) |
| gabapentin oral tablet 800 mg | 1 | MO; QL (120 per 30 days) |
| gabapentin oral tablet extended release 24 hr 300 mg | 1 | PA; MO; QL (30 per 30 days) |
| gabapentin oral tablet extended release 24 hr 600 mg | 1 | PA; MO; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| <i>lacosamide intravenous</i> | 1 | MO; QL (1200 per 30 days) |
| <i>lacosamide oral solution</i> | 1 | MO; QL (1200 per 30 days) |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>lacosamide oral tablet 50 mg</i> | 1 | MO; QL (120 per 30 days) |
| <i>lamotrigine oral tablet</i> | 1 | MO |
| <i>lamotrigine oral tablet, chewable dispersible</i> | 1 | MO |
| <i>lamotrigine oral tablet,disintegrating</i> | 1 | MO |
| <i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 500 mg/100 ml</i> | 1 | MO |
| <i>levetiracetam in nacl (iso-os) intravenous piggyback 1,500 mg/100 ml</i> | 1 | |
| <i>levetiracetam intravenous</i> | 1 | MO |
| <i>levetiracetam oral solution 100 mg/ml</i> | 1 | MO |
| <i>levetiracetam oral solution 500 mg/5 ml (5 ml)</i> | 1 | |
| <i>levetiracetam oral tablet</i> | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| <i>levetiracetam oral tablet extended release 24 hr</i> | 1 | MO |
| <i>methsuximide</i> | 1 | MO |
| <i>NAYZILAM</i> | 1 | PA; MO; QL (10 per 30 days) |
| <i>oxcarbazepine oral suspension</i> | 1 | MO |
| <i>oxcarbazepine oral tablet</i> | 1 | MO |
| <i>perampanel oral tablet 10 mg, 12 mg, 8 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>perampanel oral tablet 2 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>perampanel oral tablet 4 mg, 6 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>phenobarbital oral elixir</i> | 1 | PA; MO |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 30 mg, 60 mg</i> | 1 | PA |
| <i>phenobarbital oral tablet 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg</i> | 1 | PA; MO |
| <i>phenobarbital sodium injection solution 130 mg/ml</i> | 1 | MO |
| <i>phenobarbital sodium injection solution 65 mg/ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|--|------------------|-----------------------------|
| <i>phenytoin oral suspension 125 mg/5 ml</i> | 1 | | SYMPAZAN ORAL FILM 10 MG, 20 MG | 1 | PA; MO; QL (60 per 30 days) |
| <i>phenytoin oral tablet, chewable</i> | 1 | MO | SYMPAZAN ORAL FILM 5 MG | 1 | PA; MO; QL (60 per 30 days) |
| <i>phenytoin sodium extended oral capsule 100 mg</i> | 1 | MO | <i>tiagabine</i> | 1 | MO |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> | 1 | | <i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> | 1 | PA; MO |
| <i>phenytoin sodium intravenous solution</i> | 1 | | <i>topiramate oral solution</i> | 1 | PA |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> | 1 | MO; QL (90 per 30 days) | <i>topiramate oral tablet</i> | 1 | PA; MO |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> | 1 | MO; QL (60 per 30 days) | <i>valproate sodium</i> | 1 | MO |
| <i>pregabalin oral solution</i> | 1 | MO; QL (900 per 30 days) | <i>valproic acid</i> | 1 | MO |
| <i>PRIMIDONE ORAL TABLET 125 MG</i> | 1 | MO | <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i> | 1 | MO |
| <i>primidone oral tablet 250 mg, 50 mg</i> | 1 | MO | <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml)</i> | 1 | |
| <i>roweepra oral tablet 500 mg</i> | 1 | MO | <i>VALTOCO</i> | 1 | PA; MO; QL (10 per 30 days) |
| <i>rufinamide oral suspension</i> | 1 | PA; MO | <i>vigabatrin</i> | 1 | PA; MO; LA |
| <i>rufinamide oral tablet</i> | 1 | PA; MO | <i>vigadron</i> | 1 | PA; LA |
| <i>SPRITAM</i> | 1 | MO | <i>XCOPRI MAINTENANCE PACK</i> | 1 | MO; QL (56 per 28 days) |
| <i>subvenite</i> | 1 | MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-------------------------------|
| XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG | 1 | MO; QL (30 per 30 days) |
| XCOPRI ORAL TABLET 150 MG, 200 MG | 1 | MO; QL (60 per 30 days) |
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14) | 1 | MO; QL (28 per 180 days) |
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) | 1 | MO; QL (28 per 180 days) |
| ZONISADE | 1 | PA; MO |
| <i>zonisamide</i> | 1 | PA; MO |
| ZTALMY | 1 | PA; LA; QL (1100 per 30 days) |
| ANTIPARKINSONISM AGENTS | | |
| <i>benztropine injection</i> | 1 | MO |
| <i>benztropine oral</i> | 1 | PA; MO |
| <i>bromocriptine</i> | 1 | MO |
| <i>carbidopa</i> | 1 | MO |
| <i>carbidopa-levodopa</i> | 1 | MO |
| <i>carbidopa-levodopa-entacapone</i> | 1 | MO |
| <i>entacapone</i> | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE | 1 | PA; QL (300 per 30 days) |
| NEUPRO | 1 | MO |
| <i>pramipexole oral tablet</i> | 1 | MO |
| <i>rasagiline</i> | 1 | MO |
| <i>ropinirole oral tablet</i> | 1 | MO |
| <i>ropinirole oral tablet extended release 24 hr</i> | 1 | MO |
| <i>selegiline hcl</i> | 1 | MO |
| <i>trihexyphenidyl oral tablet</i> | 1 | MO |
| MIGRAINE / CLUSTER HEADACHE THERAPY | | |
| AIMOVIG AUTOINJECTOR | 1 | PA; MO; QL (1 per 30 days) |
| <i>dihydroergotamine injection</i> | 1 | |
| <i>dihydroergotamine nasal</i> | 1 | QL (8 per 28 days) |
| EMGALITY PEN | 1 | PA; MO; QL (2 per 30 days) |
| EMGALITY SUBCUTANEOUS SYRINGE 120 MG/ML | 1 | PA; MO; QL (2 per 30 days) |
| <i>ergotamine-caffeine</i> | 1 | MO |
| <i>naratriptan</i> | 1 | MO; QL (18 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| NURTEC ODT | 1 | PA; QL (16 per 30 days) |
| QULIPTA | 1 | PA; MO; QL (30 per 30 days) |
| <i>rizatriptan oral tablet</i> | 1 | MO; QL (24 per 28 days) |
| <i>rizatriptan oral tablet,disintegrating</i> | 1 | MO; QL (24 per 28 days) |
| <i>sumatriptan</i> | 1 | MO; QL (18 per 28 days) |
| <i>sumatriptan succinate oral</i> | 1 | MO; QL (18 per 28 days) |
| <i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> | 1 | QL (8 per 28 days) |
| <i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i> | 1 | QL (8 per 28 days) |
| <i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> | 1 | MO; QL (8 per 28 days) |
| <i>sumatriptan succinate subcutaneous solution</i> | 1 | MO; QL (8 per 28 days) |
| UBRELVY | 1 | PA; QL (20 per 30 days) |

MISCELLANEOUS NEUROLOGICAL THERAPY

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-------------------------------|
| AUSTEDO ORAL TABLET 12 MG, 9 MG | 1 | PA; MO; QL (120 per 30 days) |
| AUSTEDO ORAL TABLET 6 MG | 1 | PA; MO; QL (60 per 30 days) |
| AUSTEDO XR | 1 | PA; MO; QL (30 per 30 days) |
| AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG | 1 | PA; MO; QL (28 per 180 days) |
| BRIUMVI | 1 | PA; MO; QL (24 per 180 days) |
| <i>dalfampridine</i> | 1 | PA; MO; QL (60 per 30 days) |
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i> | 1 | PA; MO; QL (56 per 28 days) |
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> | 1 | PA; MO; QL (120 per 180 days) |
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i> | 1 | PA; MO; QL (60 per 30 days) |
| <i>donepezil oral tablet 10 mg, 5 mg</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|------------------------------|
| <i>donepezil oral tablet 23 mg</i> | 1 | MO |
| <i>donepezil oral tablet,disintegrating</i> | 1 | MO |
| <i>fingolimod</i> | 1 | PA; MO; QL (30 per 30 days) |
| <i>galantamine oral capsule,ext rel. pellets 24 hr</i> | 1 | MO |
| <i>galantamine oral solution</i> | 1 | MO |
| <i>galantamine oral tablet</i> | 1 | MO |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i> | 1 | PA; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 40 mg/ml</i> | 1 | PA; QL (12 per 28 days) |
| <i>glatopa subcutaneous syringe 20 mg/ml</i> | 1 | PA; MO; QL (30 per 30 days) |
| <i>glatopa subcutaneous syringe 40 mg/ml</i> | 1 | PA; MO; QL (12 per 28 days) |
| <i>INGREZZA</i> | 1 | PA; LA; QL (30 per 30 days) |
| <i>INGREZZA INITIATION PK(TARDIV)</i> | 1 | PA; LA; QL (28 per 180 days) |
| <i>INGREZZA SPRINKLE</i> | 1 | PA; LA; QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|------------------------------|
| <i>KESIMPTA PEN</i> | 1 | PA; MO; QL (1.6 per 28 days) |
| <i>memantine oral capsule,sprinkle,er 24hr</i> | 1 | PA; MO |
| <i>memantine oral solution</i> | 1 | PA; MO |
| <i>memantine oral tablet</i> | 1 | PA; MO |
| <i>memantine-donepezil</i> | 1 | PA; MO |
| <i>NUDEXTA</i> | 1 | PA; MO |
| <i>RADICAVA ORS</i> | 1 | PA; MO |
| <i>RADICAVA ORS STARTER KIT SUSP</i> | 1 | PA; MO |
| <i>rivastigmine</i> | 1 | MO |
| <i>rivastigmine tartrate</i> | 1 | MO |
| <i>teriflunomide</i> | 1 | PA; MO; QL (30 per 30 days) |
| <i>tetrabenazine oral tablet 12.5 mg</i> | 1 | PA; MO; QL (240 per 30 days) |
| <i>tetrabenazine oral tablet 25 mg</i> | 1 | PA; MO; QL (120 per 30 days) |
| <i>VUMERTY</i> | 1 | PA; MO; QL (120 per 30 days) |
| <i>ZEPOSIA</i> | 1 | PA; MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|------------------------------|
| ZEPOSIA STARTER KIT (28-DAY) | 1 | PA; MO; QL (28 per 180 days) |
| ZEPOSIA STARTER PACK (7-DAY) | 1 | PA; MO; QL (7 per 180 days) |
| MUSCLE RELAXANTS / ANTISPASMODIC THERAPY | | |
| baclofen oral tablet | 1 | MO |
| cyclobenzaprine oral tablet 10 mg, 5 mg | 1 | PA; MO |
| dantrolene intravenous | 1 | |
| dantrolene oral | 1 | MO |
| LIORESAL INTRATHECAL SOLUTION 2,000 MCG/ML, 500 MCG/ML | 1 | B/D PA; MO |
| LIORESAL INTRATHECAL SOLUTION 50 MCG/ML | 1 | B/D PA |
| pyridostigmine bromide oral tablet 60 mg | 1 | MO |
| pyridostigmine bromide oral tablet extended release 180 mg | 1 | MO |
| revonto | 1 | |
| tizanidine oral tablet | 1 | MO |
| VYVGART | 1 | PA; MO; LA |
| VYVGART HYTRULO | 1 | PA; MO; LA |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| NARCOTIC ANALGESICS | | |
| acetaminophen-codeine oral solution 120 mg-12 mg/5 ml (5 ml), 300 mg-30 mg/12.5 ml | 1 | QL (4500 per 30 days) |
| acetaminophen-codeine oral solution 120-12 mg/5 ml | 1 | MO; QL (4500 per 30 days) |
| acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg | 1 | MO; QL (360 per 30 days) |
| acetaminophen-codeine oral tablet 300-60 mg | 1 | MO; QL (180 per 30 days) |
| BELBUCA | 1 | PA; MO; QL (60 per 30 days) |
| buprenorphine hcl injection syringe | 1 | |
| buprenorphine hcl sublingual | 1 | MO |
| buprenorphine transdermal patch | 1 | PA; MO; QL (4 per 28 days) |
| endocet oral tablet 10-325 mg, 2.5-325 mg, 7.5-325 mg | 1 | QL (360 per 30 days) |
| endocet oral tablet 5-325 mg | 1 | MO; QL (360 per 30 days) |
| fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr | 1 | PA; MO; QL (10 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| hydrocodone-acetaminophen oral solution 10-325 mg/15 ml | 1 | QL (5550 per 30 days) |
| hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml | 1 | MO; QL (5550 per 30 days) |
| hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg | 1 | MO; QL (360 per 30 days) |
| hydrocodone-acetaminophen oral tablet 2.5-325 mg | 1 | QL (360 per 30 days) |
| hydrocodone-ibuprofen oral tablet 7.5-200 mg | 1 | MO; QL (50 per 30 days) |
| hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml, 2 mg/ml | 1 | |
| hydromorphone injection solution 2 mg/ml | 1 | MO |
| hydromorphone injection syringe 1 mg/ml, 4 mg/ml | 1 | MO |
| hydromorphone injection syringe 2 mg/ml | 1 | |
| hydromorphone oral liquid | 1 | MO; QL (2400 per 30 days) |
| hydromorphone oral tablet | 1 | MO; QL (180 per 30 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-------------------------------|
| hydromorphone oral tablet extended release 24 hr | 1 | PA; MO; QL (60 per 30 days) |
| methadone injection solution | 1 | |
| methadone intensol | 1 | PA; MO; QL (90 per 30 days) |
| methadone oral concentrate | 1 | PA; QL (90 per 30 days) |
| methadone oral solution 10 mg/5 ml | 1 | PA; MO; QL (600 per 30 days) |
| methadone oral solution 5 mg/5 ml | 1 | PA; MO; QL (1200 per 30 days) |
| methadone oral tablet 10 mg | 1 | PA; MO; QL (120 per 30 days) |
| methadone oral tablet 5 mg | 1 | PA; MO; QL (240 per 30 days) |
| methadose oral concentrate | 1 | PA; MO; QL (90 per 30 days) |
| morphine (pf) injection solution 0.5 mg/ml | 1 | |
| morphine (pf) injection solution 1 mg/ml | 1 | MO |
| morphine concentrate oral solution | 1 | MO; QL (900 per 30 days) |
| morphine injection syringe 4 mg/ml | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|------------------------------|
| <i>morphine intravenous solution 10 mg/ml, 4 mg/ml</i> | 1 | MO |
| <i>morphine intravenous syringe 10 mg/ml, 2 mg/ml, 4 mg/ml</i> | 1 | |
| <i>morphine oral solution</i> | 1 | MO; QL (900 per 30 days) |
| <i>morphine oral tablet</i> | 1 | MO; QL (180 per 30 days) |
| <i>morphine oral tablet extended release</i> | 1 | PA; MO; QL (120 per 30 days) |
| <i>oxycodone oral capsule</i> | 1 | MO; QL (360 per 30 days) |
| <i>oxycodone oral concentrate</i> | 1 | MO; QL (180 per 30 days) |
| <i>oxycodone oral solution</i> | 1 | MO; QL (1200 per 30 days) |
| <i>oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg</i> | 1 | MO; QL (180 per 30 days) |
| <i>oxycodone oral tablet 5 mg</i> | 1 | MO; QL (360 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 1 | MO; QL (360 per 30 days) |
| SUBLOCADE | 1 | MO |
| NON-NARCOTIC ANALGESICS | | |
| <i>buprenorphine-naloxone sublingual film</i> | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| <i>buprenorphine-naloxone sublingual tablet</i> | 1 | MO |
| <i>butorphanol injection</i> | 1 | MO |
| <i>butorphanol nasal</i> | 1 | MO; QL (10 per 28 days) |
| <i>celecoxib</i> | 1 | MO |
| <i>clonidine (pf) epidural solution 5,000 mcg/10 ml</i> | 1 | |
| <i>diclofenac potassium oral tablet 50 mg</i> | 1 | MO |
| <i>diclofenac sodium oral</i> | 1 | MO |
| <i>diclofenac sodium topical drops</i> | 1 | MO; QL (300 per 28 days) |
| <i>diclofenac sodium topical gel 1 %</i> | 1 | MO; QL (1000 per 28 days) |
| <i>diclofenac sodium topical solution in metered-dose pump</i> | 1 | MO; QL (224 per 28 days) |
| <i>diclofenac-misoprostol</i> | 1 | MO |
| <i>diflunisal</i> | 1 | MO |
| <i>etodolac oral capsule</i> | 1 | MO |
| <i>etodolac oral tablet</i> | 1 | MO |
| <i>etodolac oral tablet extended release 24 hr</i> | 1 | MO |
| <i>flurbiprofen oral tablet 100 mg</i> | 1 | MO |
| <i>ibu</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| <i>ibuprofen oral suspension</i> | 1 | MO |
| <i>ibuprofen oral tablet 400 mg, 800 mg</i> | 1 | MO |
| <i>ibuprofen oral tablet 600 mg</i> | 1 | |
| JOURNAVX | 1 | MO; QL (30 per 90 days) |
| KLOXXADO | 1 | MO |
| <i>meloxicam oral tablet</i> | 1 | MO; QL (30 per 30 days) |
| <i>nabumetone</i> | 1 | MO |
| <i>nalbuphine</i> | 1 | |
| <i>naloxone injection solution</i> | 1 | MO |
| <i>naloxone injection syringe 0.4 mg/ml (prefilled syringe)</i> | 1 | |
| <i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i> | 1 | MO |
| <i>naltrexone</i> | 1 | MO |
| <i>naproxen oral tablet</i> | 1 | MO |
| <i>naproxen oral tablet,delayed release (dr/ec)</i> | 1 | MO |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i> | 1 | MO |
| <i>oxaprozin oral tablet</i> | 1 | MO |
| <i>piroxicam</i> | 1 | MO |
| <i>salsalate</i> | 1 | MO |
| <i>sulindac</i> | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| <i>tramadol oral tablet 50 mg</i> | 1 | MO; QL (240 per 30 days) |
| <i>tramadol-acetaminophen</i> | 1 | MO; QL (240 per 30 days) |
| VIVITROL | 1 | MO |
| PSYCHOTHERAPEUTIC DRUGS | | |
| ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRINGE 720 MG/2.4 ML | 1 | MO; QL (2.4 per 56 days) |
| ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRINGE 960 MG/3.2 ML | 1 | MO; QL (3.2 per 56 days) |
| ABILIFY MAINTENA | 1 | MO; QL (1 per 28 days) |
| <i>amitriptyline</i> | 1 | MO |
| <i>amoxapine</i> | 1 | MO |
| <i>ariPIPRAZOLE oral solution</i> | 1 | MO |
| <i>ariPIPRAZOLE oral tablet</i> | 1 | MO; QL (30 per 30 days) |
| <i>ariPIPRAZOLE oral tablet,disintegrating</i> | 1 | MO; QL (60 per 30 days) |
| ARISTADA INITIO | 1 | MO; QL (4.8 per 365 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRINGE 1,064 MG/3.9 ML | 1 | MO; QL (3.9 per 56 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML | 1 | MO; QL (1.6 per 28 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML | 1 | MO; QL (2.4 per 28 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML | 1 | MO; QL (3.2 per 28 days) |
| armodafinil | 1 | PA; MO; QL (30 per 30 days) |
| asenapine maleate | 1 | MO; QL (60 per 30 days) |
| atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg | 1 | MO; QL (60 per 30 days) |
| atomoxetine oral capsule 100 mg, 60 mg, 80 mg | 1 | MO; QL (30 per 30 days) |
| AUVELITY | 1 | ST; QL (60 per 30 days) |
| BELSOMRA | 1 | PA; QL (30 per 30 days) |
| bupropion hcl oral tablet | 1 | MO |
| bupropion hcl oral tablet extended release 24 hr 150 mg | 1 | MO; QL (90 per 30 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|------------------------------|
| <i>bupropion hcl oral tablet extended release 24 hr 300 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>bupropion hcl oral tablet sustained-release 12 hr</i> | 1 | MO; QL (60 per 30 days) |
| buspirone | 1 | MO |
| CAPLYTA | 1 | MO; QL (30 per 30 days) |
| <i>chlorpromazine injection</i> | 1 | MO |
| <i>chlorpromazine oral</i> | 1 | MO |
| <i>citalopram oral solution</i> | 1 | MO |
| <i>citalopram oral tablet</i> | 1 | MO; QL (30 per 30 days) |
| clomipramine | 1 | MO |
| <i>clonidine hcl oral tablet extended release 12 hr</i> | 1 | MO |
| <i>clorazepate dipotassium oral tablet 15 mg</i> | 1 | PA; MO; QL (180 per 30 days) |
| <i>clorazepate dipotassium oral tablet 3.75 mg</i> | 1 | PA; MO; QL (90 per 30 days) |
| <i>clorazepate dipotassium oral tablet 7.5 mg</i> | 1 | PA; MO; QL (360 per 30 days) |
| <i>clozapine oral tablet</i> | 1 | |
| <i>clozapine oral tablet,disintegrating</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-------------------------------|--|------------------|-----------------------------|
| COBENFY | 1 | MO; QL (60 per 30 days) | DRIZALMA ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG | 1 | MO; QL (60 per 30 days) |
| COBENFY STARTER PACK | 1 | MO; QL (56 per 180 days) | DRIZALMA ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG | 1 | MO; QL (30 per 30 days) |
| <i>desipramine</i> | 1 | MO | <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>desvenlafaxine succinate</i> | 1 | MO; QL (30 per 30 days) | EMSAM | 1 | MO |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr</i> | 1 | MO | <i>escitalopram oxalate oral solution</i> | 1 | MO |
| <i>dextroamphetamine-amphetamine oral tablet</i> | 1 | MO | <i>escitalopram oxalate oral tablet</i> | 1 | MO; QL (30 per 30 days) |
| <i>diazepam injection</i> | 1 | PA | <i>eszopiclone</i> | 1 | MO; QL (30 per 30 days) |
| <i>diazepam intensol</i> | 1 | PA; MO; QL (240 per 30 days) | FANAPT | 1 | ST; MO; QL (60 per 30 days) |
| <i>diazepam oral concentrate</i> | 1 | PA; QL (240 per 30 days) | FANAPT | 1 | ST; MO; QL (8 per 180 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> | 1 | PA; MO; QL (1200 per 30 days) | FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26) | 1 | QL (28 per 180 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml, 5 ml)</i> | 1 | PA; QL (1200 per 30 days) | FETZIMA ORAL CAPSULE,EXTEND ED RELEASE 24 HR | 1 | QL (30 per 30 days) |
| <i>diazepam oral tablet</i> | 1 | PA; MO; QL (120 per 30 days) | <i>flumazenil</i> | 1 | |
| <i>doxepin oral capsule</i> | 1 | MO | <i>fluoxetine oral capsule 10 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>doxepin oral concentrate</i> | 1 | MO | | | |
| <i>doxepin oral tablet</i> | 1 | MO; QL (30 per 30 days) | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|--|------------------|-----------------------------|
| <i>fluoxetine oral capsule 20 mg</i> | 1 | MO; QL (90 per 30 days) | INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML | 1 | MO; QL (3.5 per 180 days) |
| <i>fluoxetine oral capsule 40 mg</i> | 1 | MO; QL (60 per 30 days) | INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML | 1 | MO; QL (5 per 180 days) |
| <i>fluoxetine oral solution</i> | 1 | MO | INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML | 1 | MO; QL (0.75 per 28 days) |
| <i>fluphenazine decanoate</i> | 1 | MO | INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML | 1 | MO; QL (1 per 28 days) |
| <i>fluphenazine hcl</i> | 1 | MO | INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML | 1 | MO; QL (1.5 per 28 days) |
| <i>fluvoxamine oral tablet 100 mg</i> | 1 | MO; QL (90 per 30 days) | INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML | 1 | MO; QL (0.25 per 28 days) |
| <i>fluvoxamine oral tablet 25 mg</i> | 1 | MO; QL (30 per 30 days) | INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML | 1 | MO; QL (0.5 per 28 days) |
| <i>fluvoxamine oral tablet 50 mg</i> | 1 | MO; QL (60 per 30 days) | INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML | 1 | MO; QL (0.88 per 90 days) |
| <i>haloperidol</i> | 1 | MO | | | |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml (1ml)</i> | 1 | | | | |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml, 50 mg/ml(1ml)</i> | 1 | MO | | | |
| <i>haloperidol lactate injection</i> | 1 | MO | | | |
| <i>haloperidol lactate intramuscular</i> | 1 | | | | |
| <i>haloperidol lactate oral</i> | 1 | MO | | | |
| <i>imipramine hcl</i> | 1 | MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|------------------------------|---|------------------|-----------------------------|
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML | 1 | MO; QL (1.32 per 90 days) | <i>methylphenidate hcl oral capsule,er biphasic 50-50</i> | 1 | MO |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML | 1 | MO; QL (1.75 per 90 days) | <i>methylphenidate hcl oral solution</i> | 1 | MO |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML | 1 | MO; QL (2.63 per 90 days) | <i>methylphenidate hcl oral tablet</i> | 1 | MO |
| <i>lithium carbonate</i> | 1 | MO | <i>methylphenidate hcl oral tablet extended release</i> | 1 | MO |
| <i>lithium citrate</i> | 1 | | <i>methylphenidate hcl oral tablet, chewable</i> | 1 | MO |
| <i>lorazepam injection</i> | 1 | PA; MO | <i>mirtazapine oral tablet</i> | 1 | MO |
| <i>lorazepam intensol</i> | 1 | PA; QL (150 per 30 days) | <i>mirtazapine oral tablet,disintegrating</i> | 1 | MO |
| <i>lorazepam oral concentrate</i> | 1 | PA; MO; QL (150 per 30 days) | <i>modafinil oral tablet 100 mg</i> | 1 | PA; MO; QL (30 per 30 days) |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i> | 1 | PA; MO; QL (90 per 30 days) | <i>modafinil oral tablet 200 mg</i> | 1 | PA; MO; QL (60 per 30 days) |
| <i>lorazepam oral tablet 2 mg</i> | 1 | PA; MO; QL (150 per 30 days) | <i>molindone oral tablet 10 mg, 25 mg</i> | 1 | |
| <i>loxapine succinate</i> | 1 | MO | <i>molindone oral tablet 5 mg</i> | 1 | MO |
| <i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> | 1 | MO; QL (30 per 30 days) | <i>nefazodone</i> | 1 | MO |
| <i>lurasidone oral tablet 80 mg</i> | 1 | MO; QL (60 per 30 days) | <i>nortriptyline oral capsule</i> | 1 | MO |
| MARPLAN | 1 | MO | <i>nortriptyline oral solution</i> | 1 | MO |
| | | | <i>NUPLAZID</i> | 1 | PA; MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|------------------------------|
| <i>olanzapine intramuscular</i> | 1 | MO |
| <i>olanzapine oral tablet</i> | 1 | MO; QL (30 per 30 days) |
| <i>olanzapine oral tablet,disintegrating</i> | 1 | MO; QL (30 per 30 days) |
| <i>OPIPZA ORAL FILM 10 MG</i> | 1 | ST; MO; QL (90 per 30 days) |
| <i>OPIPZA ORAL FILM 2 MG</i> | 1 | ST; MO; QL (30 per 30 days) |
| <i>OPIPZA ORAL FILM 5 MG</i> | 1 | ST; MO; QL (180 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 6 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>paroxetine hcl oral suspension</i> | 1 | MO |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 40 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>paroxetine hcl oral tablet 30 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>paroxetine hcl oral tablet extended release 24 hr</i> | 1 | MO; QL (60 per 30 days) |
| <i>pentobarbital sodium injection solution</i> | 1 | |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| <i>perphenazine</i> | 1 | MO |
| <i>phenelzine</i> | 1 | MO |
| <i>pimozide</i> | 1 | MO |
| <i>protriptyline</i> | 1 | MO |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> | 1 | MO; QL (90 per 30 days) |
| <i>quetiapine oral tablet 300 mg, 400 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg, 50 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>RALDESY</i> | 1 | ST; MO |
| <i>ramelteon</i> | 1 | MO; QL (30 per 30 days) |
| <i>REXULTI ORAL TABLET</i> | 1 | MO; QL (30 per 30 days) |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml, 25 mg/2 ml</i> | 1 | MO; QL (2 per 28 days) |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml</i> | 1 | QL (2 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|------------------------------|
| <i>risperidone microspheres intramuscular suspension,extended rel recon 50 mg/2 ml</i> | 1 | MO; QL (2 per 28 days) |
| <i>risperidone oral solution</i> | 1 | MO |
| <i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>risperidone oral tablet 4 mg</i> | 1 | MO; QL (120 per 30 days) |
| <i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>risperidone oral tablet,disintegrating 4 mg</i> | 1 | MO; QL (120 per 30 days) |
| <i>SECUADO</i> | 1 | MO; QL (30 per 30 days) |
| <i>sertraline oral concentrate</i> | 1 | MO |
| <i>sertraline oral tablet 100 mg, 50 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>sertraline oral tablet 25 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>SODIUM OXYBATE (PREFERRED NDCS STARTING WITH 00054)</i> | 1 | PA; LA; QL (540 per 30 days) |
| <i>SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)</i> | 1 | PA; MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| <i>thioridazine</i> | 1 | MO |
| <i>thiothixene</i> | 1 | MO |
| <i>tranylcypromine</i> | 1 | MO |
| <i>trazodone</i> | 1 | MO |
| <i>trifluoperazine</i> | 1 | MO |
| <i>trimipramine</i> | 1 | MO |
| <i>TRINTELLIX</i> | 1 | QL (30 per 30 days) |
| <i>venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>venlafaxine oral capsule,extended release 24hr 75 mg</i> | 1 | MO; QL (90 per 30 days) |
| <i>venlafaxine oral tablet</i> | 1 | MO; QL (90 per 30 days) |
| <i>VERSACLOZ</i> | 1 | |
| <i>vilazodone</i> | 1 | MO; QL (30 per 30 days) |
| <i>VRAYLAR ORAL CAPSULE</i> | 1 | MO; QL (30 per 30 days) |
| <i>zaleplon oral capsule 10 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>zaleplon oral capsule 5 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>ziprasidone hcl</i> | 1 | MO; QL (60 per 30 days) |
| <i>ziprasidone mesylate</i> | 1 | MO |
| <i>zolpidem oral tablet</i> | 1 | MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|------------------------------|
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG | 1 | PA; MO; QL (28 per 365 days) |
| ZURZUVAE ORAL CAPSULE 30 MG | 1 | PA; MO; QL (14 per 365 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG | 1 | MO; QL (2 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG | 1 | MO; QL (2 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG | 1 | MO; QL (1 per 28 days) |
| CARDIOVASCULAR, HYPERTENSION / LIPIDS | | |
| ANTIARRHYTHMIC AGENTS | | |
| adenosine | 1 | |
| amiodarone intravenous solution | 1 | MO |
| amiodarone oral | 1 | MO |
| dofetilide | 1 | MO |
| flecainide | 1 | MO |
| ibutilide fumarate | 1 | |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| <i>lidocaine (pf) intravenous</i> | 1 | |
| <i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 4 mg/ml (0.4 %), 8 mg/ml (0.8 %)</i> | 1 | |
| <i>mexiletine</i> | 1 | MO |
| MULTAQ | 1 | MO |
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> | 1 | MO |
| <i>procainamide injection</i> | 1 | |
| <i>propafenone oral capsule,extended release 12 hr</i> | 1 | MO |
| <i>propafenone oral tablet</i> | 1 | MO |
| <i>quinididine sulfate oral tablet</i> | 1 | MO |
| <i>sotalol af</i> | 1 | |
| <i>sotalol oral</i> | 1 | MO |
| ANTIHYPERTENSIVE THERAPY | | |
| <i>acebutolol</i> | 1 | MO |
| <i>aliskiren</i> | 1 | MO |
| <i>amiloride</i> | 1 | MO |
| <i>amiloride-hydrochlorothiazide</i> | 1 | MO |
| <i>amlodipine</i> | 1 | MO |
| <i>amlodipine-benazepril</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| amlodipine-olmesartan | 1 | MO |
| amlodipine-valsartan | 1 | MO |
| amlodipine-valsartan-hcthiazid | 1 | MO |
| atenolol | 1 | MO |
| atenolol-chlorthalidone | 1 | MO |
| benazepril | 1 | MO |
| benazepril-hydrochlorothiazide | 1 | MO |
| betaxolol oral | 1 | MO |
| bisoprolol fumarate oral tablet 10 mg, 5 mg | 1 | MO |
| bisoprolol-hydrochlorothiazide | 1 | MO |
| bumetanide injection | 1 | MO |
| bumetanide oral | 1 | MO |
| candesartan | 1 | MO |
| candesartan-hydrochlorothiazid | 1 | MO |
| captopril | 1 | MO |
| captopril-hydrochlorothiazide | 1 | |
| cartia xt | 1 | MO |
| carvedilol | 1 | MO |
| chlorothiazide sodium | 1 | MO |
| chlorthalidone oral tablet 25 mg, 50 mg | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| clonidine transdermal patch | 1 | MO; QL (4 per 28 days) |
| clonidine (pf) epidural solution 1,000 mcg/10 ml (100 mcg/ml) | 1 | |
| clonidine hcl oral tablet | 1 | MO |
| diltiazem hcl intravenous | 1 | |
| diltiazem hcl oral capsule,ext.rel 24h degradable | 1 | MO |
| diltiazem hcl oral capsule,extended release 12 hr | 1 | MO |
| diltiazem hcl oral capsule,extended release 24 hr | 1 | MO |
| diltiazem hcl oral capsule,extended release 24hr | 1 | MO |
| diltiazem hcl oral tablet | 1 | MO |
| diltiazem hcl oral tablet extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg | 1 | MO |
| diltiazem hcl oral tablet extended release 24 hr 360 mg, 420 mg | 1 | |
| dilt-xr | 1 | MO |
| doxazosin oral tablet | 1 | MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| <i>doxazosin oral tablet 8 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>EDARBI</i> | 1 | MO |
| <i>EDARBICLOR</i> | 1 | MO |
| <i>enalapril maleate oral tablet</i> | 1 | MO |
| <i>enalaprilat intravenous solution</i> | 1 | |
| <i>enalapril-hydrochlorothiazide</i> | 1 | MO |
| <i>eplerenone</i> | 1 | MO |
| <i>esmolol intravenous solution</i> | 1 | |
| <i>ethacrynone sodium</i> | 1 | |
| <i>felodipine</i> | 1 | MO |
| <i>fosinopril</i> | 1 | MO |
| <i>fosinopril-hydrochlorothiazide</i> | 1 | MO |
| <i>furosemide injection solution</i> | 1 | MO |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i> | 1 | MO |
| <i>furosemide oral tablet</i> | 1 | MO |
| <i>hydralazine</i> | 1 | MO |
| <i>hydrochlorothiazide</i> | 1 | MO |
| <i>indapamide</i> | 1 | MO |
| <i>irbesartan</i> | 1 | MO |
| <i>irbesartan-hydrochlorothiazide</i> | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| <i>isosorbide-hydralazine</i> | 1 | MO; QL (180 per 30 days) |
| <i>isradipine</i> | 1 | |
| <i>KERENDIA ORAL TABLET 10 MG, 20 MG</i> | 1 | PA; QL (30 per 30 days) |
| <i>labetalol intravenous solution</i> | 1 | |
| <i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i> | 1 | |
| <i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i> | 1 | MO |
| <i>lisinopril</i> | 1 | MO |
| <i>lisinopril-hydrochlorothiazide</i> | 1 | MO |
| <i>losartan</i> | 1 | MO |
| <i>losartan-hydrochlorothiazide</i> | 1 | MO |
| <i>mannitol 20 %</i> | 1 | |
| <i>mannitol 25 % intravenous solution</i> | 1 | MO |
| <i>matzim la</i> | 1 | MO |
| <i>metolazone</i> | 1 | MO |
| <i>metoprolol succinate</i> | 1 | MO |
| <i>metoprolol ta-hydrochlorothiaz</i> | 1 | MO |
| <i>metoprolol tartrate intravenous</i> | 1 | |
| <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|--|------------------|---------------------------------|
| <i>metyrosine</i> | 1 | PA; MO | <i>propranolol oral tablet</i> | 1 | MO |
| <i>minoxidil oral</i> | 1 | MO | <i>quinapril</i> | 1 | MO |
| <i>moexipril</i> | 1 | MO | <i>quinapril-hydrochlorothiazide</i> | 1 | MO |
| <i>nadolol</i> | 1 | MO | <i>ramipril</i> | 1 | MO |
| <i>nebivolol</i> | 1 | MO | <i>spironolactone oral tablet</i> | 1 | MO |
| <i>nicardipine intravenous solution</i> | 1 | | <i>spironolacton-hydrochlorothiaz</i> | 1 | MO |
| <i>nicardipine oral</i> | 1 | MO | <i>telmisartan</i> | 1 | MO |
| <i>nifedipine oral tablet extended release</i> | 1 | MO | <i>telmisartan-amlodipine</i> | 1 | MO |
| <i>nifedipine oral tablet extended release 24hr</i> | 1 | MO | <i>telmisartan-hydrochlorothiazid</i> | 1 | MO |
| <i>nimodipine oral capsule</i> | 1 | MO | <i>terazosin oral capsule 1 mg, 2 mg, 5 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>olmesartan</i> | 1 | MO | <i>terazosin oral capsule 10 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>olmesartan-amlodipin-hcthiazid</i> | 1 | MO | <i>tiadylt er</i> | 1 | MO |
| <i>olmesartan-hydrochlorothiazide</i> | 1 | MO | <i>timolol maleate oral</i> | 1 | MO |
| <i>osmitrol 20 %</i> | 1 | | <i>torsemide oral</i> | 1 | MO |
| <i>perindopril erbumine</i> | 1 | MO | <i>trandolapril</i> | 1 | MO |
| <i>phentolamine</i> | 1 | | <i>trandolapril-verapamil</i> | 1 | MO |
| <i>pindolol</i> | 1 | MO | <i>treprostinil sodium</i> | 1 | PA; MO; LA |
| <i>prazosin</i> | 1 | MO | <i>triamterene-hydrochlorothiazid</i> | 1 | MO |
| <i>propranolol intravenous</i> | 1 | | <i>UPTRAVI ORAL TABLET</i> | 1 | PA; MO; LA; QL (60 per 30 days) |
| <i>propranolol oral capsule,extended release 24 hr</i> | 1 | MO | | | |
| <i>propranolol oral solution</i> | 1 | MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------------|
| UPTRAVI ORAL TABLETS,DOSE PACK | 1 | PA; MO; LA; QL (200 per 180 days) |
| <i>valsartan oral tablet</i> | 1 | MO |
| <i>valsartan-hydrochlorothiazide</i> | 1 | MO |
| <i>veletri</i> | 1 | B/D PA; MO |
| <i>verapamil intravenous</i> | 1 | |
| <i>verapamil oral capsule, 24 hr er pellet ct</i> | 1 | MO |
| <i>verapamil oral capsule,ext rel. pellets 24 hr</i> | 1 | MO |
| <i>verapamil oral tablet</i> | 1 | MO |
| <i>verapamil oral tablet extended release</i> | 1 | MO |
| COAGULATION THERAPY | | |
| <i>aminocaproic acid intravenous</i> | 1 | MO |
| <i>aminocaproic acid oral</i> | 1 | MO |
| <i>aspirin-dipyridamole</i> | 1 | MO |
| CABLIVI INJECTION KIT | 1 | PA; LA |
| CEPROTIN (BLUE BAR) | 1 | PA; MO |
| CEPROTIN (GREEN BAR) | 1 | PA; MO |
| <i>cilostazol</i> | 1 | MO |
| <i>clopidogrel oral tablet 300 mg</i> | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| <i>clopidogrel oral tablet 75 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>dabigatran etexilate</i> | 1 | MO; QL (60 per 30 days) |
| <i>dipyridamole intravenous</i> | 1 | |
| <i>dipyridamole oral</i> | 1 | MO |
| DOPTELET (10 TAB PACK) | 1 | PA; MO; LA |
| DOPTELET (15 TAB PACK) | 1 | PA; MO; LA |
| DOPTELET (30 TAB PACK) | 1 | PA; MO; LA |
| ELIQUIS | 1 | MO; QL (60 per 30 days) |
| ELIQUIS DVT-PE TREAT 30D START | 1 | MO; QL (74 per 180 days) |
| <i>eltrombopag olamine</i> | 1 | PA; MO |
| <i>enoxaparin subcutaneous solution</i> | 1 | MO; QL (30 per 30 days) |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> | 1 | MO; QL (28 per 28 days) |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> | 1 | MO; QL (22.4 per 28 days) |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml, 60 mg/0.6 ml</i> | 1 | MO; QL (16.8 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|--|------------------|-----------------------------|
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> | 1 | MO; QL (11.2 per 28 days) | <i>heparin (porcine) injection syringe 5,000 unit/ml</i> | 1 | MO |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i> | 1 | MO | <i>HEPARIN(PORCINE) IN 0.45% NACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML</i> | 1 | |
| <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> | 1 | MO | <i>heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml, 25,000 unit/500 ml</i> | 1 | MO |
| <i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml)</i> | 1 | | <i>heparin, porcine (pf) injection solution 1,000 unit/ml</i> | 1 | |
| <i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i> | 1 | MO | <i>heparin, porcine (pf) injection solution 5,000 unit/0.5 ml</i> | 1 | MO |
| <i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml</i> | 1 | MO | <i>HEPARIN, PORCINE (PF) INJECTION SYRINGE 5,000 UNIT/0.5 ML</i> | 1 | MO |
| <i>heparin (porcine) in nacl (pf) intravenous parenteral solution 2,000 unit/1,000 ml</i> | 1 | | <i>HEPARIN, PORCINE (PF) INJECTION SYRINGE 5,000 UNIT/ML</i> | 1 | |
| <i>heparin (porcine) injection cartridge</i> | 1 | | <i>jantoven</i> | 1 | MO |
| <i>heparin (porcine) injection solution</i> | 1 | MO | <i>pentoxifylline</i> | 1 | MO |
| | | | <i>prasugrel hcl</i> | 1 | MO |
| | | | <i>protamine</i> | 1 | |
| | | | <i>rivaroxaban oral suspension for reconstitution</i> | 1 | QL (775 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| rivaroxaban oral tablet | 1 | MO; QL (60 per 30 days) |
| ticagrelor | 1 | MO |
| warfarin | 1 | MO |
| XARELTO DVT-PE TREAT 30D START | 1 | MO; QL (51 per 180 days) |
| XARELTO ORAL SUSPENSION FOR RECONSTITUTION | 1 | MO; QL (775 per 28 days) |
| XARELTO ORAL TABLET 10 MG, 15 MG, 20 MG | 1 | MO; QL (30 per 30 days) |
| XARELTO ORAL TABLET 2.5 MG | 1 | MO; QL (60 per 30 days) |
| LIPID/CHOLESTEROL LOWERING AGENTS | | |
| amlodipine- atorvastatin | 1 | MO; QL (30 per 30 days) |
| atorvastatin | 1 | MO; QL (30 per 30 days) |
| cholestyramine (with sugar) | 1 | MO |
| cholestyramine light | 1 | MO |
| colesevelam | 1 | MO |
| colestipol oral granules | 1 | MO |
| colestipol oral packet | 1 | |
| colestipol oral tablet | 1 | MO |
| ezetimibe | 1 | MO |
| ezetimibe- simvastatin | 1 | MO; QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| fenofibrate micronized oral capsule 134 mg, 200 mg, 43 mg, 67 mg | 1 | MO |
| fenofibrate nanocrystallized | 1 | MO |
| fenofibrate oral tablet 160 mg, 54 mg | 1 | MO |
| fenofibric acid | 1 | |
| fenofibric acid (choline) | 1 | MO |
| fluvastatin oral capsule 20 mg | 1 | MO; QL (30 per 30 days) |
| fluvastatin oral capsule 40 mg | 1 | MO; QL (60 per 30 days) |
| gemfibrozil | 1 | MO |
| icosapent ethyl | 1 | MO |
| lovastatin oral tablet 10 mg | 1 | MO; QL (30 per 30 days) |
| lovastatin oral tablet 20 mg, 40 mg | 1 | MO; QL (60 per 30 days) |
| NEXLETOL | 1 | PA; MO |
| NEXLIZET | 1 | PA; MO |
| niacin oral tablet 500 mg | 1 | MO |
| niacin oral tablet extended release 24 hr | 1 | MO |
| omega-3 acid ethyl esters | 1 | MO |
| pitavastatin calcium | 1 | MO; QL (30 per 30 days) |
| pravastatin | 1 | MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|---|------------------|-----------------------------|
| <i>prevelite</i> | 1 | MO | <i>dopamine in 5 % dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)</i> | 1 | B/D PA |
| REPATHA | 1 | PA; QL (6 per 28 days) | | | |
| REPATHA PUSHTRONEX | 1 | PA; QL (7 per 28 days) | | | |
| REPATHA SURECLICK | 1 | PA; QL (6 per 28 days) | | | |
| <i>rosuvastatin</i> | 1 | MO; QL (30 per 30 days) | <i>dopamine in 5 % dextrose intravenous solution 800 mg/250 ml (3,200 mcg/ml)</i> | 1 | B/D PA; MO |
| <i>simvastatin</i> | 1 | MO; QL (30 per 30 days) | | | |
| MISCELLANEOUS CARDIOVASCULAR AGENTS | | | | | |
| CAMZYOS | 1 | PA; MO; QL (30 per 30 days) | <i>dopamine intravenous solution 200 mg/5 ml (40 mg/ml)</i> | 1 | B/D PA |
| <i>digoxin oral solution</i> | 1 | MO | <i>dopamine intravenous solution 400 mg/10 ml (40 mg/ml)</i> | 1 | B/D PA; MO |
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> | 1 | MO | | | |
| <i>dobutamine</i> | 1 | B/D PA | <i>ENTRESTO</i> | 1 | QL (60 per 30 days) |
| <i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml)</i> | 1 | B/D PA | <i>ENTRESTO SPRINKLE</i> | 1 | QL (240 per 30 days) |
| | | | <i>ivabradine</i> | 1 | MO; QL (60 per 30 days) |
| | | | <i>milrinone</i> | 1 | B/D PA |
| | | | <i>milrinone in 5 % dextrose</i> | 1 | B/D PA |
| | | | <i>norepinephrine bitartrate</i> | 1 | |
| | | | <i>ranolazine</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| sacubitriл-valsartan | 1 | QL (60 per 30 days) |
| VERQUVO | 1 | MO; QL (30 per 30 days) |
| VYNDAMAX | 1 | PA; MO |
| VYNDAQEL | 1 | PA; MO |
| NITRATES | | |
| isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg | 1 | MO |
| isosorbide mononitrate | 1 | MO |
| nitro-bid | 1 | MO |
| nitroglycerin sublingual | 1 | MO |
| nitroglycerin transdermal patch 24 hour | 1 | MO |
| nitroglycerin translingual | 1 | MO |
| DERMATOLOGICALS/TOPICAL THERAPY | | |
| ANTIPSORIATIC / ANTISEBORRHEIC | | |
| acitretin | 1 | MO |
| calcipotriene scalp | 1 | MO; QL (120 per 30 days) |
| calcipotriene topical cream | 1 | MO; QL (120 per 30 days) |
| calcipotriene topical ointment | 1 | MO; QL (120 per 30 days) |
| COSENTYX (2 SYRINGES) | 1 | PA; MO; QL (10 per 28 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-------------------------------|
| COSENTYX INTRAVENOUS | 1 | PA; QL (20 per 28 days) |
| COSENTYX PEN | 1 | PA; MO; QL (5 per 28 days) |
| COSENTYX PEN (2 PENS) | 1 | PA; MO; QL (10 per 28 days) |
| COSENTYX SUBCUTANEOUS SYRINGE 150 MG/ML | 1 | PA; MO; QL (5 per 28 days) |
| COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML | 1 | PA; MO; QL (2.5 per 28 days) |
| COSENTYX UNOREADY PEN | 1 | PA; MO; QL (10 per 28 days) |
| SELARSDI INTRAVENOUS | 1 | PA; MO; QL (104 per 180 days) |
| SELARSDI SUBCUTANEOUS SYRINGE 45 MG/0.5 ML | 1 | PA; MO; QL (0.5 per 28 days) |
| SELARSDI SUBCUTANEOUS SYRINGE 90 MG/ML | 1 | PA; MO; QL (1 per 28 days) |
| selenium sulfide topical lotion | 1 | MO |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR | 1 | PA; MO; QL (2 per 84 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-------------------------------|
| SKYRIZI SUBCUTANEOUS SYRINGE | 1 | PA; MO; QL (2 per 84 days) |
| STELARA INTRAVENOUS | 1 | PA; MO; QL (104 per 180 days) |
| STELARA SUBCUTANEOUS SOLUTION | 1 | PA; MO; QL (0.5 per 28 days) |
| STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML | 1 | PA; MO; QL (0.5 per 28 days) |
| STELARA SUBCUTANEOUS SYRINGE 90 MG/ML | 1 | PA; MO; QL (1 per 28 days) |
| TREMFYA INTRAVENOUS | 1 | PA; MO; QL (20 per 28 days) |
| TREMFYA PEN | 1 | PA; MO; QL (2 per 28 days) |
| TREMFYA PEN INDUCTION PK- CROHN | 1 | PA; MO; QL (12 per 180 days) |
| TREMFYA SUBCUTANEOUS | 1 | PA; MO; QL (2 per 28 days) |
| USTEKINUMAB INTRAVENOUS | 1 | PA; MO; QL (104 per 180 days) |
| USTEKINUMAB SUBCUTANEOUS SOLUTION | 1 | PA; MO; QL (0.5 per 28 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-------------------------------|
| USTEKINUMAB SUBCUTANEOUS SYRINGE 45 MG/0.5 ML | 1 | PA; MO; QL (0.5 per 28 days) |
| USTEKINUMAB SUBCUTANEOUS SYRINGE 90 MG/ML | 1 | PA; MO; QL (1 per 28 days) |
| YESINTEK INTRAVENOUS | 1 | PA; MO; QL (104 per 180 days) |
| YESINTEK SUBCUTANEOUS SOLUTION | 1 | PA; MO; QL (0.5 per 28 days) |
| YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML | 1 | PA; MO; QL (0.5 per 28 days) |
| YESINTEK SUBCUTANEOUS SYRINGE 90 MG/ML | 1 | PA; MO; QL (1 per 28 days) |
| MISCELLANEOUS DERMATOLOGICALS | | |
| ADBRY | 1 | PA; MO; QL (6 per 28 days) |
| <i>ammonium lactate</i> | 1 | MO |
| <i>chloroprocaine (pf)</i> | 1 | |
| <i>dermacinrx lidocan</i> | 1 | PA; QL (90 per 30 days) |
| <i>diclofenac sodium topical gel 3 %</i> | 1 | PA; MO; QL (100 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|----------------------------------|
| DUPIXENT SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML | 1 | PA; MO; QL (4.56 per 28 days) |
| DUPIXENT SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML | 1 | PA; MO; QL (8 per 28 days) |
| DUPIXENT SUBCUTANEOUS SYRINGE 200 MG/1.14 ML | 1 | PA; MO; QL (4.56 per 28 days) |
| DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML | 1 | PA; MO; QL (8 per 28 days) |
| EUCRISA | 1 | PA; MO; QL (120 per 30 days) |
| <i>fluorouracil topical cream 5 %</i> | 1 | MO |
| <i>fluorouracil topical solution</i> | 1 | MO |
| glydo | 1 | MO; QL (60 per 30 days) |
| <i>imiquimod topical cream in packet 5 %</i> | 1 | MO |
| <i>lidocaine (pf) injection solution</i> | 1 | |
| <i>lidocaine hcl injection solution</i> | 1 | |
| <i>lidocaine hcl laryngotracheal</i> | 1 | |
| <i>lidocaine hcl mucous membrane jelly</i> | 1 | MO; QL (60 per 30 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|------------------------------|
| <i>lidocaine hcl mucous membrane jelly in applicator</i> | 1 | MO; QL (60 per 30 days) |
| <i>lidocaine hcl mucous membrane solution 2 %</i> | 1 | MO |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i> | 1 | MO |
| <i>lidocaine topical adhesive patch,medicated 5 %</i> | 1 | PA; MO; QL (90 per 30 days) |
| <i>lidocaine topical ointment</i> | 1 | MO; QL (50 per 30 days) |
| <i>lidocaine viscous</i> | 1 | |
| <i>lidocaine-epinephrine</i> | 1 | |
| <i>lidocaine-epinephrine (pf) injection solution 1.5 %-1:200,000, 2 %-1:200,000</i> | 1 | |
| <i>lidocaine-prilocaine topical cream</i> | 1 | MO; QL (30 per 30 days) |
| <i>lidocan iii</i> | 1 | PA; QL (90 per 30 days) |
| <i>lidocan iv</i> | 1 | PA; QL (90 per 30 days) |
| <i>lidocan v</i> | 1 | PA; QL (90 per 30 days) |
| <i>methoxsalen</i> | 1 | MO |
| PANRETIN | 1 | PA; MO |
| <i>pimecrolimus</i> | 1 | PA; MO; QL (100 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits | | | |
|--|------------------|------------------------------|---|------------------|-----------------------------|--|--|--|
| <i>podofilox topical solution</i> | 1 | MO | <i>clindamycin phosphate topical solution</i> | 1 | MO; QL (120 per 30 days) | | | |
| <i>pilocaine injection solution 1% (10 mg/ml)</i> | 1 | | <i>ery pads</i> | 1 | MO | | | |
| <i>pilocaine-mpf</i> | 1 | | <i>erythromycin with ethanol topical solution</i> | 1 | MO | | | |
| REGRANEX | 1 | PA; QL (15 per 30 days) | <i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 1 | | | | |
| SANTYL | 1 | MO; QL (180 per 30 days) | <i>metronidazole topical</i> | 1 | MO | | | |
| <i>silver sulfadiazine</i> | 1 | MO | <i>tazarotene topical cream</i> | 1 | PA; MO | | | |
| <i>ssd</i> | 1 | MO | <i>tazarotene topical gel</i> | 1 | PA; MO | | | |
| <i>tacrolimus topical</i> | 1 | PA; MO; QL (100 per 30 days) | <i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i> | 1 | PA; MO | | | |
| <i>tridacaine ii</i> | 1 | PA; QL (90 per 30 days) | <i>tretinoin topical gel 0.01 %, 0.025 %, 0.05 %</i> | 1 | PA; MO | | | |
| VALCHLOR | 1 | PA; MO | <i>zenatane</i> | 1 | | | | |
| THERAPY FOR ACNE | | | | | | | | |
| <i>accutane</i> | 1 | | TOPICAL ANTIBACTERIALS | | | | | |
| <i>amnesteem</i> | 1 | | <i>gentamicin topical</i> | 1 | MO; QL (60 per 30 days) | | | |
| <i>azelaic acid</i> | 1 | MO | <i>mupirocin</i> | 1 | MO; QL (44 per 30 days) | | | |
| <i>claravis</i> | 1 | | <i>sulfacetamide sodium (acne)</i> | 1 | MO | | | |
| <i>clindamycin phosphate topical gel</i> | 1 | MO; QL (120 per 30 days) | TOPICAL ANTIFUNGALS | | | | | |
| <i>clindamycin phosphate topical gel, once daily</i> | 1 | MO; QL (150 per 30 days) | <i>ciclodan topical solution</i> | 1 | QL (6.6 per 28 days) | | | |
| <i>clindamycin phosphate topical lotion</i> | 1 | MO; QL (120 per 30 days) | | | | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| ciclopirox topical cream | 1 | MO; QL (90 per 28 days) |
| ciclopirox topical gel | 1 | MO; QL (100 per 28 days) |
| ciclopirox topical shampoo | 1 | MO; QL (120 per 28 days) |
| ciclopirox topical solution | 1 | MO; QL (6.6 per 28 days) |
| ciclopirox topical suspension | 1 | MO; QL (60 per 28 days) |
| clotrimazole topical cream | 1 | MO; QL (45 per 28 days) |
| clotrimazole topical solution | 1 | MO; QL (30 per 28 days) |
| clotrimazole- betamethasone topical cream | 1 | MO; QL (45 per 28 days) |
| clotrimazole- betamethasone topical lotion | 1 | MO; QL (60 per 28 days) |
| econazole nitrate | 1 | MO; QL (85 per 28 days) |
| ketoconazole topical cream | 1 | MO; QL (60 per 28 days) |
| ketoconazole topical shampoo | 1 | MO; QL (120 per 28 days) |
| klayesta | 1 | MO; QL (180 per 30 days) |
| naftifine topical gel | 1 | MO; QL (60 per 28 days) |
| nyamyc | 1 | MO; QL (180 per 30 days) |
| nystatin topical cream | 1 | MO; QL (30 per 28 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| nystatin topical ointment | 1 | MO; QL (30 per 28 days) |
| nystatin topical powder | 1 | MO; QL (180 per 30 days) |
| nystatin- triamcinolone | 1 | MO; QL (60 per 28 days) |
| nystop | 1 | MO; QL (180 per 30 days) |
| TOPICAL ANTIVIRALS | | |
| acyclovir topical ointment | 1 | PA; MO; QL (30 per 30 days) |
| penciclovir | 1 | MO; QL (5 per 30 days) |
| TOPICAL CORTICOSTEROIDS | | |
| ala-cort topical cream 1% | 1 | MO |
| alclometasone | 1 | MO |
| betamethasone dipropionate | 1 | MO |
| betamethasone valerate topical cream | 1 | MO |
| betamethasone valerate topical lotion | 1 | MO |
| betamethasone valerate topical ointment | 1 | MO |
| betamethasone, augmented topical cream | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| <i>betamethasone, augmented topical gel</i> | 1 | MO |
| <i>betamethasone, augmented topical lotion</i> | 1 | MO |
| <i>betamethasone, augmented topical ointment</i> | 1 | MO |
| <i>clobetasol scalp</i> | 1 | MO; QL (100 per 28 days) |
| <i>clobetasol topical cream 0.05 %</i> | 1 | MO; QL (120 per 28 days) |
| <i>clobetasol topical foam</i> | 1 | MO; QL (100 per 28 days) |
| <i>clobetasol topical gel</i> | 1 | MO; QL (120 per 28 days) |
| <i>clobetasol topical lotion</i> | 1 | MO; QL (118 per 28 days) |
| <i>clobetasol topical ointment</i> | 1 | MO; QL (120 per 28 days) |
| <i>clobetasol topical shampoo</i> | 1 | MO; QL (236 per 28 days) |
| <i>clobetasol-emollient topical cream</i> | 1 | MO; QL (120 per 28 days) |
| <i>desonide topical cream</i> | 1 | MO |
| <i>desonide topical ointment</i> | 1 | MO |
| <i>fluocinolone</i> | 1 | MO |
| <i>fluocinolone and shower cap</i> | 1 | MO |
| <i>fluocinonide topical cream 0.05 %</i> | 1 | MO; QL (120 per 30 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| <i>fluocinonide topical gel</i> | 1 | MO; QL (120 per 30 days) |
| <i>fluocinonide topical ointment</i> | 1 | MO; QL (120 per 30 days) |
| <i>fluocinonide topical solution</i> | 1 | MO; QL (120 per 30 days) |
| <i>fluocinonide-emollient</i> | 1 | MO; QL (120 per 30 days) |
| <i>fluticasone propionate topical cream</i> | 1 | MO |
| <i>fluticasone propionate topical ointment</i> | 1 | MO |
| <i>halobetasol propionate topical cream</i> | 1 | MO |
| <i>halobetasol propionate topical ointment</i> | 1 | MO |
| <i>hydrocortisone topical cream 1%, 2.5 %</i> | 1 | MO |
| <i>hydrocortisone topical lotion 2.5 %</i> | 1 | MO |
| <i>hydrocortisone topical ointment 1%, 2.5 %</i> | 1 | MO |
| <i>mometasone topical</i> | 1 | MO |
| <i>triamcinolone acetonide topical cream</i> | 1 | MO |
| <i>triamcinolone acetonide topical lotion</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|---|------------------|-----------------------------|
| triamicinolone acetonide topical ointment 0.025 %, 0.1%, 0.5 % | 1 | MO | CLINIMIX 4.25%/D5W SULFIT FREE | 1 | B/D PA |
| triderm topical cream 0.5 % | 1 | | d10 %-0.45 % sodium chloride | 1 | |
| TOPICAL SCABICIDES / PEDICULICIDES | | | | | |
| malathion | 1 | MO | d2.5 %-0.45 % sodium chloride | 1 | |
| permethrin | 1 | MO; QL (60 per 30 days) | d5 % and 0.9 % sodium chloride | 1 | MO |
| DIAGNOSTICS / MISCELLANEOUS AGENTS | | | | | |
| ANTIDOTES | | | | | |
| acetylcysteine intravenous | 1 | | deferasirox oral granules in packet | 1 | PA; MO |
| IRRIGATING SOLUTIONS | | | | | |
| lactated ringers irrigation | 1 | | deferasirox oral tablet | 1 | PA; MO |
| neomycin-polymyxin b gu | 1 | | deferasirox oral tablet, dispersible 125 mg | 1 | PA; MO |
| ringer's irrigation | 1 | MO | deferasirox oral tablet, dispersible 250 mg, 500 mg | 1 | PA; MO |
| MISCELLANEOUS AGENTS | | | | | |
| acamprostate | 1 | MO | deferiprone | 1 | PA; MO |
| acetic acid irrigation | 1 | MO | deferoxamine | 1 | B/D PA; MO |
| anagrelide | 1 | MO | dextrose 10 % and 0.2 % nacl | 1 | |
| caffeine citrate intravenous | 1 | | dextrose 10 % in water (d10w) | 1 | |
| caffeine citrate oral | 1 | MO | dextrose 25 % in water (d25w) | 1 | |
| carglumic acid | 1 | PA; MO | dextrose 5 % in water (d5w) | 1 | MO |
| cevimeline | 1 | MO | dextrose 5 %- lactated ringers | 1 | MO |
| CHEMET | 1 | PA | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---------------------------------------|------------------|-----------------------------|
| dextrose 5%-0.2 % sod chloride | 1 | |
| dextrose 5%-0.3 % sod.chloride | 1 | |
| dextrose 50 % in water (d50w) | 1 | |
| dextrose 70 % in water (d70w) | 1 | |
| disulfiram oral tablet 250 mg | 1 | MO |
| disulfiram oral tablet 500 mg | 1 | |
| droxidopa oral capsule 100 mg | 1 | PA; MO |
| droxidopa oral capsule 200 mg, 300 mg | 1 | PA; MO |
| glutamine (sickle cell) | 1 | PA; MO |
| INCRELEX | 1 | LA |
| kionex (with sorbitol) | 1 | |
| levocarnitine (with sugar) | 1 | MO |
| levocarnitine oral solution 100 mg/ml | 1 | MO |
| levocarnitine oral tablet | 1 | MO |
| LOKELMA | 1 | MO |
| midodrine | 1 | MO |
| nitisinone | 1 | PA; MO |
| pilocarpine hcl oral | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| PROLASTIN-C INTRAVENOUS SOLUTION | 1 | PA; MO; LA |
| REVCovi | 1 | PA; LA |
| REZDIFRA | 1 | PA; MO; QL (30 per 30 days) |
| riluzole | 1 | PA; MO |
| risedronate oral tablet 30 mg | 1 | MO; QL (30 per 30 days) |
| sevelamer carbonate oral tablet | 1 | PA; MO |
| sodium benzoate-sod phenylacet | 1 | |
| sodium chloride 0.9 % intravenous | 1 | MO |
| sodium chloride irrigation | 1 | MO |
| sodium phenylbutyrate oral powder | 1 | PA; MO |
| sodium phenylbutyrate oral tablet | 1 | PA |
| sodium polystyrene sulfonate oral powder | 1 | MO |
| sps (with sorbitol) oral | 1 | MO |
| sps (with sorbitol) rectal | 1 | |
| trientine oral capsule 250 mg | 1 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|--|------------------|-----------------------------|
| VELTASSA ORAL POWDER IN PACKET 1 GRAM, 25.2 GRAM | 1 | | <i>azelastine nasal spray,non-aerosol 205.5 mcg (0.15 %)</i> | 1 | QL (60 per 30 days) |
| VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 8.4 GRAM | 1 | MO | <i>chlorhexidine gluconate mucous membrane</i> | 1 | MO |
| <i>water for irrigation, sterile</i> | 1 | MO | <i>denta 5000 plus</i> | 1 | MO |
| XIAFLEX | 1 | PA | <i>dentagel</i> | 1 | MO |
| <i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> | 1 | PA; MO | <i>fluoride (sodium) dental cream</i> | 1 | |
| SMOKING DETERRENTS | | | <i>fluoride (sodium) dental gel</i> | 1 | |
| <i>bupropion hcl (smoking deter)</i> | 1 | MO | <i>fluoride (sodium) dental paste</i> | 1 | MO |
| NICOTROL NS | 1 | MO | <i>fraiche 5000</i> | 1 | |
| <i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> | 1 | MO | <i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i> | 1 | MO; QL (30 per 30 days) |
| <i>varenicline tartrate oral tablet 1 mg (56 pack)</i> | 1 | | <i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i> | 1 | MO; QL (30 per 20 days) |
| <i>varenicline tartrate oral tablets,dose pack</i> | 1 | MO | <i>kourzeq</i> | 1 | |
| EAR, NOSE / THROAT MEDICATIONS | | | <i>oralone</i> | 1 | |
| MISCELLANEOUS AGENTS | | | <i>periogard</i> | 1 | MO |
| <i>azelastine nasal spray,non-aerosol 137 mcg (0.1 %)</i> | 1 | MO; QL (60 per 30 days) | <i>sf</i> | 1 | MO |
| | | | <i>sf 5000 plus</i> | 1 | MO |
| | | | <i>sodium fluoride 5000 dry mouth</i> | 1 | MO |
| | | | <i>sodium fluoride 5000 plus</i> | 1 | |
| | | | <i>sodium fluoride-pot nitrate</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|--|------------------|-----------------------------|
| triamicinolone | 1 | MO | dexamethasone | 1 | MO |
| acetonide dental | | | sodium phosphate injection | | |
| MISCELLANEOUS OTIC PREPARATIONS | | | | | |
| acetic acid otic (ear) | 1 | MO | fludrocortisone | 1 | MO |
| ciprofloxacin hcl otic (ear) | 1 | MO | hydrocortisone oral | 1 | MO |
| flac otic oil | 1 | | methylprednisolone acetate | 1 | MO |
| fluocinolone acetonide oil | 1 | MO | methylprednisolone oral tablet | 1 | B/D PA; MO |
| hydrocortisone-acetic acid | 1 | MO | methylprednisolone oral tablets, dose pack | 1 | MO |
| ofloxacin otic (ear) | 1 | MO | methylprednisolone sodium succ injection recon soln 125 mg, 40 mg | 1 | MO |
| OTIC STEROID / ANTIBIOTIC | | | | | |
| ciprofloxacin-dexamethasone | 1 | MO; QL (7.5 per 7 days) | methylprednisolone sodium succ intravenous | 1 | MO |
| neomycin-polymyxin-hc otic (ear) | 1 | MO | prednisolone oral solution | 1 | MO |
| ENDOCRINE/DIABETES | | | | | |
| ADRENAL HORMONES | | | | | |
| cortisone | 1 | | prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml) | 1 | MO |
| dexamethasone intensol | 1 | | prednisolone sodium phosphate oral solution 15 mg/5 ml (5 ml) | 1 | |
| dexamethasone oral elixir | 1 | MO | prednisone intensol | 1 | MO |
| dexamethasone oral solution | 1 | | prednisone oral solution | 1 | MO |
| dexamethasone oral tablet | 1 | MO | | | |
| dexamethasone sodium phos (pf) injection solution 10 mg/ml | 1 | MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|---|------------------|-----------------------------|
| <i>prednisone oral tablet</i> | 1 | MO | <i>diazoxide</i> | 1 | MO |
| <i>prednisone oral tablets, dose pack 10 mg (48 pack), 5 mg (48 pack)</i> | 1 | | <i>DROPSAFE ALCOHOL PREP PADS</i> | 1 | PA |
| <i>prednisone oral tablets, dose pack 10 mg, 5 mg</i> | 1 | MO | <i>exenatide subcutaneous pen injector 10 mcg/dose(250 mcg/ml) 2.4 ml</i> | 1 | PA; QL (2.4 per 30 days) |
| <i>triamcinolone acetonide injection suspension 10 mg/ml</i> | 1 | | <i>exenatide subcutaneous pen injector 5 mcg/dose (250 mcg/ml) 1.2 ml</i> | 1 | PA; QL (1.2 per 30 days) |
| <i>triamcinolone acetonide injection suspension 40 mg/ml</i> | 1 | MO | <i>FARXIGA</i> | 1 | MO; QL (30 per 30 days) |
| ANTITHYROID AGENTS | | | <i>FIASP FLEXTOUCH U-100 INSULIN</i> | 1 | MO |
| <i>methimazole oral tablet 10 mg, 5 mg</i> | 1 | MO | <i>FIASP PENFILL U-100 INSULIN</i> | 1 | MO |
| <i>propylthiouracil</i> | 1 | MO | <i>FIASP U-100 INSULIN</i> | 1 | MO |
| DIABETES THERAPY | | | <i>FREESTYLE INSULINX STRIP</i> | 1 | MO |
| <i>acarbose oral tablet 100 mg</i> | 1 | MO; QL (90 per 30 days) | <i>FREESTYLE INSULINX TEST STRIPS</i> | 1 | MO |
| <i>acarbose oral tablet 25 mg</i> | 1 | MO; QL (360 per 30 days) | <i>FREESTYLE LITE STRIPS</i> | 1 | MO |
| <i>acarbose oral tablet 50 mg</i> | 1 | MO; QL (180 per 30 days) | <i>FREESTYLE PRECISION NEO STRIPS</i> | 1 | MO |
| <i>ACCU-CHEK GUIDE TEST STRIPS</i> | 1 | MO | <i>FREESTYLE TEST</i> | 1 | MO |
| <i>alcohol pads</i> | 1 | PA; MO | <i>glimepiride oral tablet 1 mg</i> | 1 | MO; QL (240 per 30 days) |
| <i>BAQSIMI</i> | 1 | MO | | | |
| <i>DAPAGLIFLOZIN PROPANEDIOL</i> | 1 | MO; QL (30 per 30 days) | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| glimepiride oral tablet 2 mg | 1 | MO; QL (120 per 30 days) |
| glimepiride oral tablet 4 mg | 1 | MO; QL (60 per 30 days) |
| glipizide oral tablet 10 mg | 1 | MO; QL (120 per 30 days) |
| glipizide oral tablet 5 mg | 1 | MO; QL (240 per 30 days) |
| glipizide oral tablet extended release 24hr 10 mg | 1 | MO; QL (60 per 30 days) |
| glipizide oral tablet extended release 24hr 2.5 mg | 1 | MO; QL (240 per 30 days) |
| glipizide oral tablet extended release 24hr 5 mg | 1 | MO; QL (120 per 30 days) |
| glipizide-metformin oral tablet 2.5-250 mg | 1 | MO; QL (240 per 30 days) |
| glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg | 1 | MO; QL (120 per 30 days) |
| glucagon emergency kit (human) | 1 | MO |
| GLYXAMBI | 1 | MO; QL (30 per 30 days) |
| GVOKE | 1 | MO |
| GVOKE HYPOOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML | 1 | |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| GVOKE HYPOOPEN 1-PACK | 1 | MO |
| SUBCUTANEOUS AUTO-INJECTOR 1 MG/0.2 ML | | |
| GVOKE HYPOOPEN 2-PACK | 1 | MO |
| GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML | 1 | MO |
| GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML | 1 | MO |
| HUMALOG JUNIOR KWIKPEN U-100 | 1 | MO |
| HUMALOG KWIKPEN INSULIN | 1 | MO |
| HUMALOG MIX 50-50 KWIKPEN | 1 | MO |
| HUMALOG MIX 75-25 KWIKPEN | 1 | MO |
| HUMALOG MIX 75-25(U-100)INSULN | 1 | MO |
| HUMALOG U-100 INSULIN | 1 | MO |
| HUMULIN 70/30 U-100 INSULIN | 1 | MO |
| HUMULIN 70/30 U-100 KWIKPEN | 1 | MO |
| HUMULIN N NPH INSULIN KWIKPEN | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|--------------------------------|--|------------------|-----------------------------|
| HUMULIN N NPH U-100 INSULIN | 1 | MO | JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG | 1 | MO; QL (60 per 30 days) |
| HUMULIN R REGULAR U-100 INSULN | 1 | MO | JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG | 1 | MO; QL (30 per 30 days) |
| HUMULIN R U-500 (CONC) INSULIN | 1 | MO | LANTUS SOLOSTAR U-100 INSULIN | 1 | MO |
| HUMULIN R U-500 (CONC) KWIKPEN | 1 | MO | LANTUS U-100 INSULIN | 1 | |
| INPEFA | 1 | PA; MO; QL (30 per 30 days) | <i>liraglutide</i> | 1 | PA; QL (9 per 30 days) |
| INSULIN ASPART U-100 | 1 | MO | LYUMJEV KWIKPEN U-100 INSULIN | 1 | MO |
| INSULIN LISPRO | 1 | MO | LYUMJEV KWIKPEN U-200 INSULIN | 1 | MO |
| INSULIN LISPRO PROTAMIN-LISPRO | 1 | MO | LYUMJEV U-100 INSULIN | 1 | MO |
| JANUMET | 1 | MO; QL (60 per 30 days) | <i>metformin oral tablet 1,000 mg</i> | 1 | MO; QL (75 per 30 days) |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG | 1 | MO; QL (30 per 30 days) | <i>metformin oral tablet 500 mg</i> | 1 | MO; QL (150 per 30 days) |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG | 1 | MO; QL (60 per 30 days) | <i>metformin oral tablet 850 mg</i> | 1 | MO; QL (90 per 30 days) |
| JANUVIA | 1 | MO; QL (30 per 30 days) | <i>metformin oral tablet extended release 24 hr 500 mg</i> | 1 | MO; QL (120 per 30 days) |
| JARDIANCE | 1 | MO; QL (30 per 30 days) | <i>metformin oral tablet extended release 24 hr 750 mg</i> | 1 | MO; QL (60 per 30 days) |
| JENTADUETO | 1 | MO; QL (60 per 30 days) | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|---------------------------------------|------------------|-----------------------------|---|------------------|-----------------------------|
| MOUNJARO | 1 | PA; QL (2 per 28 days) | OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) | 1 | PA; QL (3 per 28 days) |
| <i>nateglinide oral tablet 120 mg</i> | 1 | MO; QL (90 per 30 days) | <i>pioglitazone</i> | 1 | MO; QL (30 per 30 days) |
| <i>nateglinide oral tablet 60 mg</i> | 1 | MO; QL (180 per 30 days) | PRECISION XTRA TEST | 1 | MO |
| NOVOLIN 70/30 U-100 INSULIN | 1 | MO | <i>repaglinide oral tablet 0.5 mg</i> | 1 | MO; QL (960 per 30 days) |
| NOVOLIN 70-30 FLEXPEN U-100 | 1 | MO | <i>repaglinide oral tablet 1 mg</i> | 1 | MO; QL (480 per 30 days) |
| NOVOLIN N FLEXPEN | 1 | MO | <i>repaglinide oral tablet 2 mg</i> | 1 | MO; QL (240 per 30 days) |
| NOVOLIN N NPH U-100 INSULIN | 1 | MO | RYBELSUS | 1 | PA; MO; QL (30 per 30 days) |
| NOVOLIN R FLEXPEN | 1 | MO | <i>saxagliptin</i> | 1 | MO; QL (30 per 30 days) |
| NOVOLIN R REGULAR U100 INSULIN | 1 | MO | <i>saxagliptin-metformin oral tablet, er multiphase 24 hr</i> 2.5-1,000 mg | 1 | MO; QL (60 per 30 days) |
| NOVOLOG FLEXPEN U-100 INSULIN | 1 | MO | <i>saxagliptin-metformin oral tablet, er multiphase 24 hr</i> 5-1,000 mg, 5-500 mg | 1 | MO; QL (30 per 30 days) |
| NOVOLOG MIX 70-30 U-100 INSULIN | 1 | MO | SOLIQUA 100/33 | 1 | QL (15 per 25 days) |
| NOVOLOG MIX 70-30 FLEXPEN U-100 | 1 | MO | SYNJARDY | 1 | MO; QL (60 per 30 days) |
| NOVOLOG PENFILL U-100 INSULIN | 1 | MO | | | |
| NOVOLOG U-100 INSULIN ASPART | 1 | MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG | 1 | MO; QL (30 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG | 1 | MO; QL (60 per 30 days) |
| TOUJEON MAX U-300 SOLOSTAR | 1 | MO |
| TOUJEON SOLOSTAR U-300 INSULIN | 1 | MO |
| TRADJENTA | 1 | MO; QL (30 per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG | 1 | MO; QL (30 per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG | 1 | MO; QL (60 per 30 days) |
| TRULICITY | 1 | PA; QL (2 per 28 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG | 1 | MO; QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG | 1 | MO; QL (60 per 30 days) |
| MISCELLANEOUS HORMONES | | |
| ALDURAZYME | 1 | PA; MO |
| <i>cabergoline</i> | 1 | MO |
| <i>calcitonin (salmon) injection</i> | 1 | MO |
| <i>calcitonin (salmon) nasal</i> | 1 | MO |
| <i>calcitriol intravenous solution 1 mcg/ml</i> | 1 | |
| <i>calcitriol oral capsule</i> | 1 | MO |
| <i>calcitriol oral solution</i> | 1 | |
| <i>cinacalcet</i> | 1 | PA; MO |
| <i>clomid</i> | 1 | PA; MO |
| <i>clomiphene citrate</i> | 1 | PA |
| CRYSVITA | 1 | PA; MO; LA |
| <i>danazol</i> | 1 | MO |
| <i>desmopressin injection</i> | 1 | MO |
| <i>desmopressin nasal spray with pump</i> | 1 | MO |
| <i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i> | 1 | |
| <i>desmopressin oral</i> | 1 | MO |
| <i>doxercalciferol intravenous</i> | 1 | MO |
| <i>doxercalciferol oral</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|---------------------------------|--|------------------|----------------------------------|
| ELAPRASE | 1 | PA; MO | testosterone | 1 | PA; MO; QL (300 per 30 days) |
| FABRAZYME | 1 | PA; MO | <i>transdermal gel in metered-dose pump</i> 12.5 mg/ 1.25 gram (1 %) | | |
| JYNARQUE ORAL TABLET | 1 | PA; LA | <i>testosterone</i> | 1 | PA; MO; QL (150 per 30 days) |
| KANUMA | 1 | PA; MO | <i>transdermal gel in metered-dose pump</i> 20.25 mg/1.25 gram (1.62 %) | | |
| LUMIZYME | 1 | PA; MO | <i>testosterone</i> | 1 | PA; MO; QL (300 per 30 days) |
| MEPSEVII | 1 | PA; MO | <i>transdermal gel in packet</i> 1% (25 mg/2.5gram), 1% (50 mg/5 gram) | | |
| <i>mifepristone oral tablet 300 mg</i> | 1 | PA; MO | <i>testosterone</i> | 1 | PA; MO; QL (37.5 per 30 days) |
| NAGLAZYME | 1 | PA; MO; LA | <i>transdermal gel in packet</i> 1.62 % (20.25 mg/1.25 gram) | | |
| <i>pamidronate intravenous solution</i> | 1 | MO | <i>testosterone</i> | 1 | PA; MO; QL (150 per 30 days) |
| <i>paricalcitol intravenous</i> | 1 | | <i>transdermal gel in packet</i> 1.62 % (40.5 mg/2.5 gram) | | |
| <i>paricalcitol oral</i> | 1 | MO | <i>testosterone</i> | 1 | PA; MO; QL (180 per 30 days) |
| <i>sapropterin</i> | 1 | PA; MO | <i>transdermal solution in metered pump w/app</i> | | |
| SOMAVERT | 1 | PA; MO | <i>tolvaptan</i> | 1 | PA; MO |
| STRENSIQ | 1 | PA; LA | <i>tolvaptan (polycys kidney dis)</i> | 1 | PA |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> | 1 | PA; MO | VIMIZIM | 1 | PA; MO; LA |
| <i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i> | 1 | PA | <i>zoledronic acid intravenous solution</i> | 1 | B/D PA; MO |
| <i>testosterone enanthate</i> | 1 | PA; MO | THYROID HORMONES | | |
| <i>testosterone transdermal gel</i> | 1 | PA; MO; QL (300 per 30 days) | <i>levo-t</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| levothyroxine <i>intravenous recon soln</i> | 1 | |
| levothyroxine oral tablet | 1 | MO |
| levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg | 1 | MO |
| liothyronine | 1 | MO |
| unithroid | 1 | MO |

GASTROENTEROLOGY

ANTIDIARRHEALS / ANTISPASMODICS

| | | |
|---|---|----|
| dicyclomine <i>intramuscular</i> | 1 | MO |
| dicyclomine oral capsule | 1 | MO |
| dicyclomine oral solution | 1 | MO |
| dicyclomine oral tablet 20 mg | 1 | MO |
| diphenoxylate-atropine oral liquid | 1 | |
| diphenoxylate-atropine oral tablet | 1 | MO |
| glycopyrrolate (pf) in water <i>intravenous syringe 0.4 mg/2 ml (0.2 mg/ml)</i> | 1 | |
| glycopyrrolate (pf) injection syringe 0.4 mg/2 ml (0.2 mg/ml) | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| glycopyrrolate injection | 1 | MO |
| glycopyrrolate oral tablet 1 mg, 2 mg | 1 | MO |
| loperamide oral capsule | 1 | MO |
| opium tincture | 1 | MO |
| MISCELLANEOUS GASTROINTESTINAL AGENTS | | |
| alosetron oral tablet 0.5 mg | 1 | PA; MO |
| alosetron oral tablet 1 mg | 1 | PA; MO |
| aprepitant | 1 | B/D PA; MO |
| balsalazide | 1 | MO |
| betaine | 1 | MO |
| budesonide oral capsule,delayed,extended.release | 1 | MO |
| budesonide oral tablet,delayed and ext.release | 1 | MO |
| CIMZIA POWDER FOR RECONST | 1 | PA; MO; QL (2 per 28 days) |
| CIMZIA STARTER KIT | 1 | PA; MO; QL (3 per 180 days) |
| CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2) | 1 | PA; MO; QL (2 per 28 days) |
| CINVANTI | 1 | MO |
| compro | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| constulose | 1 | MO |
| CORTIFOAM | 1 | MO |
| CREON | 1 | MO |
| cromolyn oral | 1 | MO |
| dimenhydrinate injection solution | 1 | MO |
| dronabinol | 1 | PA |
| droperidol injection solution | 1 | MO |
| enulose | 1 | MO |
| fosaprepitant | 1 | MO |
| GATTEX 30-VIAL | 1 | PA; MO |
| GATTEX ONE-VIAL | 1 | PA; MO |
| gavilyte-c | 1 | MO |
| gavilyte-g | 1 | MO |
| gavilyte-n | 1 | |
| generlac | 1 | MO |
| granisetron (pf) intravenous solution 1 mg/ml (1 ml) | 1 | MO |
| granisetron hcl intravenous solution 1 mg/ml | 1 | MO |
| granisetron hcl intravenous solution 1 mg/ml (1 ml) | 1 | |
| granisetron hcl oral | 1 | B/D PA; MO |
| hydrocortisone rectal | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| hydrocortisone topical cream with perineal applicator 1 % | 1 | MO |
| hydrocortisone topical cream with perineal applicator 2.5 % | 1 | |
| INFLIXIMAB | 1 | PA; QL (20 per 28 days) |
| lactulose oral solution | 1 | MO |
| LINZESS | 1 | MO; QL (30 per 30 days) |
| lubiprostone | 1 | MO; QL (60 per 30 days) |
| meclizine oral tablet 12.5 mg, 25 mg | 1 | MO |
| mesalamine oral capsule (with del rel tablets) | 1 | MO |
| mesalamine oral capsule, extended release | 1 | |
| mesalamine oral capsule,extended release 24hr | 1 | MO |
| mesalamine oral tablet,delayed release (dr/ec) | 1 | MO |
| mesalamine rectal | 1 | MO |
| mesalamine with cleansing wipe | 1 | MO |
| metoclopramide hcl injection solution | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| <i>metoclopramide hcl injection syringe</i> | 1 | |
| <i>metoclopramide hcl oral solution</i> | 1 | MO |
| <i>metoclopramide hcl oral tablet</i> | 1 | MO |
| <i>nitroglycerin rectal</i> | 1 | MO |
| <i>ondansetron hcl (pf) injection solution</i> | 1 | MO |
| <i>ondansetron hcl (pf) injection syringe</i> | 1 | |
| <i>ondansetron hcl intravenous</i> | 1 | MO |
| <i>ondansetron hcl oral solution</i> | 1 | B/D PA; MO |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i> | 1 | B/D PA; MO |
| <i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i> | 1 | B/D PA; MO |
| <i>palonosetron intravenous solution 0.25 mg/5 ml</i> | 1 | MO |
| <i>palonosetron intravenous syringe</i> | 1 | |
| <i>peg 3350-electrolytes</i> | 1 | |
| <i>peg-electrolyte</i> | 1 | MO |
| <i>prochlorperazine</i> | 1 | MO |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|------------------------------|
| <i>prochlorperazine maleate oral</i> | 1 | MO |
| <i>procto-med hc</i> | 1 | MO |
| <i>proctosol hc topical</i> | 1 | MO |
| <i>proctozone-hc</i> | 1 | MO |
| <i>RELISTOR SUBCUTANEOUS SOLUTION</i> | 1 | ST; MO; QL (18 per 30 days) |
| <i>RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML</i> | 1 | ST; MO; QL (18 per 30 days) |
| <i>RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML</i> | 1 | ST; MO; QL (12 per 30 days) |
| <i>REMICADE</i> | 1 | PA; MO; QL (20 per 28 days) |
| <i>scopolamine base</i> | 1 | MO |
| <i>SKYRIZI INTRAVENOUS</i> | 1 | PA; MO; QL (30 per 180 days) |
| <i>SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML)</i> | 1 | PA; MO; QL (1.2 per 56 days) |
| <i>SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML)</i> | 1 | PA; MO; QL (2.4 per 56 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|---|------------------|-----------------------------|
| sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram | 1 | MO | ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT | 1 | MO |
| sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml) | 1 | | | | |
| SUCRAID | 1 | PA | | | |
| sulfasalazine | 1 | MO | | | |
| SYMPROIC | 1 | MO; QL (30 per 30 days) | | | |
| TRULANCE | 1 | QL (30 per 30 days) | | | |
| ursodiol oral capsule 300 mg | 1 | MO | ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 60,000-189,600- 252,600 UNIT | 1 | MO |
| ursodiol oral tablet | 1 | MO | | | |
| VARUBI | 1 | B/D PA | | | |
| VIBERZI | 1 | MO; QL (60 per 30 days) | | | |
| VOWST | 1 | PA; LA | ZYMFENTRA | 1 | PA; MO; QL (2 per 28 days) |
| ULCER THERAPY | | | | | |
| esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg | 1 | MO; QL (30 per 30 days) | | | |
| esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg | 1 | MO; QL (60 per 30 days) | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| esomeprazole sodium intravenous recon soln 40 mg | 1 | MO |
| famotidine (pf) | 1 | MO |
| famotidine (pf)-nacl (iso-os) | 1 | MO |
| famotidine intravenous | 1 | MO |
| famotidine oral tablet 20 mg, 40 mg | 1 | MO |
| lansoprazole oral capsule,delayed release(dr/ec) 15 mg | 1 | MO; QL (30 per 30 days) |
| lansoprazole oral capsule,delayed release(dr/ec) 30 mg | 1 | MO; QL (60 per 30 days) |
| misoprostol | 1 | MO |
| omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg | 1 | MO; QL (30 per 30 days) |
| omeprazole oral capsule,delayed release(dr/ec) 40 mg | 1 | MO; QL (60 per 30 days) |
| pantoprazole intravenous | 1 | MO |
| pantoprazole oral tablet,delayed release (dr/ec) 20 mg | 1 | MO; QL (30 per 30 days) |
| pantoprazole oral tablet,delayed release (dr/ec) 40 mg | 1 | MO; QL (60 per 30 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|--------------------------------|
| sucralfate oral suspension | 1 | MO |
| sucralfate oral tablet | 1 | MO |
| IMMUNOLOGY, VACCINES / BIOTECHNOLOGY | | |
| BIOTECHNOLOGY DRUGS | | |
| ACTIMMUNE | 1 | PA; MO |
| ARCALYST | 1 | PA |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT | 1 | PA; MO; QL (1 per 28 days) |
| AVONEX INTRAMUSCULAR SYRINGE KIT | 1 | PA; MO; QL (1 per 28 days) |
| BESREMI | 1 | PA; LA |
| BETASERON SUBCUTANEOUS KIT | 1 | PA; MO; QL (14 per 28 days) |
| FULPHILA | 1 | PA; MO |
| ILARIS (PF) | 1 | PA; MO; LA; QL (2 per 28 days) |
| NIVESTYM | 1 | PA; MO |
| NYVEPRIA | 1 | PA; MO |
| OMNITROPE | 1 | PA; MO |
| PEGASYS SUBCUTANEOUS SOLUTION | 1 | MO; QL (4 per 28 days) |
| PEGASYS SUBCUTANEOUS SYRINGE | 1 | MO; QL (2 per 28 days) |
| PLEGRIDY INTRAMUSCULAR | 1 | PA; MO; QL (1 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML | 1 | PA; MO; QL (1 per 28 days) |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML | 1 | PA; MO; QL (1 per 180 days) |
| PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML | 1 | PA; MO; QL (1 per 28 days) |
| PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML | 1 | PA; MO; QL (1 per 180 days) |
| <i>plerixafor</i> | 1 | B/D PA; MO |
| PROCRT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 1 | PA; MO |
| PROCRT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML | 1 | PA; MO |
| RELEUKO SUBCUTANEOUS | 1 | PA; MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 1 | PA; MO |
| RETACRIT INJECTION SOLUTION 40,000 UNIT/ML | 1 | PA; MO |
| VACCINES / MISCELLANEOUS IMMUNOLOGICALS | | |
| ABRYSVO (PF) | 1 | V |
| ACTHIB (PF) | 1 | |
| ADACEL(TDAP ADOLESN/ADULT) (PF) | 1 | V |
| AREXVY (PF) | 1 | V |
| BCG VACCINE, LIVE (PF) | 1 | V |
| BEXZERO | 1 | V |
| BOOSTRIX TDAP | 1 | V |
| DAPTACEL (DTAP PEDIATRIC) (PF) | 1 | |
| DENGVAXIA (PF) | 1 | |
| ENGERIX-B (PF) | 1 | B/D PA; V |
| ENGERIX-B PEDIATRIC (PF) | 1 | B/D PA; V |
| <i>fomepizole</i> | 1 | |
| GAMASTAN | 1 | MO |
| GAMUNEX-C | 1 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|---|------------------|-----------------------------|
| GARDASIL 9 (PF) | 1 | V | PENMENVY MEN A-B-C-W-Y (PF) | 1 | V |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML | 1 | V | PENTACEL (PF) INTRAMUSCULAR KIT 15LF-20MCG-5LF- 62 DU/0.5 ML | 1 | |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML | 1 | | PRIORIX (PF) | 1 | V |
| HEPLISAV-B (PF) | 1 | B/D PA; V | PROQUAD (PF) | 1 | |
| HIBERIX (PF) | 1 | | QUADRACEL (PF) | 1 | |
| HYPERHEP B | 1 | | RABAVERT (PF) | 1 | B/D PA; V |
| HYPERHEP B NEONATAL | 1 | | RECOMBIVAX HB (PF) | 1 | B/D PA; V |
| IMOVAX RABIES VACCINE (PF) | 1 | B/D PA; V | ROTARIX ORAL SUSPENSION | 1 | |
| INFANRIX (DTAP) (PF) | 1 | | ROTATEQ VACCINE | 1 | |
| IPOL | 1 | V | SHINGRIX (PF) | 1 | V; QL (2 per 720 days) |
| IXCHIQ (PF) | 1 | V | STAMARIL (PF) | 1 | V |
| IXIARO (PF) | 1 | V | TENIVAC (PF) | 1 | V |
| JYNNEOS (PF) | 1 | B/D PA; V | TICE BCG | 1 | B/D PA |
| KINRIX (PF) | 1 | | TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML | 1 | |
| MENQUADFI (PF) | 1 | V | TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML | 1 | V |
| MENVEO A-C-Y-W-135-DIP (PF) | 1 | V | TRUMENBA | 1 | V |
| M-M-R II (PF) | 1 | V | TWINRIX (PF) | 1 | V |
| MRESVIA (PF) | 1 | V | TYPHIM VI | 1 | V |
| PEDIARIX (PF) | 1 | | | | |
| PEDVAX HIB (PF) | 1 | | | | |
| PENBRAYA (PF) | 1 | V | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML | 1 | |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML | 1 | V |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML | 1 | |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML | 1 | V |
| VARIVAX (PF) | 1 | V |
| VARIZIG | 1 | |
| VAXCHORA VACCINE | 1 | V |
| VIMKUNYA | 1 | V |
| VIVOTIF | 1 | MO; V |
| XEMBIFY | 1 | B/D PA; MO; LA |
| YF-VAX (PF) | 1 | V |
| MISCELLANEOUS SUPPLIES | | |
| MISCELLANEOUS SUPPLIES | | |
| ACCU-CHEK GUIDE GLUCOSE METER | 1 | MO |
| ACCU-CHEK GUIDE ME GLUCOSE MTR | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|----------------------------------|------------------|-----------------------------|
| NOVO PEN NEEDLE | 1 | PA; MO |
| CEQUR SIMPLICITY | 1 | MO |
| CEQUR SIMPLICITY INSERTER | 1 | MO |
| DEXCOM G6 RECEIVER | 1 | |
| DEXCOM G6 SENSOR | 1 | MO |
| DEXCOM G6 TRANSMITTER | 1 | MO |
| DEXCOM G7 RECEIVER | 1 | |
| DEXCOM G7 SENSOR | 1 | MO |
| FREESTYLE FREEDOM LITE | 1 | MO |
| FREESTYLE INSULINX | 1 | |
| FREESTYLE LIBRE 14 DAY READER | 1 | |
| FREESTYLE LIBRE 14 DAY SENSOR | 1 | |
| FREESTYLE LIBRE 2 PLUS SENSOR | 1 | MO |
| FREESTYLE LIBRE 2 READER | 1 | MO |
| FREESTYLE LIBRE 2 SENSOR | 1 | |
| FREESTYLE LIBRE 3 PLUS SENSOR | 1 | MO |
| FREESTYLE LIBRE 3 READER | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| FREESTYLE LIBRE 3 SENSOR | 1 | |
| FREESTYLE LITE METER | 1 | MO |
| GAUZE PADS 2 X 2 | 1 | PA; MO |
| EMBECTA INSULIN SYRINGE | 1 | PA; MO |
| BD PEN NEEDLE | 1 | PA; MO |
| OMNIPOD 5 (G6/LIBRE 2 PLUS) | 1 | MO |
| OMNIPOD 5 G6-G7 INTRO KT(GEN5) | 1 | MO; QL (1 per 720 days) |
| OMNIPOD 5 G6-G7 PODS (GEN 5) | 1 | MO |
| OMNIPOD 5 INTRO(G6/LIBRE2 PLUS) | 1 | MO; QL (1 per 720 days) |
| OMNIPOD DASH INTRO KIT (GEN 4) | 1 | QL (1 per 720 days) |
| OMNIPOD DASH PODS (GEN 4) | 1 | MO |
| EMBECTA PEN NEEDLE | 1 | PA; MO |
| PRECISION XTRA MONITOR | 1 | MO |
| BD INSULIN SYRINGE | 1 | PA; MO |
| MUSCULOSKELETAL / RHEUMATOLOGY | | |
| GOUT THERAPY | | |
| allopurinol oral tablet 100 mg, 300 mg | 1 | MO |
| allopurinol sodium | 1 | |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-------------------------------|
| aloprim | 1 | |
| colchicine oral tablet | 1 | MO |
| febuxostat | 1 | MO |
| probencid | 1 | MO |
| probencid-colchicine | 1 | MO |
| OSTEOPOROSIS THERAPY | | |
| alendronate oral solution | 1 | MO; QL (300 per 28 days) |
| alendronate oral tablet 10 mg | 1 | MO; QL (30 per 30 days) |
| alendronate oral tablet 35 mg, 70 mg | 1 | MO; QL (4 per 28 days) |
| BONSYT | 1 | PA; MO; QL (2.48 per 28 days) |
| CONEXXENCE | 1 | QL (1 per 180 days) |
| ibandronate intravenous solution | 1 | PA |
| ibandronate intravenous syringe | 1 | PA; MO |
| ibandronate oral | 1 | MO; QL (1 per 30 days) |
| JUBBONTI | 1 | MO; QL (1 per 180 days) |
| raloxifene | 1 | MO |
| risedronate oral tablet 150 mg | 1 | MO; QL (1 per 30 days) |
| risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack) | 1 | MO; QL (4 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-------------------------------|
| risedronate oral tablet 5 mg | 1 | MO; QL (30 per 30 days) |
| risedronate oral tablet,delayed release (dr/ec) | 1 | MO; QL (4 per 28 days) |
| TERIPARATIDE SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (560MCG/2.24ML) | 1 | PA; MO; QL (2.48 per 28 days) |
| TYMLOS | 1 | PA; MO; QL (1.56 per 30 days) |
| OTHER RHEUMATOLOGICALS | | |
| ACTEMRA ACTPEN | 1 | PA; MO; QL (3.6 per 28 days) |
| ACTEMRA INTRAVENOUS | 1 | PA; MO; QL (160 per 28 days) |
| ACTEMRA SUBCUTANEOUS | 1 | PA; MO; QL (3.6 per 28 days) |
| BENLYSTA | 1 | PA; MO |
| ENBREL MINI | 1 | PA; MO; QL (8 per 28 days) |
| ENBREL SUBCUTANEOUS SOLUTION | 1 | PA; MO; QL (8 per 28 days) |
| ENBREL SUBCUTANEOUS SYRINGE | 1 | PA; MO; QL (8 per 28 days) |
| ENBREL SURECLICK | 1 | PA; MO; QL (8 per 28 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|------------------------------|
| HADLIMA | 1 | PA; MO; QL (4.8 per 28 days) |
| HADLIMA PUSHTOUCH | 1 | PA; MO; QL (4.8 per 28 days) |
| HADLIMA(CF) | 1 | PA; MO; QL (2.4 per 28 days) |
| HADLIMA(CF) PUSHTOUCH | 1 | PA; MO; QL (2.4 per 28 days) |
| KINERET | 1 | PA; QL (20.1 per 30 days) |
| leflunomide | 1 | MO; QL (30 per 30 days) |
| OTEZLA | 1 | PA; MO; QL (60 per 30 days) |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47) | 1 | PA; MO; QL (55 per 180 days) |
| penicillamine oral tablet | 1 | PA; MO |
| RINVOQ LQ | 1 | PA; MO; QL (360 per 30 days) |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG | 1 | PA; MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|------------------------------|
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 45 MG | 1 | PA; MO; QL (84 per 180 days) |
| SAVELLA ORAL TABLET | 1 | QL (60 per 30 days) |
| SAVELLA ORAL TABLETS,DOSE PACK | 1 | QL (55 per 180 days) |
| SIMLANDI(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML | 1 | PA; MO; QL (4 per 28 days) |
| SIMLANDI(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML | 1 | PA; MO; QL (3 per 28 days) |
| SIMLANDI(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML | 1 | PA; MO; QL (2 per 28 days) |
| SIMLANDI(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML | 1 | PA; MO; QL (4 per 28 days) |
| SIMLANDI(CF) SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML | 1 | PA; QL (3 per 28 days) |
| TYENNE AUTOINJECTOR | 1 | PA; MO; QL (3.6 per 28 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|------------------------------|
| TYENNE INTRAVENOUS | 1 | PA; MO; QL (160 per 28 days) |
| TYENNE SUBCUTANEOUS | 1 | PA; MO; QL (3.6 per 28 days) |
| XELJANZ ORAL SOLUTION | 1 | PA; MO; QL (480 per 24 days) |
| XELJANZ ORAL TABLET | 1 | PA; MO; QL (60 per 30 days) |
| XELJANZ XR | 1 | PA; MO; QL (30 per 30 days) |
| OBSTETRICS / GYNECOLOGY | | |
| ESTROGENS / PROGESTINS | | |
| <i>abigale</i> | 1 | |
| <i>abigale lo</i> | 1 | |
| <i>camila</i> | 1 | MO |
| <i>deblitane</i> | 1 | MO |
| DEPO-SUBQ PROVERA 104 | 1 | MO |
| <i>dotti</i> | 1 | MO; QL (8 per 28 days) |
| DUAVEE | 1 | MO |
| <i>emzahh</i> | 1 | MO |
| <i>errin</i> | 1 | MO |
| <i>estradiol oral</i> | 1 | MO |
| <i>estradiol transdermal patch semiweekly</i> | 1 | MO; QL (8 per 28 days) |
| <i>estradiol transdermal patch weekly</i> | 1 | MO; QL (4 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| <i>estradiol vaginal</i> | 1 | MO |
| <i>estradiol valerate</i> | 1 | MO |
| <i>estradiol-norethindrone acet</i> | 1 | MO |
| <i>fyavolv</i> | 1 | MO |
| <i>gallifrey</i> | 1 | MO |
| <i>heather</i> | 1 | MO |
| IMVEXXY MAINTENANCE PACK | 1 | MO |
| IMVEXXY STARTER PACK | 1 | MO |
| <i>incassia</i> | 1 | MO |
| <i>jencycla</i> | 1 | MO |
| <i>jinteli</i> | 1 | MO |
| <i>lyleq</i> | 1 | MO |
| <i>lyllana</i> | 1 | MO; QL (8 per 28 days) |
| <i>lyza</i> | 1 | |
| <i>medroxyprogesterone</i> | 1 | MO |
| <i>meleya</i> | 1 | |
| <i>mimvey</i> | 1 | MO |
| <i>nora-be</i> | 1 | MO |
| <i>norethindrone (contraceptive)</i> | 1 | |
| <i>norethindrone acetate</i> | 1 | MO |
| <i>norethindrone ace-th estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| <i>orquidea</i> | 1 | |
| PREMARIN ORAL | 1 | MO |
| PREMARIN VAGINAL | 1 | MO |
| PREMPHASE | 1 | MO |
| PREMPRO | 1 | MO |
| <i>progesterone</i> | 1 | MO |
| <i>progesterone micronized</i> | 1 | MO |
| <i>sharobel</i> | 1 | MO |
| <i>yuvafem</i> | 1 | |
| MISCELLANEOUS OB/GYN | | |
| <i>clindamycin phosphate vaginal</i> | 1 | MO |
| <i>eluryng</i> | 1 | MO |
| <i>etongestrel-ethinyl estradiol</i> | 1 | |
| LILETTA | 1 | MO |
| <i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> | 1 | MO |
| <i>mifepristone oral tablet 200 mg</i> | 1 | LA |
| MYFEMBREE | 1 | PA; MO |
| NEXPLANON | 1 | |
| <i>norelgestromin-ethin.estriadiol</i> | 1 | |
| <i>terconazole</i> | 1 | MO |
| <i>tranexamic acid oral</i> | 1 | MO |
| <i>xulane</i> | 1 | |
| <i>zafemy</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| ORAL CONTRACEPTIVES / RELATED AGENTS | | |
| <i>altavera (28)</i> | 1 | MO |
| <i>alyacen 1/35 (28)</i> | 1 | MO |
| <i>alyacen 7/7/7 (28)</i> | 1 | MO |
| <i>amethyst (28)</i> | 1 | MO |
| <i>apri</i> | 1 | MO |
| <i>aranelle (28)</i> | 1 | MO |
| <i>aubra eq</i> | 1 | MO |
| <i>aviane</i> | 1 | MO |
| <i>azurette (28)</i> | 1 | MO |
| <i>camrese</i> | 1 | MO |
| <i>cryselle (28)</i> | 1 | MO |
| <i>cyred eq</i> | 1 | MO |
| <i>dasetta 1/35 (28)</i> | 1 | MO |
| <i>dasetta 7/7/7 (28)</i> | 1 | MO |
| <i>daysee</i> | 1 | MO |
| <i>desog-e.estradio/e.estradio</i> | 1 | |
| <i>drospirenone-e.estradio-lm.fa oral tablet 3-0.03-0.451 mg (21) (7)</i> | 1 | MO |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> | 1 | MO |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> | 1 | |
| <i>elinest</i> | 1 | MO |
| <i>enpresse</i> | 1 | |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| <i>enskyce</i> | 1 | MO |
| <i>estarrylla</i> | 1 | MO |
| <i>ethynodiol diac-eth estradiol</i> | 1 | |
| <i>falmina (28)</i> | 1 | MO |
| <i>introvale</i> | 1 | |
| <i>isibloom</i> | 1 | MO |
| <i>jasmiel (28)</i> | 1 | MO |
| <i>jolessa</i> | 1 | MO |
| <i>juleber</i> | 1 | MO |
| <i>kalliga</i> | 1 | |
| <i>kariva (28)</i> | 1 | |
| <i>kelnor 1/35 (28)</i> | 1 | MO |
| <i>kelnor 1/50 (28)</i> | 1 | MO |
| <i>kurvelo (28)</i> | 1 | MO |
| <i>/</i> | 1 | |
| <i>norgest/e.estradio-e.estradio oral tablets, dose pack, 3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i> | | |
| <i>larin 1.5/30 (21)</i> | 1 | MO |
| <i>larin 1/20 (21)</i> | 1 | MO |
| <i>larin 24 fe</i> | 1 | MO |
| <i>larin fe 1.5/30 (28)</i> | 1 | MO |
| <i>larin fe 1/20 (28)</i> | 1 | MO |
| <i>lessina</i> | 1 | MO |
| <i>levonest (28)</i> | 1 | MO |
| <i>levonorgestrel-ethinyl estradiol oral tablet 0.1-20 mg-mcg, 0.15-0.03 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| <i>levonorgestrel-ethinyl estradiol oral tablets, dose pack, 3 month</i> | 1 | |
| <i>levonorg-eth estrad triphasic</i> | 1 | MO |
| <i>levora-28</i> | 1 | |
| <i>loryna (28)</i> | 1 | MO |
| <i>low-ogestrel (28)</i> | 1 | |
| <i>lo-zumandimine (28)</i> | 1 | MO |
| <i>lutera (28)</i> | 1 | |
| <i>marlissa (28)</i> | 1 | MO |
| <i>microgestin 1.5/30 (21)</i> | 1 | MO |
| <i>microgestin 1/20 (21)</i> | 1 | MO |
| <i>microgestin fe 1.5/30 (28)</i> | 1 | MO |
| <i>microgestin fe 1/20 (28)</i> | 1 | MO |
| <i>mili</i> | 1 | MO |
| <i>mono-linyah</i> | 1 | MO |
| <i>nikki (28)</i> | 1 | MO |
| <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i> | 1 | MO |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg, 0.25-0.035 mg</i> | 1 | |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | 1 | MO |
| <i>nortrel 0.5/35 (28)</i> | 1 | MO |
| <i>nortrel 1/35 (21)</i> | 1 | MO |
| <i>nortrel 1/35 (28)</i> | 1 | MO |
| <i>nortrel 7/7/7 (28)</i> | 1 | MO |
| <i>philith</i> | 1 | MO |
| <i>pimtrea (28)</i> | 1 | MO |
| <i>portia 28</i> | 1 | MO |
| <i>reclipsen (28)</i> | 1 | MO |
| <i>setlakin</i> | 1 | MO |
| <i>sprintec (28)</i> | 1 | MO |
| <i>sronyx</i> | 1 | |
| <i>syeda</i> | 1 | MO |
| <i>tarina fe 1-20 eq (28)</i> | 1 | MO |
| <i>tilia fe</i> | 1 | MO |
| <i>tri-estarylla</i> | 1 | MO |
| <i>tri-legest fe</i> | 1 | MO |
| <i>tri-linyah</i> | 1 | MO |
| <i>tri-lo-estarylla</i> | 1 | MO |
| <i>tri-lo-marzia</i> | 1 | MO |
| <i>tri-lo-sprintec</i> | 1 | |
| <i>tri-sprintec (28)</i> | 1 | MO |
| <i>turqoz (28)</i> | 1 | MO |
| <i>velivet triphasic regimen (28)</i> | 1 | MO |
| <i>vestura (28)</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits | | | |
|--|------------------|-----------------------------|--|------------------|-----------------------------|--|--|--|
| vienna | 1 | MO | <i>moxifloxacin ophthalmic (eye) drops, viscous</i> | 1 | | | | |
| viorele (28) | 1 | MO | <i>neomycin-bacitracin-polymyxin</i> | 1 | MO | | | |
| wera (28) | 1 | MO | <i>neomycin-polymyxin-gramicidin</i> | 1 | MO | | | |
| zovia 1-35 (28) | 1 | MO | <i>neo-polycin</i> | 1 | | | | |
| zumandimine (28) | 1 | MO | <i>ofloxacin ophthalmic (eye)</i> | 1 | MO | | | |
| OXYTOCICS | | | | | | | | |
| <i>methylergonovine oral</i> | 1 | PA | <i>polycin</i> | 1 | | | | |
| OPHTHALMOLOGY | | | | | | | | |
| ANTIBIOTICS | | | | | | | | |
| <i>bacitracin ophthalmic (eye)</i> | 1 | | <i>polymyxin b sulf-trimethoprim</i> | 1 | MO | | | |
| <i>bacitracin-polymyxin b</i> | 1 | MO | <i>tobramycin ophthalmic (eye)</i> | 1 | MO; QL (10 per 14 days) | | | |
| <i>ciprofloxacin hcl ophthalmic (eye)</i> | 1 | MO | ANTIVIRALS | | | | | |
| <i>erythromycin ophthalmic (eye)</i> | 1 | MO; QL (3.5 per 14 days) | <i>trifluridine</i> | 1 | MO | | | |
| <i>gatifloxacin</i> | 1 | MO | <i>ZIRGAN</i> | 1 | MO | | | |
| <i>gentamicin ophthalmic (eye) drops</i> | 1 | MO; QL (70 per 30 days) | BETA-BLOCKERS | | | | | |
| <i>levofloxacin ophthalmic (eye) drops 0.5 %</i> | 1 | MO | <i>betaxolol ophthalmic (eye)</i> | 1 | MO | | | |
| <i>levofloxacin ophthalmic (eye) drops 1.5 %</i> | 1 | | <i>carteolol</i> | 1 | MO | | | |
| <i>moxifloxacin ophthalmic (eye) drops</i> | 1 | MO | <i>levobunolol ophthalmic (eye) drops 0.5 %</i> | 1 | MO | | | |
| | | | <i>timolol maleate ophthalmic (eye) drops (not single use)</i> | 1 | MO | | | |
| | | | <i>timolol maleate ophthalmic (eye) gel forming solution</i> | 1 | MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| MISCELLANEOUS OPHTHALMOLOGICS | | |
| atropine ophthalmic (eye) drops 1 % | 1 | MO |
| azelastine ophthalmic (eye) | 1 | MO |
| BYOOVIZ | 1 | PA; MO |
| cromolyn ophthalmic (eye) | 1 | MO |
| cyclosporine ophthalmic (eye) | 1 | MO; QL (60 per 30 days) |
| CYSTARAN | 1 | PA |
| epinastine | 1 | MO |
| MIEBO (PF) | 1 | MO; QL (3 per 30 days) |
| OXERVATE | 1 | PA; MO |
| PAVBLU | 1 | PA; MO |
| pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 % | 1 | MO |
| pilocarpine hcl ophthalmic (eye) drops 1.25 % | 1 | PA |
| sulfacetamide sodium ophthalmic (eye) drops | 1 | MO |
| sulfacetamide sodium ophthalmic (eye) ointment | 1 | |
| sulfacetamide-prednisolone | 1 | MO |
| XDEMVY | 1 | PA; QL (10 per 42 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| XIIDRA | 1 | MO; QL (60 per 30 days) |
| NON-STEROIDAL ANTI-INFLAMMATORY AGENTS | | |
| bromfenac | 1 | MO |
| diclofenac sodium ophthalmic (eye) | 1 | MO |
| flurbiprofen sodium | 1 | MO |
| ketorolac ophthalmic (eye) | 1 | MO |
| ORAL DRUGS FOR GLAUCOMA | | |
| acetazolamide | 1 | MO |
| acetazolamide sodium | 1 | MO |
| methazolamide | 1 | MO |
| OTHER GLAUCOMA DRUGS | | |
| bimatoprost ophthalmic (eye) | 1 | MO |
| dorzolamide | 1 | MO |
| dorzolamide-timolol | 1 | MO |
| latanoprost | 1 | MO |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 % | 1 | MO |
| miostat | 1 | |
| RHOPRESSA | 1 | |
| ROCKLATAN | 1 | |
| SIMBRINZA | 1 | MO |
| travoprost | 1 | MO |
| STEROID-ANTIBIOTIC COMBINATIONS | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| neomycin- bacitracin-poly-hc | 1 | MO |
| neomycin-polymyxin b-dexameth | 1 | MO |
| neomycin- polymyxin-hc ophthalmic (eye) | 1 | MO |
| neo-polycin hc | 1 | |
| TOBRADEX OPHTHALMIC (EYE) OINTMENT | 1 | MO; QL (3.5 per 14 days) |
| tobramycin- dexamethasone | 1 | MO; QL (10 per 14 days) |
| STEROIDS | | |
| dexamethasone sodium phosphate ophthalmic (eye) | 1 | MO |
| fluorometholone | 1 | MO |
| INVELTYS | 1 | MO |
| loteprednol etabonate | 1 | MO |
| OZURDEX | 1 | MO |
| prednisolone acetate | 1 | MO |
| prednisolone sodium phosphate ophthalmic (eye) | 1 | MO |
| SYMPATHOMIMETICS | | |
| apraclonidine | 1 | MO |
| brimonidine ophthalmic (eye) drops 0.1%, 0.15 % | 1 | MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| brimonidine ophthalmic (eye) drops 0.2 % | 1 | MO |
| RESPIRATORY AND ALLERGY | | |
| ANTIHISTAMINE / ANTIALLERGENIC AGENTS | | |
| adrenalin injection solution 1 mg/ml | 1 | |
| adrenalin injection solution 1 mg/ml (1 ml) | 1 | MO |
| cetirizine oral solution 1 mg/ml | 1 | MO |
| diphenhydramine hcl injection solution 50 mg/ml | 1 | MO |
| diphenhydramine hcl injection syringe | 1 | MO |
| epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml (manufactured by mylan specialty) | 1 | MO; QL (4 per 30 days) |
| epinephrine injection solution | 1 | |
| hydroxyzine hcl oral tablet | 1 | PA; MO |
| levocetirizine oral solution | 1 | MO |
| levocetirizine oral tablet | 1 | MO; QL (30 per 30 days) |
| promethazine injection solution | 1 | MO |
| promethazine oral | 1 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|------------------------------------|
| PULMONARY AGENTS | | |
| acetylcysteine | 1 | B/D PA; MO |
| ADEMPAS | 1 | PA; MO; LA; QL (90 per 30 days) |
| ADVAIR HFA | 1 | MO; QL (12 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> | 1 | MO; QL (17 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation package size 6.7 gm</i> | 1 | QL (13.4 per 30 days) |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/3 ml (0.083 %), 2.5 mg/0.5 ml</i> | 1 | B/D PA; MO |
| <i>albuterol sulfate inhalation solution for nebulization 5 mg/ml</i> | 1 | B/D PA |
| albuterol sulfate oral syrup | 1 | MO |
| albuterol sulfate oral tablet | 1 | MO |
| ALVESCO INHALATION HFA AEROSOL INHALER 160 MCG/ACTUATION | 1 | MO; QL (12.2 per 30 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-------------------------------------|
| ALVESCO INHALATION HFA AEROSOL INHALER 80 MCG/ACTUATION | 1 | MO; QL (6.1 per 30 days) |
| <i>alyq</i> | 1 | PA; MO; QL (60 per 30 days) |
| <i>ambrisentan</i> | 1 | PA; MO; LA; QL (30 per 30 days) |
| <i>arformoterol</i> | 1 | B/D PA; MO; QL (120 per 30 days) |
| ASMANEX HFA | 1 | MO; QL (13 per 30 days) |
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) | 1 | MO; QL (1 per 30 days) |
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (120) | 1 | MO; QL (2 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-------------------------------------|
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (14) | 1 | QL (2 per 28 days) |
| ATROVENT HFA | 1 | MO; QL (25.8 per 30 days) |
| BEVESPI AEROSPHERE | 1 | MO; QL (10.7 per 30 days) |
| <i>bosentan oral tablet</i> | 1 | PA; MO; LA; QL (60 per 30 days) |
| BREO ELLIPTA | 1 | MO; QL (60 per 30 days) |
| <i>breyna</i> | 1 | MO; QL (10.3 per 30 days) |
| BREZTRI AEROSPHERE | 1 | MO; QL (10.7 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> | 1 | B/D PA; MO; QL (120 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> | 1 | B/D PA; MO; QL (60 per 30 days) |
| <i>budesonide- formoterol</i> | 1 | QL (10.2 per 30 days) |
| CINRYZE | 1 | PA; MO |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-------------------------------|
| COMBIVENT RESPIMAT | 1 | QL (8 per 30 days) |
| <i>cromolyn inhalation</i> | 1 | B/D PA; MO |
| DULERA | 1 | MO; QL (13 per 30 days) |
| FASENRA PEN | 1 | PA; MO; QL (1 per 28 days) |
| FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML | 1 | PA; MO; QL (0.5 per 28 days) |
| FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML | 1 | PA; MO; QL (1 per 28 days) |
| <i>flunisolide</i> | 1 | MO; QL (50 per 30 days) |
| FLUTICASONE PROPIONATE INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION | 1 | ST; MO; QL (12 per 30 days) |
| FLUTICASONE PROPIONATE INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION | 1 | ST; MO; QL (24 per 30 days) |
| FLUTICASONE PROPIONATE INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION | 1 | ST; MO; QL (10.6 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|----------------------------------|
| <i>fluticasone propionate nasal</i> | 1 | MO; QL (16 per 30 days) |
| <i>fluticasone propion-salmeterol inhalation blister with device</i> | 1 | MO; QL (60 per 30 days) |
| <i>formoterol fumarate</i> | 1 | B/D PA; MO; QL (120 per 30 days) |
| <i>icatibant</i> | 1 | PA; MO |
| <i>ipratropium bromide inhalation</i> | 1 | B/D PA; MO |
| <i>ipratropium-albuterol</i> | 1 | B/D PA; MO |
| KALYDECO | 1 | PA; MO; QL (56 per 28 days) |
| <i>mometasone nasal</i> | 1 | MO; QL (34 per 30 days) |
| <i>montelukast oral granules in packet</i> | 1 | MO |
| <i>montelukast oral tablet</i> | 1 | MO |
| <i>montelukast oral tablet, chewable</i> | 1 | MO |
| NUCALA SUBCUTANEOUS AUTO-INJECTOR | 1 | PA; MO; LA; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS RECON SOLN | 1 | PA; MO; LA; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML | 1 | PA; MO; LA; QL (3 per 28 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|----------------------------------|
| NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML | 1 | PA; MO; LA; QL (0.4 per 28 days) |
| OFEV | 1 | PA; MO; QL (60 per 30 days) |
| OPSUMIT | 1 | PA; MO; LA; QL (30 per 30 days) |
| OPSYNVI | 1 | PA; MO; QL (30 per 30 days) |
| ORKAMBI ORAL GRANULES IN PACKET | 1 | PA; MO; QL (56 per 28 days) |
| ORKAMBI ORAL TABLET | 1 | PA; MO; QL (112 per 28 days) |
| <i>pirfenidone oral capsule</i> | 1 | PA; MO; QL (270 per 30 days) |
| <i>pirfenidone oral tablet 267 mg</i> | 1 | PA; MO; QL (270 per 30 days) |
| <i>pirfenidone oral tablet 801 mg</i> | 1 | PA; MO; QL (90 per 30 days) |
| PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION | 1 | MO; QL (2 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION | 1 | MO; QL (1 per 30 days) |
| PULMOZYME | 1 | B/D PA; MO |
| QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION | 1 | QL (10.6 per 30 days) |
| QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 80 MCG/ACTUATION | 1 | QL (21.2 per 30 days) |
| roflumilast | 1 | PA; MO; QL (30 per 30 days) |
| sajazir | 1 | PA; MO |
| sildenafil (pulmonary arterial hypertension) intravenous solution 10 mg/12.5 ml | 1 | |
| sildenafil (pulmonary arterial hypertension) oral tablet 20 mg | 1 | PA; MO; QL (90 per 30 days) |
| SPIRIVA RESPIMAT | 1 | MO; QL (4 per 30 days) |
| STIOLTO RESPIMAT | 1 | MO; QL (4 per 30 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| STRIVERDI RESPIMAT | 1 | MO; QL (4 per 30 days) |
| SYMDEKO | 1 | PA; MO; QL (56 per 28 days) |
| <i>tadalafil (pulmonary arterial hypertension) oral tablet 20 mg</i> | 1 | PA; QL (60 per 30 days) |
| <i>terbutaline oral</i> | 1 | MO |
| <i>terbutaline subcutaneous</i> | 1 | MO |
| <i>theophylline oral elixir</i> | 1 | MO |
| <i>theophylline oral solution</i> | 1 | |
| <i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg</i> | 1 | |
| <i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i> | 1 | MO |
| <i>theophylline oral tablet extended release 24 hr</i> | 1 | |
| <i>tiotropium bromide</i> | 1 | QL (90 per 90 days) |
| TRELEGY ELLIPTA | 1 | MO; QL (60 per 30 days) |
| TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL | 1 | PA; MO; QL (56 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|------------------------------------|
| TRIKAFTA ORAL TABLETS, SEQUENTIAL | 1 | PA; MO; QL (84 per 28 days) |
| TYVASO | 1 | B/D PA; MO; QL (81.2 per 28 days) |
| TYVASO INSTITUTIONAL START KIT | 1 | B/D PA; QL (11.6 per 180 days) |
| TYVASO REFILL KIT | 1 | B/D PA; MO; QL (81.2 per 28 days) |
| TYVASO STARTER KIT | 1 | B/D PA; MO; QL (81.2 per 180 days) |
| WINREVAIR | 1 | PA; MO; QL (1 per 21 days) |
| wixela inhub | 1 | QL (60 per 30 days) |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML | 1 | PA; MO; LA; QL (8 per 28 days) |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 75 MG/0.5 ML | 1 | PA; MO; LA; QL (1 per 28 days) |
| XOLAIR SUBCUTANEOUS RECON SOLN | 1 | PA; MO; LA; QL (8 per 28 days) |
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML | 1 | PA; MO; LA; QL (8 per 28 days) |

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|--------------------------------|
| XOLAIR SUBCUTANEOUS SYRINGE 75 MG/0.5 ML | 1 | PA; MO; LA; QL (1 per 28 days) |
| zafirlukast | 1 | MO |
| UROLOGICALS | | |
| ANTICHOLINERGICS / ANTISPASMODICS | | |
| mirabegron | 1 | MO |
| oxybutynin chloride oral syrup | 1 | MO |
| oxybutynin chloride oral tablet 5 mg | 1 | MO |
| oxybutynin chloride oral tablet extended release 24hr | 1 | MO |
| solifenacin | 1 | MO |
| tolterodine | 1 | MO |
| trospium oral tablet | 1 | MO |
| BENIGN PROSTATIC HYPERPLASIA(BPH) THERAPY | | |
| alfuzosin | 1 | MO |
| dutasteride | 1 | MO |
| dutasteride-tamsulosin | 1 | MO |
| finasteride oral tablet 5 mg | 1 | MO |
| tamsulosin | 1 | MO |
| MISCELLANEOUS UROLOGICALS | | |
| alprostadil | 1 | |
| bethanechol chloride | 1 | MO |
| CYSTAGON | 1 | PA; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|--------------------------------|
| ELMIRON | 1 | MO |
| <i>glycine urologic</i> | 1 | |
| <i>glycine urologic solution</i> | 1 | |
| K-PHOS NO 2 | 1 | MO |
| K-PHOS ORIGINAL | 1 | MO |
| <i>potassium citrate oral tablet extended release</i> | 1 | MO |
| RENACIDIN | 1 | MO |
| <i>tadalafil oral tablet 2.5 mg</i> | 1 | PA; MO; QL (60 per 30 days) |
| <i>tadalafil oral tablet 5 mg</i> | 1 | PA; MO; QL (30 per 30 days) |

VITAMINS, HEMATINICS / ELECTROLYTES

BLOOD DERIVATIVES

| | | |
|----------------------------|---|--|
| <i>albumin, human 25 %</i> | 1 | |
| <i>alburx (human) 25 %</i> | 1 | |
| <i>alburx (human) 5 %</i> | 1 | |
| <i>albutein 25 %</i> | 1 | |
| <i>albutein 5 %</i> | 1 | |

ELECTROLYTES

| | | |
|---------------------------------------|---|--------|
| <i>calcium acetate(phosphat bind)</i> | 1 | PA; MO |
| <i>calcium chloride</i> | 1 | |
| <i>calcium gluconate intravenous</i> | 1 | |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| <i>effer-k oral tablet, effervescent 25 meq</i> | 1 | MO |
| <i>klor-con 10</i> | 1 | MO |
| <i>klor-con 8</i> | 1 | MO |
| <i>klor-con m10</i> | 1 | MO |
| <i>klor-con m15</i> | 1 | MO |
| <i>klor-con m20</i> | 1 | MO |
| <i>klor-con oral packet 20</i> | 1 | MO |
| <i>klor-con/ef</i> | 1 | MO |
| <i>lactated ringers intravenous</i> | 1 | MO |
| <i>magnesium chloride injection</i> | 1 | |
| MAGNESIUM SULFATE IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/100 ML | 1 | |
| <i>magnesium sulfate in water</i> | 1 | |
| <i>magnesium sulfate injection solution</i> | 1 | MO |
| <i>magnesium sulfate injection syringe</i> | 1 | |
| <i>potassium acetate</i> | 1 | |
| <i>potassium chlorid-d5-0.45%nacl</i> | 1 | |
| <i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits | Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|---|------------------|-----------------------------|
| potassium chloride in 5 % dex intravenous parenteral solution 10 meq/l, 20 meq/l | 1 | | potassium chloride oral tablet,er particles/crystals 15 meq, 20 meq | 1 | |
| potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l | 1 | | potassium chloride-0.45 % nacl | 1 | |
| potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 40 meq/100 ml | 1 | | potassium chloride-d5-0.2%nacl intravenous parenteral solution 20 meq/l | 1 | |
| potassium chloride intravenous | 1 | | potassium chloride-d5-0.9%nacl | 1 | |
| potassium chloride oral capsule, extended release | 1 | MO | potassium phosphate m-/d-basic intravenous solution 3 mmol/ml | 1 | |
| potassium chloride oral liquid | 1 | MO | ringer's intravenous | 1 | |
| potassium chloride oral packet | 1 | MO | sodium acetate | 1 | |
| potassium chloride oral tablet extended release 10 meq, 8 meq | 1 | MO | sodium bicarbonate intravenous | 1 | |
| potassium chloride oral tablet extended release 20 meq | 1 | | sodium chloride 0.45 % intravenous | 1 | MO |
| potassium chloride oral tablet,er particles/crystals 10 meq | 1 | MO | sodium chloride 3 % hypertonic | 1 | |
| MISCELLANEOUS NUTRITION PRODUCTS | | | | | |
| CLINIMIX 5%/D15W SULFITE FREE | | | | | |
| 1 B/D PA | | | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| Drug Name | Drug Tier | Requirement s/Limits |
|---|------------------|-----------------------------|
| CLINIMIX 4.25%/D10W SULF FREE | 1 | B/D PA |
| CLINIMIX 5%- D20W(SULFITE- FREE) | 1 | B/D PA |
| CLINIMIX 6%-D5W (SULFITE-FREE) | 1 | B/D PA |
| CLINIMIX 8%- D10W(SULFITE- FREE) | 1 | B/D PA |
| CLINIMIX 8%- D14W(SULFITE- FREE) | 1 | B/D PA |
| <i>electrolyte-148</i> | 1 | |
| <i>electrolyte-48 in d5w</i> | 1 | |
| <i>electrolyte-a</i> | 1 | |
| <i>intralipid intravenous emulsion 20 %</i> | 1 | B/D PA |

| Drug Name | Drug Tier | Requirement s/Limits |
|--|------------------|-----------------------------|
| ISOLYTE S PH 7.4 | 1 | |
| ISOLYTE-P IN 5 % DEXTROSE | 1 | |
| ISOLYTE-S | 1 | |
| PLENAMINE | 1 | B/D PA |
| <i>premasol 10 %</i> | 1 | B/D PA |
| <i>travasol 10 %</i> | 1 | B/D PA |
| TROPHAMINE 10 % | 1 | B/D PA |
| VITAMINS / HEMATINICS | | |
| <i>fluoride (sodium) oral tablet</i> | 1 | MO |
| <i>fluoride (sodium) oral tablet, chewable 1 mg (2.2 mg sod. fluoride)</i> | 1 | MO |
| <i>prenatal vitamin oral tablet</i> | 1 | MO |
| <i>wescap-pn dha</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

Index

A

| | |
|--|--------|
| abacavir | 9 |
| abacavir-lamivudine | 9 |
| ABELCET | 9 |
| abigale..... | 83 |
| abigale lo..... | 83 |
| ABILIFY ASIMTUFII | 43 |
| ABILIFY MAINTENA..... | 43 |
| abiraterone | 19 |
| abirtega | 19 |
| ABRYSVO (PF) | 78 |
| acamprosate | 63 |
| acarbose | 67 |
| ACCU-CHEK GUIDE GLUCOSE METER..... | 80 |
| ACCU-CHEK GUIDE ME GLUCOSE MTR | 80 |
| ACCU-CHEK GUIDE TEST STRIPS..... | 67 |
| accutane..... | 60 |
| acebutolol | 50 |
| acetaminophen-codeine .. | 40 |
| acetazolamide | 88 |
| acetazolamide sodium..... | 88 |
| acetic acid..... | 63, 66 |
| acetylcysteine | 63, 89 |
| acitretin | 57 |
| ACTEMRA | 82 |
| ACTEMRA ACTPEN..... | 82 |
| ACTHIB (PF)..... | 78 |
| ACTIMMUNE | 77 |
| acyclovir..... | 9, 62 |
| acyclovir sodium | 9 |
| ADACEL(TDAP ADOLESN/ADULT)(PF) | 78 |
| ADBRY..... | 59 |

| | |
|-------------------------------------|----|
| ADCETRIS | 19 |
| adefovir..... | 9 |
| ADEMPAS..... | 89 |
| adenosine | 49 |
| adrenalin | 89 |
| ADSTILADRIN..... | 19 |
| ADVAIR HFA..... | 90 |
| AIMOVIG AUTOINJECTOR | 37 |
| AKEEGA | 19 |
| ala-cort..... | 62 |
| albendazole..... | 14 |
| albumin, human 25 %..... | 95 |
| alburx (human) 25 %..... | 95 |
| alburx (human) 5 % | 95 |
| albutein 25 %..... | 95 |
| albutein 5 % | 95 |
| albuterol sulfate | 90 |
| alclometasone..... | 62 |
| alcohol pads..... | 67 |
| ALDURAZYME..... | 71 |
| ALECENSA..... | 19 |
| alendronate..... | 81 |
| alfuzosin | 94 |
| aliskiren | 50 |
| allopurinol | 81 |
| allopurinol sodium | 81 |
| aloprim..... | 81 |
| alosetron | 73 |
| alprostadiol..... | 94 |
| altavera (28)..... | 85 |
| ALUNBRIG | 19 |
| ALVESCO | 90 |
| alyacen 1/35 (28) | 85 |
| alyacen 7/7/7 (28)..... | 85 |
| alyq | 90 |
| amantadine hcl | 9 |
| ambrisentan | 90 |
| amethyst (28)..... | 85 |
| amikacin..... | 14 |
| amiloride | 50 |
| amiloride-hydrochlorothiazide | 50 |
| aminocaproic acid | 53 |
| amiodarone | 49 |
| amitriptyline | 43 |
| amlodipine | 50 |
| amlodipine-atorvastatin .. | 55 |
| amlodipine-benazepril..... | 50 |
| amlodipine-olmesartan | 50 |
| amlodipine-valsartan | 50 |
| amlodipine-valsartan-hcthiazid..... | 50 |
| ammonium lactate | 59 |
| amnesteem..... | 60 |
| amoxapine | 43 |
| amoxicillin..... | 16 |
| amoxicillin-pot clavulanate | 16 |
| amphotericin b | 9 |
| amphotericin b liposome | 9 |
| ampicillin..... | 16 |
| ampicillin sodium | 16 |
| ampicillin-sulbactam | 17 |
| anagrelide | 63 |
| anastrozole | 19 |
| ANKTIVA | 19 |
| apraclonidine | 89 |
| aprepitant | 73 |
| apri..... | 85 |
| APTIVUS | 9 |
| aranelle (28)..... | 85 |
| ARCALYST | 77 |
| AREXVY (PF)..... | 78 |
| arformoterol..... | 90 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| | | | | | |
|-------------------------------------|--------|-------------------------------------|--------|-----------------------------------|--------|
| ARIKAYCE | 14 | aztreonam | 14 | BIKTARVY | 10 |
| <i>aripiprazole</i> | 43 | <i>azurette</i> (28) | 85 | <i>bimatoprost</i> | 88 |
| ARISTADA..... | 43 | B | | <i>bisoprolol fumarate</i> | 50 |
| ARISTADA INITIO..... | 43 | <i>bacitracin</i> | 87 | <i>bisoprolol-</i> | |
| <i>armodafinil</i> | 43 | <i>bacitracin-polymyxin b</i> | 87 | <i>hydrochlorothiazide</i> | 50 |
| <i>arsenic trioxide</i> | 19 | <i>baclofen</i> | 39 | BIZENGRI | 20 |
| <i>asenapine maleate</i> | 43 | <i>balsalazide</i> | 74 | <i>bleomycin</i> | 20 |
| ASMANEX HFA..... | 90 | BALVERSA | 20 | BLINCYTO | 20 |
| ASMANEX TWISTHALER90 | | BAQSIMI | 67 | BONSITY | 81 |
| ASPARLAS..... | 19 | BARACLUDE | 10 | BOOSTRIX TDAP | 78 |
| <i>aspirin-dipyridamole</i> | 53 | BAVENCIO | 20 | <i>bortezomib</i> | 20 |
| ASSURE ID INSULIN | | BCG VACCINE, LIVE (PF) | | BORTEZOMIB | 20 |
| SAFETY | 80 | | 78 | <i>bosentan</i> | 91 |
| <i>atazanavir</i> | 9 | BD PEN NEEDLE | 81 | BOSULIF | 20 |
| <i>atenolol</i> | 50 | BELBUCA | 40 | BRAFTOVI | 20 |
| <i>atenolol-chlorthalidone</i> | 50 | BELEODAQ | 20 | BREO ELLIPTA | 91 |
| <i>atomoxetine</i> | 43 | BELSOMRA | 43 | <i>breyna</i> | 91 |
| <i>atorvastatin</i> | 55 | <i>benazepril</i> | 50 | BREZTRI AEROSPHERE .. | 91 |
| <i>atovaquone</i> | 14 | <i>benazepril-</i> | | <i>brimonidine</i> | 89 |
| <i>atovaquone-proguanil</i> | 14 | <i>hydrochlorothiazide</i> | 50 | BRIUMVI | 38 |
| <i>atropine</i> | 87 | <i>bendamustine</i> | 20 | BRIVIACT | 33 |
| ATROVENT HFA | 91 | BENDEKA | 20 | <i>bromfenac</i> | 88 |
| <i>aubra eq.</i> | 85 | BENLYSTA | 82 | <i>bromocriptine</i> | 36 |
| AUGMENTIN..... | 17 | <i>benztropine</i> | 36 | BRUKINSA | 20 |
| AUGTYRO | 19 | BESPONSA | 20 | <i>budesonide</i> | 74, 91 |
| AUSTEDO | 38 | BESREMI | 77 | <i>budesonide-formoterol</i> | 91 |
| AUSTEDO XR | 38 | <i>betaine</i> | 74 | <i>bumetanide</i> | 50 |
| AUSTEDO XR TITRATION | | <i>betamethasone</i> | | <i>buprenorphine hcl</i> | 40 |
| KT(WK1-4) | 38 | <i>dipropionate</i> | 62 | <i>buprenorphine transdermal</i> | |
| AUVELITY | 43 | <i>betamethasone valerate</i> | 62 | <i>patch</i> | 40 |
| <i>aviane</i> | 85 | <i>betamethasone, augmented</i> | | <i>buprenorphine-naloxone</i> .. | 41, |
| AVMAPKI-FAKZYNJA..... | 19 | | 62 | 42 | |
| AVONEX | 77 | BETASERON | 77 | <i>bupropion hcl</i> | 43, 44 |
| AYVAKIT | 20 | <i>betaxolol</i> | 50, 87 | <i>bupropion hcl (smoking</i> | |
| <i>azacitidine</i> | 20 | <i>bethanechol chloride</i> | 94 | <i>deter</i> | 65 |
| <i>azathioprine</i> | 20 | BEVESPI AEROSPHERE .. | 91 | <i>buspirone</i> | 44 |
| <i>azathioprine sodium</i> | 20 | <i>bexarotene</i> | 20 | <i>busulfan</i> | 20 |
| <i>azelaic acid</i> | 60 | BEXSERO | 78 | <i>butorphanol</i> | 42 |
| <i>azelastine</i> | 65, 88 | <i>bicalutamide</i> | 20 | BYOOVIZ | 88 |
| <i>azithromycin</i> | 13 | BICILLIN L-A..... | 17 | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

C

| | |
|---|--------|
| CABENUVA | 10 |
| <i>cabergoline</i> | 71 |
| CABLIVI..... | 53 |
| CABOMETYX..... | 20 |
| <i>caffeine citrate</i> | 63 |
| <i>calcipotriene</i> | 57 |
| <i>calcitonin (salmon)</i> | 71, 72 |
| <i>calcitriol</i> | 72 |
| <i>calcium acetate(phosphat bind)</i> | 95 |
| <i>calcium chloride</i> | 95 |
| <i>calcium gluconate</i> | 95 |
| CALQUENCE (ACALABRUTINIB MAL) | 20 |
| <i>camila</i> | 83 |
| <i>camrese</i> | 85 |
| CAMZYOS..... | 56 |
| <i>candesartan</i> | 50 |
| <i>candesartan-hydrochlorothiazid</i> | 50 |
| CAPLYTA | 44 |
| CAPRELSA | 20 |
| <i>captopril</i> | 50 |
| <i>captopril-hydrochlorothiazide</i> | 50 |
| <i>carbamazepine</i> | 33 |
| <i>carbidopa</i> | 36 |
| <i>carbidopa-levodopa</i> | 36 |
| <i>carbidopa-levodopa-entacapone</i> | 37 |
| <i>carboplatin</i> | 20 |
| <i>carglumic acid</i> | 63 |
| <i>carmustine</i> | 20 |
| <i>carteolol</i> | 87 |
| <i>cartia xt</i> | 50 |
| <i>carvedilol</i> | 50 |
| <i>caspofungin</i> | 9 |
| CAYSTON | 14 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|--|------------|
| <i>cefaclor</i> | 12 |
| <i>cefadroxil</i> | 12 |
| <i>cefazolin</i> | 12 |
| <i>cefazolin in dextrose (isos)</i> | 12 |
| <i>cefdinir</i> | 12 |
| <i>cefepime</i> | 13 |
| <i>cefepime in dextrose, iso-osm</i> | 13 |
| <i>cefixime</i> | 13 |
| <i>cefoxitin</i> | 13 |
| <i>cefoxitin in dextrose, iso-osm</i> | 13 |
| <i>cefpodoxime</i> | 13 |
| <i>cefprozil</i> | 13 |
| <i>ceftazidime</i> | 13 |
| <i>ceftriaxone</i> | 13 |
| <i>ceftriaxone in dextrose, iso-os</i> | 13 |
| <i>cefuroxime axetil</i> | 13 |
| <i>cefuroxime sodium</i> | 13 |
| <i>celecoxib</i> | 42 |
| <i>cephalexin</i> | 13 |
| CEPROTIN (BLUE BAR) | 53 |
| CEPROTIN (GREEN BAR) | 53 |
| CEQUR SIMPLICITY | 80 |
| CEQUR SIMPLICITY INSERTER | 80 |
| <i>cetirizine</i> | 89 |
| <i>cevimeline</i> | 63 |
| <i>CHEMET</i> | 63 |
| <i>chloramphenicol sod succinate</i> | 14 |
| <i>chlorhexidine gluconate</i> | 65 |
| <i>chlorprocaine (pf)</i> | 59 |
| <i>chloroquine phosphate</i> | 14 |
| <i>chlorothiazide sodium</i> | 50 |
| <i>chlorpromazine</i> | 44 |
| <i>chlorthalidone</i> | 50 |
| <i>cholestyramine (with sugar)</i> | 55 |
| <i>cholestyramine light</i> | 55 |
| <i>ciclodan</i> | 61 |
| <i>ciclopirox</i> | 61 |
| <i>cidofovir</i> | 10 |
| <i>cilostazol</i> | 53 |
| CIMDUO..... | 10 |
| CIMZIA | 74 |
| CIMZIA POWDER FOR RECONST | 74 |
| CIMZIA STARTER KIT | 74 |
| <i>cinacalcet</i> | 72 |
| CINRYZE | 91 |
| CINVANTI | 74 |
| <i>ciprofloxacin</i> | 18 |
| <i>ciprofloxacin hcl</i> | 17, 66, 87 |
| <i>ciprofloxacin in 5 % dextrose</i> | 17 |
| <i>ciprofloxacin-dexamethasone</i> | 66 |
| <i>cisplatin</i> | 20 |
| <i>citalopram</i> | 44 |
| <i>cladribine</i> | 20 |
| <i>claravis</i> | 60 |
| <i>clarithromycin</i> | 13 |
| <i>clindamycin hcl</i> | 14 |
| <i>clindamycin in 5 % dextrose</i> | 14 |
| <i>clindamycin phosphate</i> | 14, 60, 84 |
| CLINIMIX 5%/D15W SULFITE FREE | 96 |
| CLINIMIX 4.25%/D10W SULF FREE | 96 |
| CLINIMIX 4.25%/D5W SULFIT FREE | 63 |
| CLINIMIX 5%-D20W(SULFITE-FREE) | 96 |

| | | | | | |
|--|--------|---|------------|--|----|
| CLINIMIX 6%-D5W (SULFITE-FREE) | 97 | cortisone | 66 | dantrolene | 39 |
| CLINIMIX 8%- D10W(SULFITE-FREE) | 97 | COSENTYX | 58 | DANYELZA | 21 |
| CLINIMIX 8%- D14W(SULFITE-FREE) | 97 | COSENTYX (2 SYRINGES) | 57 | DANZITEN | 21 |
| clobazam | 33 | COSENTYX PEN | 58 | DAPAGLIFLOZIN PROPANEDIOL | 67 |
| clobetasol | 62 | COSENTYX PEN (2 PENS) | 58 | dapsone | 14 |
| clobetasol-emollient | 62 | COSENTYX UNOREADY PEN | 58 | DAPTACEL (DTAP PEDIATRIC) (PF) | 78 |
| clofarabine | 20 | COTELLIC | 21 | daptomycin | 14 |
| clomid | 72 | CREON | 74 | DAPTOMYCIN | 14 |
| clomiphene citrate | 72 | CRESEMBOLA | 9 | darunavir | 10 |
| clomipramine | 44 | cromolyn | 74, 88, 91 | DARZALEX | 21 |
| clonazepam | 33 | cryselle (28) | 85 | dasatinib | 21 |
| clonidine (pf) | 42, 51 | CRYSVITA | 72 | dasetta 1/35 (28) | 85 |
| clonidine hcl | 44, 51 | cyclobenzaprine | 39 | dasetta 7/7/7 (28) | 85 |
| clonidine transdermal patch | 50 | cyclophosphamide | 21 | DATROWAY | 21 |
| clopidogrel | 53 | CYCLOPHOSPHAMIDE | 21 | daunorubicin | 21 |
| clorazepate dipotassium .. | 44 | cyclosporine | 21, 88 | DAURISMO | 21 |
| clotrimazole | 9, 61 | cyclosporine modified | 21 | daysee | 85 |
| clotrimazole-betamethasone | 61 | CYRAMZA | 21 | deblitane | 83 |
| clozapine | 44 | cyred eq | 85 | decitabine | 21 |
| COARTEM | 14 | CYSTAGON | 94 | deferasirox | 64 |
| COBENFY | 44 | CYSTARAN | 88 | deferiprone | 64 |
| COBENFY STARTER PACK | 44 | cytarabine | 21 | deferoxamine | 64 |
| colchicine | 81 | cytarabine (pf) | 21 | DELSTRIGO | 10 |
| colesevelam | 55 | D | | demeclocycline | 18 |
| colestipol | 55 | <i>d10 %-0.45 % sodium</i> <i>chloride</i> | 63 | DENGVAXIA (PF) | 78 |
| colistin (colistimethate na) .. | 14 | <i>d2.5 %-0.45 % sodium</i> <i>chloride</i> | 63 | denta 5000 plus | 65 |
| COLUMVI | 20 | <i>d5 % and 0.9 % sodium</i> <i>chloride</i> | 63 | dentagel | 65 |
| COMBIVENT RESPIMAT . | 91 | <i>d5 %-0.45 % sodium</i> <i>chloride</i> | 64 | DEPO-SUBQ PROVERA 104 | 83 |
| COMETRIQ | 21 | <i>dabigatran etexilate</i> | 53 | dermacinrx lidocan | 59 |
| compro | 74 | <i>dacarbazine</i> | 21 | DESCOVY | 10 |
| CONEXXENCE | 81 | <i>dactinomycin</i> | 21 | desipramine | 44 |
| constulose | 74 | <i>dalfampridine</i> | 38 | desmopressin | 72 |
| COPIKTRA | 21 | <i>danazol</i> | 72 | desog- <i>e.estradol/e.estradol</i> ... | 85 |
| CORTIFOAM | 74 | You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table. | | desonide | 62 |

This drug list was last updated on 08/28/2025.

| | | | | | |
|------------------------------|--------|------------------------------|----|------------------------------|----|
| dexamethasone intensol .. | 66 | dicyclomine | 73 | doxycycline monohydrate .. | 18 |
| dexamethasone sodium | | DIFICID | 13 | DRIZALMA SPRINKLE..... | 45 |
| phos (pf) | 66 | diflunisal | 42 | dronabinol | 74 |
| dexamethasone sodium | | digoxin | 56 | droperidol | 74 |
| phosphate | 66, 89 | dihydroergotamine | 37 | DROPSAFE ALCOHOL | |
| DEXCOM G6 RECEIVER. | 80 | DILANTIN 30 MG | 33 | PREP PADS | 67 |
| DEXCOM G6 SENSOR.... | 80 | diltiazem hcl | 51 | drospirenone-e.estradiol- | |
| DEXCOM G6 | | dilt-xr | 51 | Im.fa | 85 |
| TRANSMITTER | 80 | dimenhydrinate | 74 | drospirenone-ethinyl | |
| DEXCOM G7 RECEIVER. | 80 | dimethyl fumarate | 38 | estradiol | 85 |
| DEXCOM G7 SENSOR | 80 | diphenhydramine hcl | 89 | DROXIA | 22 |
| dexrazoxane hcl | 19 | diphenoxylate-atropine | 73 | droxidopa | 64 |
| dextroamphetamine- | | dipyridamole | 54 | DUAVEE | 83 |
| amphetamine | 44 | disulfiram | 64 | DULERA | 91 |
| dextrose 10 % and 0.2 % nacl | | divalproex | 33 | duloxetine | 45 |
| | 64 | dobutamine | 56 | DUPIXENT PEN | 59 |
| dextrose 10 % in water | | dobutamine in d5w | 56 | DUPIXENT SYRINGE | 59 |
| (d10w) | 64 | docetaxel | 22 | dutasteride | 94 |
| dextrose 25 % in water | | dofetilide | 49 | dutasteride-tamsulosin | 94 |
| (d25w) | 64 | donepezil | 38 | E | |
| dextrose 5 % in water (d5w) | | dopamine | 57 | econazole nitrate | 61 |
| | 64 | dopamine in 5 % dextrose | 57 | EDARBI | 51 |
| dextrose 5 %-lactated | | DOPTELET (10 TAB PACK) | | EDARBYCLOR | 51 |
| ringers | 64 | | 54 | EDURANT | 10 |
| dextrose 5%-0.2 % sod | | DOPTELET (15 TAB PACK) | | EDURANT PED | 10 |
| chloride | 64 | | 54 | efavirenz | 10 |
| dextrose 5%-0.3 % | | DOPTELET (30 TAB PACK) | | efavirenz-emtricitabin- | |
| sod.chloride | 64 | | 54 | tenofov | 10 |
| dextrose 50 % in water | | dorzolamide | 88 | efavirenz-lamivu-tenofov | |
| (d50w) | 64 | dorzolamide-timolol | 88 | disop | 10 |
| dextrose 70 % in water | | dotti | 83 | effe-k | 95 |
| (d70w) | 64 | DOVATO | 10 | ELAHERE | 22 |
| DIACOMIT | 33 | doxazosin | 51 | ELAPRASE | 72 |
| diazepam | 33, 44 | doxepin | 44 | electrolyte-148 | 97 |
| diazepam intensol | 44 | doxercalciferol | 72 | electrolyte-48 in d5w | 97 |
| diazoxide | 67 | doxorubicin | 22 | electrolyte-a | 97 |
| diclofenac potassium | 42 | doxorubicin, peg-liposomal | | ELIGARD | 22 |
| diclofenac sodium 42, 59, 88 | | | 22 | ELIGARD (3 MONTH) | 22 |
| diclofenac-misoprostol.... | 42 | doxy-100 | 18 | ELIGARD (4 MONTH) | 22 |
| dicloxacillin | 17 | doxycycline hyclate | 18 | ELIGARD (6 MONTH) | 22 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| | | | | | |
|-------------------------------|----|------------------------------|--------|-------------------------------|--------|
| elinest | 85 | ENTRESTO SPRINKLE | 57 | ethosuximide | 34 |
| ELIQUIS | 54 | enulose | 74 | ethynodiol diac-eth estradiol | |
| ELIQUIS DVT-PE TREAT | | ENVARSUS XR | 22 | | 85 |
| 30D START | 54 | EPIDIOLEX | 33 | etodolac | 42 |
| ELITEK | 19 | epinastine | 88 | etonogestrel-ethinyl | |
| ELMIRON | 94 | epinephrine | 89 | estradiol | 84 |
| ELREXFIO | 22 | epirubicin | 22 | ETOPOPHOS | 22 |
| eltrombopag olamine | 54 | epitol | 33 | etoposide | 22 |
| eluryng | 84 | EPKINLY | 22 | etravirine | 10 |
| ELZONRIS | 22 | eplerenone | 51 | EUCRISA | 59 |
| EMGALITY PEN | 37 | EPRONTIA | 33 | EULEXIN | 22 |
| EMGALITY SYRINGE | 37 | ERBITUX | 22 | everolimus (antineoplastic) | |
| EMPLICITI | 22 | ergotamine-caffeine | 37 | | 23 |
| EMRELIS | 22 | eribulin | 22 | everolimus | |
| EMSAM | 45 | ERIVEDGE | 22 | (immunosuppressive) | 23 |
| emtricitabine | 10 | ERLEADA | 22 | EVOTAZ | 10 |
| emtricitabine-tenofovir (tdf) | | erlotinib | 22 | exemestane | 23 |
| | 10 | errin | 83 | exenatide | 67, 68 |
| emtricita-rilpivirine-teno df | | ertapenem | 14 | ezetimibe | 55 |
| | 10 | ERWINASE | 22 | ezetimibe-simvastatin | 55 |
| EMTRIVA | 10 | ery pads | 61 | F | |
| EMVERM | 14 | ery-tab | 14 | FABRAZYME | 72 |
| emzahh | 83 | erythromycin | 14, 87 | falmina (28) | 85 |
| enalapril maleate | 51 | erythromycin ethylsuccinate | | famciclovir | 10 |
| enalaprilat | 51 | erythromycin with ethanol | 61 | famotidine | 77 |
| enalapril- | | escitalopram oxalate | 45 | famotidine (pf) | 77 |
| hydrochlorothiazide | 51 | eslicarbazepine | 33, 34 | famotidine (pf)-nacl (isos) | |
| ENBREL | 82 | esmolol | 51 | | 77 |
| ENBREL MINI | 82 | esomeprazole magnesium | | FANAPT | 45 |
| ENBREL SURECLICK | 82 | esomeprazole sodium | 77 | FANAPT TITRATION PACK | |
| endocet | 40 | estarrylla | 85 | A | 45 |
| ENGERIX-B (PF) | 79 | estradiol | 83, 84 | FARXIGA | 68 |
| ENGERIX-B PEDIATRIC | | estradiol valerate | 84 | FASENRA | 91 |
| (PF) | 79 | estradiol-norethindrone acet | | FASENRA PEN | 91 |
| enoxaparin | 54 | eszopiclone | 45 | febuxostat | 81 |
| enpresse | 85 | ethacrynat e sodium | 51 | felbamate | 34 |
| enskyce | 85 | ethambutol | 14 | felodipine | 51 |
| entacapone | 37 | | | fenofibrate | 56 |
| entecavir | 10 | | | fenofibrate micronized | 55 |
| ENTRESTO | 57 | | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| | | | | | | |
|---------------------------------------|------------|----|--------------------------------------|-----|---------------------------------|--------|
| <i>fenofibrate nanocrystallized</i> | | 56 | <i>flurbiprofen sodium</i> | 88 | FREESTYLE LIBRE 3 | |
| <i>fenofibric acid</i> | | 56 | <i>fluticasone propionate</i> 63, 91 | | SENSOR 81 | |
| <i>fenofibric acid (choline)</i> | 56 | | FLUTICASONE | | FREESTYLE LITE METER 81 | |
| <i>fentanyl</i> | 40 | | PROPIONATE..... | 91 | FREESTYLE LITE STRIPS | |
| <i>FETZIMA</i> | 45 | | <i>fluticasone propion-</i> | | 68 | |
| <i>FIASP FLEXTOUCH U-100</i> | | | <i>salmeterol</i> | 91 | FREESTYLE PRECISION | |
| INSULIN..... | 68 | | <i>fluvastatin</i> | 56 | NEO STRIPS 68 | |
| <i>FIASP PENFILL U-100</i> | | | <i>fluvoxamine</i> | 45 | FREESTYLE TEST 68 | |
| INSULIN..... | 68 | | <i>fomepizole</i> | 79 | FRUZAQLA 23 | |
| <i>FIASP U-100 INSULIN</i> | 68 | | <i>fondaparinux</i> | 54 | FULPHILA 77 | |
| <i>finasteride</i> | 94 | | <i>formoterol fumarate</i> | 91 | <i>fulvestrant</i> 23 | |
| <i> fingolimod</i> | 38 | | <i>fosamprenavir</i> | 10 | <i>furosemide</i> 51 | |
| <i>FINTEPLA</i> | 34 | | <i>fosaprepitant</i> | 74 | FUZEON 10 | |
| <i>FIRMAGON KIT W</i> | | | <i>fosfomycin tromethamine</i> .18 | | FYARRO 23 | |
| DILUENT SYRINGE | 23 | | <i>fosinopril</i> | 51 | <i>fyavolv</i> 84 | |
| <i>flac otic oil</i> | 66 | | <i>fosinopril-</i> | | FYCOMPRA..... 34 | |
| <i>flecainide</i> | 49 | | <i>hydrochlorothiazide</i> | 51 | G | |
| <i>floxuridine</i> | 23 | | <i>fosphenytoin</i> | 34 | <i>gabapentin</i> 34 | |
| <i>fluconazole</i> | 9 | | FOTIVDA..... | 23 | <i>galantamine</i> 38 | |
| <i>fluconazole in nacl (iso-osm)</i> | | 9 | <i>fraiche 5000</i> | 66 | <i>gallifrey</i> | 84 |
| <i>flucytosine</i> | 9 | | FREESTYLE FREEDOM | | <i>GAMASTAN</i> 79 | |
| <i>fludarabine</i> | 23 | | LITE | 80 | <i>GAMUNEX-C</i> 79 | |
| <i>fludrocortisone</i> | 66 | | FREESTYLE INSULINX | 68, | <i>ganciclovir sodium</i> | 10 |
| <i>flumazenil</i> | 45 | | 80 | | <i>GARDASIL 9 (PF)</i> | 79 |
| <i>flunisolide</i> | 91 | | FREESTYLE INSULINX | | <i>gatifloxacin</i> | 87 |
| <i>fluocinolone</i> | 62 | | TEST STRIPS | 68 | GATTEX 30-VIAL | 74 |
| <i>fluocinolone acetonide oil</i> 66 | | | FREESTYLE LIBRE 14 DAY | | GATTEX ONE-VIAL | 74 |
| <i>fluocinolone and shower cap</i> | | 62 | READER | 80 | GAUZE PAD | 81 |
| <i>fluocinonide</i> | 62 | | FREESTYLE LIBRE 14 DAY | | <i>gavilyte-c</i> | 74 |
| <i>fluocinonide-emollient</i> | 63 | | SENSOR..... | 80 | <i>gavilyte-g</i> | 74 |
| <i>fluoride (sodium)</i> .. | 65, 66, 97 | | FREESTYLE LIBRE 2 PLUS | | <i>gavilyte-n</i> | 74 |
| <i>fluorometholone</i> | 89 | | SENSOR..... | 80 | <i>GAVRETO</i> | 23 |
| <i>fluorouracil</i> | 23, 59 | | FREESTYLE LIBRE 2 | | <i>GAZYVA</i> | 23 |
| <i>fluoxetine</i> | 45 | | READER | 80 | <i>gefitinib</i> | 23 |
| <i>fluphenazine decanoate</i> ... | 45 | | FREESTYLE LIBRE 2 | | <i>gemcitabine</i> | 23, 24 |
| <i>fluphenazine hcl</i> | 45 | | SENSOR..... | 80 | <i>GEMCITABINE</i> | 24 |
| <i>flurbiprofen</i> | 42 | | FREESTYLE LIBRE 3 PLUS | | <i>gemfibrozil</i> | 56 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| | | | |
|--------------------------------------|----|---------------------------------------|----------------------------------|
| gentamicin in nacl (iso-osm) | 14 | HADLIMA PUSHTOUCH .82 | HUMULIN N NPH INSULIN |
| gentamicin sulfate (ped) (pf)..... | 14 | HADLIMA(CF)82 | KWIKPEN.....69 |
| GENVOYA..... | 10 | HADLIMA(CF) | HUMULIN N NPH U-100 |
| GILOTRIF | 24 | PUSHTOUCH82 | INSULIN.....69 |
| glatiramer..... | 38 | halobetasol propionate63 | HUMULIN R REGULAR U- |
| glatopa..... | 38 | haloperidol45 | 100 INSULN69 |
| GLEOSTINE | 24 | haloperidol decanoate45 | HUMULIN R U-500 |
| glimepiride | 68 | haloperidol lactate45 | (CONC) INSULIN69 |
| glipizide..... | 68 | HAVRIX (PF).....79 | HUMULIN R U-500 |
| glipizide-metformin..... | 68 | heather.....84 | (CONC) KWIKPEN69 |
| glucagon emergency kit (human) | 68 | heparin (porcine)54 | hydralazine.....51 |
| glutamine (sickle cell)..... | 64 | heparin (porcine) in 5 % dex | hydrochlorothiazide.....51 |
| glycine urologic..... | 94 | 54 | hydrocodone- |
| glycine urologic solution...94 | | heparin (porcine) in nacl (pf) | acetaminophen.....40 |
| glycopyrrolate | 73 | 54 | hydrocodone-ibuprofen ...40 |
| glycopyrrolate (pf) | 73 | heparin(porcine) in 0.45% nacl.....55 | hydrocortisone63, 66, 74 |
| glycopyrrolate (pf) in water | 73 | HEPARIN(PORCINE) IN 0.45% NACL.....55 | hydrocortisone-acetic acid |
| glydo | 59 | heparin, porcine (pf).....55 | 66 |
| GLYXAMBI..... | 68 | HEPARIN, PORCINE (PF)55 | hydromorphone40, 41 |
| GOMEKLI | 24 | HEPLISAV-B (PF).....79 | hydromorphone (pf)40 |
| GRAFAPEX..... | 24 | HIBERIX (PF).....79 | hydroxychloroquine14 |
| granisetron (pf) | 74 | HUMALOG JUNIOR | hydroxyurea24 |
| granisetron hcl | 74 | KWIKPEN U-10069 | hydroxyzine hcl.....89 |
| griseofulvin microsize | 9 | HUMALOG KWIKPEN | HYPERHEP B79 |
| griseofulvin ultramicrosize ..9 | | INSULIN69 | HYPERHEP B NEONATAL |
| GVOKE | 68 | HUMALOG MIX 50-50 | 79 |
| GVOKE HYPOPEN 1-PACK | 68 | KWIKPEN69 | I |
| GVOKE HYPOPEN 2-PACK | 68 | HUMALOG MIX 75-25 | ibandronate81 |
| GVOKE PFS 1-PACK SYRINGE..... | 69 | KWIKPEN69 | IBRANCE.....24 |
| GVOKE PFS 2-PACK SYRINGE..... | 69 | HUMALOG MIX 75-25(U-100)INSULN | IBTROZI.....24 |
| H | | 69 | ibu42 |
| HADLIMA..... | 82 | HUMALOG U-100 INSULIN | ibuprofen.....42 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| | | | | | |
|-----------------------------------|----|-------------------------------|--------|-------------------------------|-------|
| <i>imatinib</i> | 24 | INVEGA SUSTENNA | 46 | JAYPIRCA | 25 |
| IMBRUVICA | 24 | INVEGA TRINZA | 46 | JEMPERLI | 25 |
| IMDELLTRA | 24 | INVELTYS | 89 | jencycla | 84 |
| IMFINZI | 24 | IPOP | 79 | JENTADUETO | 69 |
| <i>imipenem-cilastatin</i> | 14 | <i>ipratropium bromide</i> | 66, 92 | JENTADUETO XR | 69 |
| <i>imipramine hcl</i> | 45 | <i>ipratropium-albuterol</i> | 92 | JEVTANA | 25 |
| <i>imiquimod</i> | 59 | <i>irbesartan</i> | 51 | jinteli | 84 |
| IMJUDO | 24 | <i>irbesartan-</i> | | jolessa | 85 |
| IMKELDI | 24 | <i>hydrochlorothiazide</i> | 51 | JOURNAVX | 42 |
| IMOVAX RABIES VACCINE (PF) | 79 | <i>irinotecan</i> | 25 | JUBBONTI | 81 |
| IMPAVIDO | 14 | ISENTRESS | 10 | juleber | 85 |
| IMVEXXY MAINTENANCE PACK | 84 | ISENTRESS HD | 10 | JULUCA | 10 |
| IMVEXXY STARTER PACK | 84 | <i>isibloom</i> | 85 | JYLAMVO | 25 |
| | | ISOLYTE S PH 7.4 | 97 | JYNARQUE | 72 |
| | | ISOLYTE-P IN 5 % | | JYNNEOS (PF) | 79 |
| | | <i>DEXTROSE</i> | 97 | K | |
| INBRIJA | 37 | ISOLYTE-S | 97 | KADCYLA | 25 |
| <i>incassia</i> | 84 | <i>isoniazid</i> | 14 | KALETRA | 10 |
| INCRELEX | 64 | <i>isosorbide dinitrate</i> | 57 | kalliga | 85 |
| <i>indapamide</i> | 51 | <i>isosorbide mononitrate</i> | 57 | KALYDECO | 92 |
| INFANRIX (DTAP) (PF) | 79 | <i>isosorbide-hydralazine</i> | 51 | KANUMA | 72 |
| INFILIXIMAB | 74 | <i>isotretinoin</i> | 61 | <i>kariva</i> (28) | 85 |
| INGREZZA | 38 | <i>isradipine</i> | 51 | <i>kelnor 1/35</i> (28) | 85 |
| INGREZZA INITIATION PK(TARDIV) | 38 | ISTODAX | 25 | <i>kelnor 1/50</i> (28) | 85 |
| INGREZZA SPRINKLE | 38 | ITOVEBI | 25 | KERENDIA | 52 |
| INLYTA | 25 | <i>itraconazole</i> | 9 | KESIMPTA PEN | 39 |
| INPEFA | 69 | <i>ivabradine</i> | 57 | <i>ketoconazole</i> | 9, 61 |
| INQOVI | 25 | <i>ivermectin</i> | 15 | <i>ketorolac</i> | 88 |
| INREBIC | 25 | IWILFIN | 25 | KEYTRUDA | 25 |
| INSULIN ASPART U-100 | 69 | IXCHIQ (PF) | 79 | KHAPZORY | 19 |
| INSULIN LISPRO | 69 | IXEMPRA | 25 | KIMMTRAK | 25 |
| INSULIN LISPRO PROTAMIN-LISPRO | 69 | IXIARO (PF) | 79 | KINERET | 82 |
| INSULIN SYRINGE- NEEDLE U-100 | 81 | J | | KINRIX (PF) | 79 |
| INTELENCE | 10 | JAKAFI | 25 | <i>kionex (with sorbitol)</i> | 64 |
| <i>intralipid</i> | 97 | <i>jantoven</i> | 55 | KISQALI | 25 |
| <i>introvale</i> | 85 | JANUMET | 69 | <i>klayesta</i> | 61 |
| INVEGA HAFYERA | 46 | JANUMET XR | 69 | <i>klor-con 10</i> | 95 |
| | | JANUVIA | 69 | <i>klor-con 8</i> | 95 |
| | | JARDIANCE | 69 | <i>klor-con m10</i> | 95 |
| | | <i>jasmiel</i> (28) | 85 | <i>klor-con m15</i> | 95 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| | | | | | |
|--------------------------------------|--------|---|--------|---------------------------------------|----|
| <i>klor-con m20</i> | 95 | <i>letrozole</i> | 26 | <i>linezolid in dextrose 5%</i> | 15 |
| <i>klor-con oral packet 20</i> | 95 | <i>leucovorin calcium</i> | 19 | <i>linezolid-0.9% sodium</i> | |
| <i>klor-con/ef</i> | 95 | <i>LEUKERAN</i> | 26 | <i>chloride</i> | 15 |
| <i>KLOXXADO</i> | 42 | <i>leuprolide</i> | 26 | <i>LINZESS</i> | 74 |
| <i>KOSELUGO</i> | 25 | <i>levetiracetam</i> | 34, 35 | <i>LIORESAL</i> | 39 |
| <i>kourzeq</i> | 66 | <i>levetiracetam in nacl (isos)</i> | 34 | <i>liothyronine</i> | 73 |
| <i>K-PHOS NO 2</i> | 94 | <i>levobunolol</i> | 87 | <i>liraglutide</i> | 70 |
| <i>K-PHOS ORIGINAL</i> | 94 | <i>levocarnitine</i> | 64 | <i>lisinopril</i> | 52 |
| <i>KRAZATI</i> | 25 | <i>levocarnitine (with sugar)</i> | 64 | <i>lisinopril-hydrochlorothiazide</i> | |
| <i>kurvelo (28)</i> | 85 | <i>levocetirizine</i> | 89 | <i>lithium carbonate</i> | 46 |
| <i>KYPROLIS</i> | 25 | <i>levofloxacin</i> | 18, 87 | <i>lithium citrate</i> | 46 |
| L | | <i>levofloxacin in d5w</i> | 18 | <i>LIVTENCITY</i> | 11 |
| <i>Inorgest/e.estradiol-e.estrad</i> | 85 | <i>levoleucovorin calcium</i> | 19 | <i>LOKELMA</i> | 64 |
| <i>labetalol</i> | 52 | <i>levonest (28)</i> | 85 | <i>LONSURF</i> | 26 |
| <i>lacosamide</i> | 34 | <i>levonorgestrel-ethynodiol estrad</i> | 85, 86 | <i>loperamide</i> | 73 |
| <i>lactated ringers</i> | 63, 95 | <i>levonorg-eth estrad triphasic</i> | 86 | <i>lopinavir-ritonavir</i> | 11 |
| <i>lactulose</i> | 74 | <i>levora-28</i> | 86 | <i>LOQTORZI</i> | 26 |
| <i>lamivudine</i> | 10 | <i>levo-t</i> | 73 | <i>lorazepam</i> | 46 |
| <i>lamivudine-zidovudine</i> | 10 | <i>levothyroxine</i> | 73 | <i>lorazepam intensol</i> | 46 |
| <i>lamotrigine</i> | 34 | <i>levoxydol</i> | 73 | <i>LORBRENA</i> | 26 |
| <i>lanreotide</i> | 25 | <i>LIBTAYO</i> | 26 | <i>loryna (28)</i> | 86 |
| <i>lansoprazole</i> | 77 | <i>lidocaine</i> | 60 | <i>losartan</i> | 52 |
| <i>LANTUS SOLOSTAR U-100 INSULIN</i> | 70 | <i>lidocaine (pf)</i> | 49, 59 | <i>losartan-hydrochlorothiazide</i> | |
| <i>LANTUS U-100 INSULIN</i> | 70 | <i>lidocaine hcl</i> | 59, 60 | <i>loteprednol etabonate</i> | 89 |
| <i>lapatinib</i> | 25 | <i>lidocaine in 5 % dextrose (pf)</i> | 50 | <i>lovastatin</i> | 56 |
| <i>larin 1.5/30 (21)</i> | 85 | <i>lidocaine viscous</i> | 60 | <i>low-ogestrel (28)</i> | 86 |
| <i>larin 1/20 (21)</i> | 85 | <i>lidocaine-epinephrine</i> | 60 | <i>loxapine succinate</i> | 46 |
| <i>larin 24 fe</i> | 85 | <i>lidocaine-epinephrine (pf)</i> | 60 | <i>lo-zumandimine (28)</i> | 86 |
| <i>larin fe 1.5/30 (28)</i> | 85 | <i>lidocaine-prilocaine</i> | 60 | <i>lubiprostone</i> | 74 |
| <i>larin fe 1/20 (28)</i> | 85 | <i>lidocan iii</i> | 60 | <i>LUMAKRAS</i> | 26 |
| <i>latanoprost</i> | 88 | <i>lidocan iv</i> | 60 | <i>LUMIGAN</i> | 88 |
| <i>LAZCLUZE</i> | 26 | <i>lidocan v</i> | 60 | <i>LUMIZYME</i> | 72 |
| <i>LEDIPASVIR-SOFOSBUVIR</i> | | <i>LILETTA</i> | 84 | <i>LUNSUMIO</i> | 26 |
| | 10 | <i>lincomycin</i> | 15 | <i>LUPRON DEPOT</i> | 26 |
| <i>leflunomide</i> | 82 | <i>linezolid</i> | 15 | <i>Iurasidone</i> | 46 |
| <i>lenalidomide</i> | 26 | | | <i>lulera (28)</i> | 86 |
| <i>LENVIMA</i> | 26 | | | <i>lyleq</i> | 84 |
| <i>lessina</i> | 85 | | | <i>lyllana</i> | 84 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| | | | | |
|--|----|--|--|--------|
| LYNOZYFIC | 26 | MENVEO A-C-Y-W-135- | <i>micafungin</i> | 9 |
| LYNPARZA | 26 | DIP (PF) | <i>microgestin 1.5/30 (21)</i> | 86 |
| LYSODREN | 26 | MEPSEVII..... | <i>microgestin 1/20 (21)</i> | 86 |
| LYTGOBI..... | 26 | <i>mercaptopurine</i> | <i>microgestin fe 1.5/30 (28)</i> 86 | |
| LYUMJEV KWIKPEN U-100 INSULIN..... | 70 | <i>meropenem</i> | <i>microgestin fe 1/20 (28)</i> ...86 | |
| LYUMJEV KWIKPEN U-200 INSULIN..... | 70 | <i>mesalamine</i> | <i>midodrine</i> | 64 |
| LYUMJEV U-100 INSULIN | 70 | <i>mesalamine with cleansing wipe</i> | <i>MIEBO</i> (PF) | 88 |
| <i>lyza</i> | 84 | <i>mesna</i> | <i>mifepristone</i> | 72, 84 |
| M | | <i>metformin</i> | <i>ili</i> | 86 |
| <i>magnesium chloride</i> | 95 | <i>methadone</i> | <i>milrinone</i> | 57 |
| <i>magnesium sulfate</i> | 95 | <i>methadone intensol</i> | <i>milrinone in 5 % dextrose</i> .. | 57 |
| MAGNESIUM SULFATE IN D5W | 95 | <i>methadose</i> | <i>mimvey</i> | 84 |
| <i>magnesium sulfate in water</i> | 95 | <i>methazolamide</i> | <i>minocycline</i> | 18 |
| <i>malathion</i> | 63 | <i>methenamine hippurate</i>18 | <i>minoxidil</i> | 52 |
| <i>mannitol 20 %</i> | 52 | <i>methenamine mandelate</i> ...18 | <i>miostat</i> | 88 |
| <i>mannitol 25 %</i> | 52 | <i>methimazole</i> | <i>mirabegron</i> | 94 |
| <i>maraviroc</i> | 11 | <i>methotrexate sodium</i> | <i>mirtazapine</i> | 47 |
| MARGENZA..... | 26 | <i>methotrexate sodium (pf)</i> 27 | <i>misoprostol</i> | 77 |
| <i>marlissa (28)</i> | 86 | <i>methoxsalen</i> | <i>mitomycin</i> | 27 |
| MARPLAN | 46 | <i>methsuximide</i> | <i>mitoxantrone</i> | 27 |
| MATULANE | 27 | <i>methylergonovine</i> | <i>M-M-R II (PF)</i> | 79 |
| <i>matzim la</i> | 52 | <i>methylphenidate hcl</i> | <i>modafinil</i> | 47 |
| MAVYRET..... | 11 | <i>methylprednisolone</i> 66, 67 | <i>moexipril</i> | 52 |
| <i>meclizine</i> | 74 | <i>methylprednisolone acetate</i> | <i>molindone</i> | 47 |
| <i>medroxyprogesterone</i> | 84 | <i>methylprednisolone sodium succ</i> | <i>mometasone</i> | 63, 92 |
| <i>mefloquine</i> | 15 | <i>metoclopramide hcl</i> | <i>monodoxyne nl</i> | 18 |
| <i>megestrol</i> | 27 | <i>metolazone</i> | <i>MONJUVI</i> | 27 |
| MEKINIST | 27 | <i>metoprolol succinate</i> | <i>mono-linyah</i> | 86 |
| MEKTOVI..... | 27 | <i>metoprolol ta-</i> <i>hydrochlorothiaz</i> | <i>montelukast</i> | 92 |
| <i>meleya</i> | 84 | <i>metoprolol tartrate</i> | <i>morphine</i> | 41 |
| <i>meloxicam</i> | 42 | <i>metro i.v.</i> | <i>morphine (pf)</i> | 41 |
| <i>melphalan hcl</i> | 27 | <i>metronidazole</i> | <i>morphine concentrate</i> | 41 |
| <i>memantine</i> | 39 | <i>metronidazole in nacl (iso- os)</i> | <i>MOUNJARO</i> | 70 |
| <i>memantine-donepezil</i> | 39 | <i>metyrosine</i> | <i>moxifloxacin</i> | 18, 87 |
| MENQUADFI (PF) | 79 | <i>mexiletine</i> | <i>moxifloxacin- sod.chloride(iso)</i> | 18 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| | | | | | |
|--------------------------------------|----|--------------------------------------|--------|-------------------------------------|--------|
| <i>mycophenolate mofetil (hcl)</i> | 27 | NERLYNX | 27 | NORVIR | 11 |
| <i>mycophenolate sodium</i>27 | | NEUPRO..... | 37 | NOVOLIN 70/30 U-100 | |
| MYFEMBREE.....84 | | <i>nevirapine</i> | 11 | INSULIN..... | 70 |
| MYHIBBIN | 27 | NEXLETOL..... | 56 | NOVOLIN 70-30 FLEXPEN | |
| MYLOTARG | 27 | NEXLIZET | 56 | U-100..... | 70 |
| N | | NEXPLANON | 84 | NOVOLIN N FLEXPEN | 70 |
| <i>nabumetone</i>42 | | <i>niacin</i> | 56 | NOVOLIN N NPH U-100 | |
| <i>nadolol</i> | 52 | <i>nicardipine</i> | 52 | INSULIN..... | 70 |
| <i>nafcillin</i>17 | | NICOTROL NS..... | 65 | NOVOLIN R FLEXPEN.... | 70 |
| <i>nafcillin in dextrose iso-osm</i> | | <i>nifedipine</i> | 52 | NOVOLIN R REGULAR | |
|17 | | <i>nikki (28)</i> | 86 | U100 INSULIN | 70 |
| <i>naftifine</i> | 61 | <i>nilotinib hcl</i> | 27, 28 | NOVOLOG FLEXPEN U- | |
| NAGLAZYME.....72 | | <i>nilutamide</i> | 28 | 100 INSULIN | 70 |
| <i>nalbuphine</i> | 42 | <i>nimodipine</i> | 52 | NOVOLOG MIX 70-30 U- | |
| <i>naloxone</i> | 42 | NINLARO | 28 | 100 INSULN | 70 |
| <i>naltrexone</i>42 | | <i>nitazoxanide</i> | 15 | NOVOLOG MIX 70- | |
| <i>naproxen</i> | 42 | <i>nitisinone</i> | 64 | 30FLEXPEN U-100..... | 70 |
| <i>naproxen sodium</i>42 | | <i>nitro-bid</i> | 57 | NOVOLOG PENFILL U-100 | |
| <i>naratriptan</i> | 37 | <i>nitrofurantoin macrocrystal</i> | | INSULIN | 70 |
| <i>nateglinide</i> | 70 |19 | | NOVOLOG U-100 INSULIN | |
| NAYZILAM | 35 | <i>nitrofurantoin monohyd/m-</i> | | ASPART | 70 |
| <i>nebivolol</i> | 52 | <i>cryst</i> | 19 | NUBEQA | 28 |
| <i>nefazodone</i> | 47 | <i>nitroglycerin</i> | 57, 75 | NUCALA | 92 |
| <i>nelarabine</i> | 27 | NIVESTYM..... | 77 | NUEDEXTA | 39 |
| NEMLUVIO | 27 | <i>nora-be</i> | 84 | NULOJIX | 28 |
| <i>neomycin</i>15 | | <i>norelgestromin-</i> | | NUPLAZID | 47 |
| <i>neomycin-bacitracin-poly-</i> | | <i>ethin.estradol</i> | 84 | NURTEC ODT | 37 |
| <i>hc</i>88 | | <i>norepinephrine bitartrate</i> .57 | | nyamyc | 61 |
| <i>neomycin-bacitracin-</i> | | <i>norethindrone</i> | | <i>nystatin</i> | 9, 61 |
| <i>polymyxin</i> | 87 | (contraceptive)..... | 84 | <i>nystatin-triamcinolone</i> | 62 |
| <i>neomycin-polymyxin b gu</i> 63 | | <i>norethindrone acetate</i>84 | | <i>nystop</i> | 62 |
| <i>neomycin-polymyxin b-</i> | | <i>norethindrone ac-eth</i> | | NYVEPRIA | 77 |
| <i>dexameth</i> | 88 | <i>estradiol</i>84, 86 | | O | |
| <i>neomycin-polymyxin-</i> | | <i>norgestimate-ethinyl</i> | | <i>octreotide acetate</i> | 28 |
| <i>gramicidin</i>87 | | <i>estradiol</i>86 | | <i>octreotide,microspheres</i> .. | 28 |
| <i>neomycin-polymyxin-hc..</i> 66, | | <i>nortrel 0.5/35 (28)</i>86 | | ODEFSEY | 11 |
| 89 | | <i>nortrel 1/35 (21)</i>86 | | ODOMZO | 28 |
| <i>neo-polycin</i> | 87 | <i>nortrel 1/35 (28)</i>86 | | OFEV | 92 |
| <i>neo-polycin hc</i> | 89 | <i>nortriptyline</i> | 47 | <i>ofloxacin</i> | 66, 87 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| | | | | | |
|----------------------------|----|-----------------------------|--------|------------------------------|--------|
| OJEMDA..... | 28 | orquidea | 84 | PEMAZYRE..... | 29 |
| OJJAARA..... | 28 | ORSERDU..... | 28 | pemetrexed disodium..... | 29 |
| olanzapine..... | 47 | oseltamivir..... | 11 | PEN NEEDLE, DIABETIC . | 81 |
| olmesartan..... | 52 | osmitrol 20 % | 52 | PENBRAYA (PF)..... | 79 |
| olmesartan-amlodipin- | | OTEZLA..... | 82 | penciclovir..... | 62 |
| hcthiazid..... | 52 | OTEZLA STARTER..... | 82 | penicillamine | 82 |
| olmesartan- | | oxacillin..... | 17 | PENICILLIN G POT IN | |
| hydrochlorothiazide | 52 | oxacillin in dextrose(iso- | | DEXTROSE | 17 |
| omega-3 acid ethyl esters | 56 | osm) | 17 | penicillin g potassium..... | 17 |
| omeprazole..... | 77 | oxaliplatin | 28, 29 | penicillin g sodium | 17 |
| OMNIPOD 5 (G6/LIBRE 2 | | oxaprozin | 42 | penicillin v potassium | 17 |
| PLUS)..... | 81 | oxcarbazepine..... | 35 | PENMENVY MEN A-B-C- | |
| OMNIPOD 5 G6-G7 INTRO | | OXERVATE | 88 | W-Y (PF) | 79 |
| KT(GEN5)..... | 81 | oxybutynin chloride..... | 94 | PENTACEL (PF)..... | 79 |
| OMNIPOD 5 G6-G7 PODS | | oxycodone..... | 41 | pentamidine | 15 |
| (GEN 5) | 81 | oxycodone-acetaminophen | | pentobarbital sodium..... | 47 |
| OMNIPOD 5 | | | 41 | pentoxifylline | 55 |
| INTRO(G6/LIBRE2PLUS) | | OZEMPIC..... | 70 | perampanel | 35 |
| | 81 | OZURDEX..... | 89 | perindopril erbumine | 52 |
| OMNIPOD DASH INTRO | | P | | periogard..... | 66 |
| KIT (GEN 4) | 81 | pacerone..... | 50 | PERJETA..... | 29 |
| OMNIPOD DASH PODS | | paclitaxel..... | 29 | permethrin | 63 |
| (GEN 4) | 81 | paclitaxel protein-bound .. | 29 | perphenazine | 47 |
| OMNITROPE..... | 77 | PADCEV | 29 | pfizerpen-g..... | 17 |
| ONCASPAR..... | 28 | paliperidone | 47 | phenelzine..... | 48 |
| ondansetron..... | 75 | palonosetron | 75 | phenobarbital | 35 |
| ondansetron hcl | 75 | pamidronate | 72 | phenobarbital sodium | 35 |
| ondansetron hcl (pf) | 75 | PANRETIN | 60 | phentolamine | 52 |
| ONIVYDE..... | 28 | pantoprazole | 77 | phenytoin | 35 |
| ONUREG | 28 | paraplatin..... | 29 | phenytoin sodium | 35 |
| OPDIVO | 28 | paricalcitol..... | 72 | phenytoin sodium extended | |
| OPDIVO QVANTIG..... | 28 | paroxetine hcl | 47 | | 35 |
| OPDUALAG | 28 | PAVBLU..... | 88 | philith | 86 |
| OPIPZA | 47 | PAXLOVID..... | 11 | PIFELTRO | 11 |
| opium tincture | 73 | pazopanib | 29 | pilocarpine hcl | 64, 88 |
| OPSUMIT | 92 | PEDIARIX (PF) | 79 | pimecrolimus..... | 60 |
| OPSYNVI | 92 | PEDVAX HIB (PF) | 79 | pimozide | 48 |
| oralone | 66 | peg 3350-electrolytes..... | 75 | pimtrea (28) | 86 |
| ORGOVYX..... | 28 | PEGASYS..... | 78 | pindolol | 52 |
| ORKAMBI | 92 | peg-electrolyte | 75 | pioglitazone..... | 70 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| | | | | | |
|------------------------------------|----|-------------------------------------|--------|--------------------------------|----|
| <i>piperacillin-tazobactam</i> | 17 | PRALATREXATE | 29 | <i>proctosol hc</i> | 75 |
| PIQRAY | 29 | <i>pramipexole</i> | 37 | <i>protozone-hc</i> | 75 |
| <i>pirfenidone</i> | 92 | <i>prasugrel hcl</i> | 55 | <i>progesterone</i> | 84 |
| <i>piroxicam</i> | 42 | <i>pravastatin</i> | 56 | <i>progesterone micronized</i> | 84 |
| <i>pitavastatin calcium</i> | 56 | <i>praziquantel</i> | 15 | PROGRAF | 29 |
| PLEGRIDY | 78 | <i>prazosin</i> | 52 | PROLASTIN-C | 64 |
| PLENAMINE | 97 | PRECISION XTRA | | <i>promethazine</i> | 89 |
| <i>plerixafor</i> | 78 | MONITOR | 81 | <i>propafenone</i> | 50 |
| <i>podofilox</i> | 60 | PRECISION XTRA TEST | 71 | <i>propranolol</i> | 52 |
| POLIVY | 29 | <i>prednisolone</i> | 67 | <i>propylthiouracil</i> | 67 |
| <i>polocaine</i> | 60 | <i>prednisolone acetate</i> | 89 | PROQUAD (PF) | 79 |
| <i>polocaine-mpf</i> | 60 | <i>prednisolone sodium</i> | | <i>protamine</i> | 55 |
| <i>polycin</i> | 87 | phosphate | 67, 89 | <i>protriptyline</i> | 48 |
| <i>polymyxin b sulf-</i> | | <i>prednisone</i> | 67 | PULMICORT FLEXHALER | |
| <i>trimethoprim</i> | 87 | <i>prednisone intensol</i> | 67 | | 92 |
| POMALYST | 29 | <i>pregabalin</i> | 35 | PULMOZYME | 92 |
| <i>portia 28</i> | 86 | PREMARIN | 84 | <i>pyrazinamide</i> | 15 |
| <i>posaconazole</i> | 9 | <i>premasol 10 %</i> | 97 | <i>pyridostigmine bromide</i> | 39 |
| <i>potassium acetate</i> | 95 | PREMPHASE | 84 | <i>pyrimethamine</i> | 15 |
| <i>potassium chlorid-d5-</i> | | PREMPRO | 84 | Q | |
| <i>0.45%nacl</i> | 95 | <i>prenatal vitamin oral tablet</i> | | QINLOCK | 29 |
| <i>potassium chloride</i> | 96 | | 97 | QUADRACEL (PF) | 79 |
| <i>potassium chloride in</i> | | <i>prevalite</i> | 56 | quetiapine | 48 |
| <i>0.9%nacl</i> | 95 | PREVYMIS | 11 | <i>quinapril</i> | 52 |
| <i>potassium chloride in 5 %</i> | | PREZCOBIX | 11 | <i>quinapril-</i> | |
| <i>dex</i> | 95 | PREZISTA | 11 | <i>hydrochlorothiazide</i> | 53 |
| <i>potassium chloride in lr-d5</i> | | PRIFTIN | 15 | <i>quinidine sulfate</i> | 50 |
| <i>.....</i> | 95 | PRIMAQUINE | 15 | <i>quinine sulfate</i> | 15 |
| <i>potassium chloride in water</i> | | <i>primidone</i> | 35 | QULIPTA | 37 |
| <i>.....</i> | 96 | PRIMIDONE | 35 | QVAR REDIHALER | 93 |
| <i>potassium chloride-0.45 %</i> | | PRIORIX (PF) | 79 | R | |
| <i>nacl</i> | 96 | <i>probencid</i> | 81 | RABAVERT (PF) | 79 |
| <i>potassium chloride-d5-</i> | | <i>probencid-colchicine</i> | 81 | RADICAVA ORS | 39 |
| <i>0.2%nacl</i> | 96 | <i>procainamide</i> | 50 | RADICAVA ORS STARTER | |
| <i>potassium chloride-d5-</i> | | <i>prochlorperazine</i> | 75 | KIT SUSP | 39 |
| <i>0.9%nacl</i> | 96 | <i>prochlorperazine edisylate</i> | 75 | RALDESY | 48 |
| <i>potassium citrate</i> | 95 | <i>prochlorperazine maleate</i> | | <i>raloxifene</i> | 81 |
| <i>potassium phosphate m-/d-</i> | | <i>oral</i> | 75 | <i>ramelteon</i> | 48 |
| <i>basic</i> | 96 | PROCRT | 78 | <i>ramipril</i> | 53 |
| POTELIGEO | 29 | <i>procto-med hc</i> | 75 | <i>ranolazine</i> | 57 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| | | | | | |
|---------------------------------|------------|------------------------------|----|---|--------|
| <i>rasagiline</i> | 37 | <i>rivastigmine tartrate</i> | 39 | <i>sertraline</i> | 48 |
| <i>reclipsen (28)</i> | 86 | <i>rizatriptan</i> | 37 | <i>setlakin</i> | 86 |
| RECOMBIVAX HB (PF) | 79 | ROCKLATAN | 88 | <i>sevelamer carbonate</i> | 64 |
| REGRANEX | 60 | <i>roflumilast</i> | 93 | <i>sf 66</i> | |
| RELENZA DISKHALER | 11 | <i>romidepsin</i> | 30 | <i>sf 5000 plus</i> | 66 |
| RELEUKO | 78 | ROMVIMZA | 30 | <i>sharobel</i> | 84 |
| RELISTOR | 75 | <i>ropinirole</i> | 37 | SHINGRIX (PF) | 79 |
| REMICADE | 75 | <i>rosuvastatin</i> | 56 | SIGNIFOR | 30 |
| RENACIDIN | 95 | ROTARIX | 79 | <i>sildenafil (pulmonary arterial hypertension)</i> | 93 |
| <i>repaglinide</i> | 71 | ROTATEQ VACCINE | 79 | <i>silver sulfadiazine</i> | 60 |
| REPATHA | 56 | <i>roweepra</i> | 35 | SIMBRINZA | 88 |
| REPATHA PUSHTRONEX | 56 | ROZLYTREK | 30 | SIMLANDI(CF) | 83 |
| REPATHA SURECLICK | 56 | RUBRACA | 30 | <i>SIMLANDI(CF) AUTOINJECTOR</i> | 83 |
| RETACRIT | 78 | <i>rufinamide</i> | 36 | SIMULECT | 30 |
| RETEVMO | 29 | RUKOBIA | 11 | <i>simvastatin</i> | 56 |
| RETROVIR | 11 | RUXIENCE | 30 | <i>sirolimus</i> | 30 |
| REVCovi | 64 | RYBELSUS | 71 | SIRTURO | 15 |
| <i>revonto</i> | 39 | RYBREVANT | 30 | SKYRIZI | 58, 76 |
| REVUFORJ | 29 | RYDAPT | 30 | <i>sodium acetate</i> | 96 |
| REXULTI | 48 | RYLAZE | 30 | <i>sodium benzoate-sod phenylacet</i> | 65 |
| REYATAZ | 11 | RYTELO | 30 | <i>sodium bicarbonate</i> | 96 |
| REZDIFFRA | 64 | S | | <i>sodium chloride</i> | 65, 96 |
| REZLIDHIA | 29 | <i>sacubitril-valsartan</i> | 57 | <i>sodium chloride 0.45 %</i> | 96 |
| REZUROCK | 30 | <i>sajazir</i> | 93 | <i>sodium chloride 0.9 %</i> | 65 |
| RHOPRESSA | 88 | <i>salsalate</i> | 42 | <i>sodium chloride 3 % hypertonic</i> | 96 |
| <i>ribavirin</i> | 11 | SANDOSTATIN LAR | | <i>sodium chloride 5 % hypertonic</i> | 96 |
| <i>rifabutin</i> | 15 | DEPOT | 30 | <i>sodium fluoride 5000 dry mouth</i> | 66 |
| <i>rifampin</i> | 15 | SANTYL | 60 | <i>sodium fluoride 5000 plus</i> | 66 |
| <i>riluzole</i> | 64 | <i>sapropterin</i> | 72 | <i>sodium fluoride-pot nitrate</i> | 66 |
| <i>rimantadine</i> | 11 | SARCLISA | 30 | SODIUM OXYBATE (PREFERRED NDCS | |
| <i>ringer's</i> | 63, 96 | SAVELLA | 83 | | |
| RINVOQ | 82, 83 | <i>saxagliptin</i> | 71 | | |
| RINVOQ LQ | 82 | <i>saxagliptin-metformin</i> | 71 | | |
| <i>risedronate</i> | 64, 81, 82 | SCEMBLIX | 30 | | |
| <i>risperidone</i> | 48 | <i>scopolamine base</i> | 76 | | |
| <i>risperidone microspheres</i> | 48 | SECUADO | 48 | | |
| <i>ritonavir</i> | 11 | SELARSDI | 58 | | |
| <i>rivaroxaban</i> | 55 | <i>selegiline hcl</i> | 37 | | |
| <i>rivastigmine</i> | 39 | <i>selenium sulfide</i> | 58 | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| | | |
|---|--------|--|
| STARTING WITH 00054) | | |
| | 48 | |
| sodium phenylbutyrate | 65 | |
| sodium phosphate | 96 | |
| sodium polystyrene sulfonate | 65 | |
| sodium,potassium,magnesium sulfates | 76 | |
| SOFOSBUVIR-VELPATASVIR | 11 | |
| solifenacin | 94 | |
| SOLIQUA 100/33 | 71 | |
| SOLTAMOX | 30 | |
| SOMATULINE DEPOT | 30 | |
| SOMAVERT | 72 | |
| sorafenib | 30 | |
| sotalol | 50 | |
| sotalol af | 50 | |
| SPIRIVA RESPIMAT | 93 | |
| spironolactone | 53 | |
| spironolactone hydrochlorothiazide | 53 | |
| SPRAVATO | 48 | |
| sprintec (28) | 86 | |
| SPRITAM | 36 | |
| sps (with sorbitol) | 65 | |
| sronyx | 86 | |
| ssd | 60 | |
| STAMARIL (PF) | 79 | |
| STELARA | 58 | |
| STIOLTO RESPIMAT | 93 | |
| STIVARGA | 30 | |
| STRENSIQ | 72 | |
| STREPTOMYCIN | 15 | |
| STRIBILD | 11 | |
| STRIVERDI RESPIMAT | 93 | |
| SUBLOCADE | 41 | |
| subvenite | 36 | |
| SUCRAID | 76 | |
| sucralfate | 77 | |
| sulfacetamide sodium | 88 | |
| sulfacetamide sodium (acne) | 61 | |
| sulfacetamide-prednisolone | 88 | |
| sulfadiazine | 18 | |
| sulfamethoxazole-trimethoprim | 18 | |
| sulfasalazine | 76 | |
| sulindac | 42 | |
| sumatriptan | 37 | |
| sumatriptan succinate | 37 | |
| sunitinib malate | 30 | |
| SUNLENCA | 11 | |
| syeda | 86 | |
| SYLVANT | 30 | |
| SYMDEKO | 93 | |
| SYMPAZAN | 36 | |
| SYMPROIC | 76 | |
| SYMTUZA | 12 | |
| SYNAGIS | 12 | |
| SYNJARDY | 71 | |
| SYNJARDY XR | 71 | |
| T | | |
| TABLOID | 30 | |
| TABRECTA | 30 | |
| tacrolimus | 30, 60 | |
| tadalafil | 95 | |
| tadalafil (pulmonary arterial hypertension) oral tablet 20 mg | 93 | |
| TAFINLAR | 30, 31 | |
| TAGRISSO | 31 | |
| TALVEY | 31 | |
| TALZENNA | 31 | |
| tamoxifen | 31 | |
| tamsulosin | 94 | |
| tarina fe 1-20 eq (28) | 86 | |
| tazarotene | 61 | |
| tazicef | 13 | |
| TAZVERIK | 31 | |
| TECENTRIQ | 31 | |
| TECENTRIQ HYBREZA | 31 | |
| TECVAYLI | 31 | |
| TEFLARO | 13 | |
| telmisartan | 53 | |
| telmisartan-amlodipine | 53 | |
| telmisartan-hydrochlorothiazide | 53 | |
| TEMODAR | 31 | |
| temsirolimus | 31 | |
| TENIVAC (PF) | 79 | |
| tenofovir disoproxil fumarate | 12 | |
| TEPMETKO | 31 | |
| terazosin | 53 | |
| terbinafine hcl | 9 | |
| terbutaline | 93 | |
| terconazole | 84 | |
| teriflunomide | 39 | |
| TERIPARATIDE | 82 | |
| testosterone | 72, 73 | |
| testosterone cypionate | 72 | |
| testosterone enanthate | 72 | |
| tetrabenazine | 39 | |
| tetracycline | 18 | |
| TEVIMBRA | 31 | |
| THALOMID | 31 | |
| theophylline | 93 | |
| thioridazine | 49 | |
| thiotepa | 31 | |
| thiothixene | 49 | |
| tiadylt er | 53 | |
| tiagabine | 36 | |
| TIBSOVO | 31 | |
| ticagrelor | 55 | |
| TICE BCG | 79 | |
| TICOVAC | 79 | |
| tigecycline | 15 | |
| tilia fe | 86 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| | | | | | |
|--|--------|-----------------------------------|-----|---------------------------------------|--------|
| <i>timolol maleate</i> | 53, 87 | TREMFYA | 58 | TURALIO | 31 |
| <i>tinidazole</i> | 15 | TREMFYA PEN | 58 | <i>turqoz</i> (28) | 86 |
| <i>tiotropium bromide</i> | 93 | TREMFYA PEN INDUCTION | | TWINRIX (PF) | 80 |
| TIVDAK | 31 | PK-CROHN | 58 | TYENNE | 83 |
| TIVICAY | 12 | <i>treprostinil sodium</i> | 53 | TYENNE AUTOINJECTOR | 83 |
| TIVICAY PD | 12 | <i>tretinoin (antineoplastic)</i> | 31 | TYMLOS | 82 |
| <i>tizanidine</i> | 39 | <i>tretinoin topical</i> | 61 | TYPHIM VI | 80 |
| TOBI PODHALER | 15 | <i>triamcinolone acetonide</i> | 63, | TYVASO | 93 |
| TOBRADEX | 89 | 66, 67 | | TYVASO INSTITUTIONAL | |
| <i>tobramycin</i> | 15, 87 | <i>triamterene-</i> | | START KIT | 93 |
| <i>tobramycin</i> in 0.225 % nacl | 15 | hydrochlorothiazid | 53 | TYVASO REFILL KIT | 94 |
| <i>tobramycin sulfate</i> | 15 | <i>tridacaine ii</i> | 60 | TYVASO STARTER KIT | 94 |
| <i>tobramycin-dexamethasone</i> | 89 | <i>triderm</i> | 63 | U | |
| <i>tolterodine</i> | 94 | <i>trientine</i> | 65 | UBRELVY | 37 |
| <i>tolvaptan</i> | 73 | <i>tri-estarrylla</i> | 86 | ULTRA-FINE INSULIN | |
| <i>tolvaptan (polycys kidney dis)</i> | 73 | <i>trifluoperazine</i> | 49 | SYRINGE | 81 |
| <i>topiramate</i> | 36 | <i>trifluridine</i> | 87 | <i>unithroid</i> | 73 |
| <i>topotecan</i> | 31 | <i>trihexyphenidyl</i> | 37 | UNITUXIN | 31 |
| <i>toremifene</i> | 31 | TRIJARDY XR | 71 | UPTRAVI | 53 |
| <i>torpenz</i> | 31 | TRIKAFTA | 93 | <i>ursodiol</i> | 76 |
| <i>torsemide</i> | 53 | <i>tri-legest fe</i> | 86 | USTEKINUMAB | 58, 59 |
| TOUJEO MAX U-300 SOLOSTAR | 71 | <i>tri-linyah</i> | 86 | V | |
| TOUJEO SOLOSTAR U-300 INSULIN | 71 | <i>tri-lo-estarrylla</i> | 86 | <i>valacyclovir</i> | 12 |
| TRADJENTA | 71 | <i>tri-lo-marzia</i> | 86 | VALCHLOR | 60 |
| <i>tramadol</i> | 43 | <i>tri-lo-sprintec</i> | 86 | <i>valganciclovir</i> | 12 |
| <i>tramadol-acetaminophen</i> | 43 | <i>trimethoprim</i> | 19 | <i>valproate sodium</i> | 36 |
| <i>trandolapril</i> | 53 | <i>trimipramine</i> | 49 | <i>valproic acid</i> | 36 |
| <i>trandolapril-verapamil</i> | 53 | TRINTELLIX | 49 | <i>valproic acid (as sodium salt)</i> | 36 |
| <i>tranexamic acid</i> | 84 | <i>tri-sprintec (28)</i> | 86 | <i>valrubicin</i> | 31 |
| <i>tranylcyprromine</i> | 49 | TRIUMEQ | 12 | <i>valsartan</i> | 53 |
| <i>travasol 10 %</i> | 97 | TRIUMEQ PD | 12 | <i>valsartan-</i> | |
| <i>travoprost</i> | 88 | TRODELVY | 31 | hydrochlorothiazide | 53 |
| TRAZIMERA | 31 | TROGARZO | 12 | VALTOCO | 36 |
| <i>trazodone</i> | 49 | TROPHAMINE 10 % | 97 | <i>vancomycin</i> | 16 |
| TRELEGY ELLIPTA | 93 | <i>trospium</i> | 94 | VANCOMYCIN IN 0.9 % | |
| TRELSTAR | 31 | TRULANCE | 76 | SODIUM CHL | 15, 16 |
| You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table. | | TRULICITY | 71 | VANFLYTA | 31 |
| | | TRUMENBA | 80 | VAQTA (PF) | 80 |
| | | TRUQAP | 31 | | |
| | | TUKYSA | 31 | | |

This drug list was last updated on 08/28/2025.

| | | | | | |
|--|--------|--|----|--|----|
| varenicline tartrate | 65 | voriconazole | 9 | XOFLUZA..... | 12 |
| VARIVAX (PF) | 80 | voriconazole- <i>hpbcd</i> | 9 | XOLAIR..... | 94 |
| VARIZIG | 80 | VOSEVI | 12 | XOSPATA..... | 32 |
| VARUBI..... | 76 | VOWST | 76 | XPOVIO..... | 32 |
| VAXCHORA VACCINE.... | 80 | VRAYLAR..... | 49 | XTANDI..... | 32 |
| VECTIBIX..... | 31 | VUMERITY..... | 39 | xulane | 84 |
| veletri..... | 53 | VYLOY | 32 | Y | |
| velivet triphasic regimen (28)..... | 86 | VYNDAMAX | 57 | YERVOY | 32 |
| VELTASSA..... | 65 | VYNDAQEL | 57 | YESINTEK..... | 59 |
| VEMLIDY | 12 | VYVGART | 39 | YF-VAX (PF)..... | 80 |
| VENCLEXTA..... | 31, 32 | VYVGART HYTRULO | 39 | YONDELIS | 32 |
| VENCLEXTA STARTING PACK | 32 | VYXEOS | 32 | yuvafem..... | 84 |
| venlafaxine | 49 | W | | Z | |
| verapamil..... | 53 | warfarin | 55 | zafemy..... | 84 |
| VERQUVO..... | 57 | water for irrigation, sterile | 65 | zafirlukast..... | 94 |
| VERSACLOZ..... | 49 | WELIREG | 32 | zaleplon..... | 49 |
| VERZENIO | 32 | wera (28) | 87 | ZALTRAP..... | 32 |
| vestura (28) | 86 | wescap-pn dha | 97 | ZEJULA..... | 32 |
| VIBATIV..... | 16 | WINREVAIR | 94 | ZELBORAF | 32 |
| VIBERZI | 76 | wixela inhub | 94 | zenatane..... | 61 |
| vienna | 87 | WYOST | 19 | ZENPEP | 76 |
| vigabatrin | 36 | X | | ZEPOSIA..... | 39 |
| vigadrone | 36 | XALKORI | 32 | ZEPOSIA STARTER KIT (28-DAY) | 39 |
| vilazodone..... | 49 | XARELTO | 55 | ZEPOSIA STARTER PACK (7-DAY) | 39 |
| VIMIZIM..... | 73 | XARELTO DVT-PE TREAT 30D START..... | 55 | ZEPZELCA..... | 32 |
| VIMKUNYA..... | 80 | XCOPRI | 36 | zidovudine..... | 12 |
| vinblastine..... | 32 | XCOPRI MAINTENANCE PACK..... | 36 | ZIIHERA..... | 33 |
| vincristine..... | 32 | XCOPRI TITRATION PACK | 36 | ziprasidone hcl..... | 49 |
| vinorelbine | 32 | XDEMVY | 88 | ziprasidone mesylate | 49 |
| viorele (28)..... | 87 | XELJANZ | 83 | ZIRABEV | 33 |
| VIRACEPT | 12 | XELJANZ XR | 83 | ZIRGAN | 87 |
| VIREAD | 12 | XEMBIFY | 80 | ZOLADEX | 33 |
| VITRAKVI | 32 | XERMELO..... | 32 | zoledronic acid | 73 |
| VIVITROL | 43 | XIAFLEX | 65 | zoledronic acid-mannitol- water | 65 |
| VIVOTIF | 80 | XIFAXAN | 16 | ZOLINZA..... | 33 |
| VIZIMPRO | 32 | XIGDUO XR..... | 71 | zolpidem | 49 |
| VONJO..... | 32 | XiIDRA | 88 | ZONISADE | 36 |
| VORANIGO..... | 32 | | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

| | | |
|---------------------------------|-------------------|--------------------------|
| <i>zonisamide</i>36 | ZURZUVAE.....49 | ZYNLONTA33 |
| <i>zovia 1-35 (28)</i>87 | ZYDELIG33 | ZYNYZ33 |
| <i>ZTALMY</i>36 | ZYKADIA.....33 | ZYPREXA RELPREVV49 |
| <i>zumandimine (28)</i>87 | ZYMFENTRA76 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.

This formulary was updated on 09/19/2025. We have made no changes to this formulary since 08/28/2025. For more recent information or other questions, please contact the WellSense Member Service department at **855-833-8128** (TTY users should call **711**), Monday through Friday 8 a.m. to 8 p.m. (April 1 through September 30, except holidays) or seven days a week (October 1 through March 31) or visit **wellsense.org/yourmedicare**.

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 08/28/2025.