

WellSense Signature (HMO)

2024 Formulary

(List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID: 24242, Version Number: 10

This formulary was updated on 03/25/2024. We have made no changes to this formulary since 03/15/2024. For more recent information or other questions, please contact the WellSense Member Service department at 855-833-8128 (TTY users should call 711), Monday through Friday 8 a.m. to 8 p.m. (April 1 through September 30, except holidays) or seven days a week (October 1 through March 31) or visit wellsense.org/medicare.

H6851_NHMA_FormularySignature_2024_C

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take. When this drug list (formulary) refers to "we," "us", or "our," it means WellSense Medicare Advantage. When it refers to "plan" or "our plan," it means WellSense Signature (HMO). This document includes a list of the drugs (formulary) for our plan, which is current as of 03/15/2024. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages. You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025 and from time to time during the year.

What is the WellSense Signature Formulary?

A formulary is a list of covered drugs selected by WellSense Medicare Advantage in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. WellSense will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a WellSense network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled "How do I request an exception to the WellSense Signature's Formulary?"

Drugs removed from the market. If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand-name drug currently on the formulary, or add new restrictions to the brand-name drug or move it to a different cost-sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive 30-day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find

information in the section below entitled "How do I request an exception to the WellSense Signature's Formulary?"

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 03/15/2024. To get updated information about the drugs covered by WellSense Signature please contact us. Our contact information appears on the front and back cover pages. Printed formularies are available upon request and may be updated throughout the year. You can review our plan's up-to-date formulary online at wellsense.org/medicare or by contacting Member Services to request a copy. We will notify you via mail if mid-year non-maintenance formulary changes occur.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 8. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category Cardiovascular, Hypertension/Lipids. If you know what your drug is used for, look for the category name in the list that begins on page 8. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 108. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

WellSense Signature covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** WellSense Signature requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from WellSense Signature before you fill your prescriptions. If you don't get approval, WellSense Signature may not cover the drug.
- **Quantity Limits:** For certain drugs, WellSense Signature limits the amount of the drug that WellSense Signature will cover. For example, WellSense Signature provides 30 capsules per prescription for omeprazole. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, WellSense Signature requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, WellSense Signature may not cover Drug B unless you try Drug A first. If Drug A does not work for you, WellSense Signature will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 8. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online a document that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask WellSense Signature to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the WellSense Signature's formulary?" on page 5 for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered. For more information, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you learn that WellSense Signature does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by WellSense Signature. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by WellSense Signature
- You can ask WellSense Signature to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the WellSense Signature's Formulary?

You can ask WellSense Signature to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.

- You can ask us to cover a formulary drug at lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, WellSense Signature limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, WellSense Signature will only approve your request for an exception if the alternative drugs included on the plan's formulary or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception, you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30 day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

For more information

For more detailed information about your WellSense Signature prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about WellSense Signature, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

WellSense Signature Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by WellSense Signature. If you have trouble finding your drug in the list, turn to the Index that begins on page 108.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., TRULICITY) and generic drugs are listed in lower-case italics (e.g., *lisinopril*).

The information in the Requirements/Limits column tells you if WellSense Signature has any special requirements for coverage of your drug.

WellSense Health Plan is an HMO plan with a Medicare contract. Enrollment in WellSense Medicare Advantage HMO plans depends on contract renewal.

Index of Drugs

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug.

List of Abbreviations

B/D PA: This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

LA: Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

MO: Mail-Order Drug. This prescription drug is available through our mail-order service, as well as through our retail network pharmacies. Consider using mail order for your long-term (maintenance) medications (such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

PA: Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

QL: Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

ST: Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

V: This vaccine is provided to adults at no cost when used based on recommendations by the Centers for Disease Control and Prevention's (CDC) Advisory Committee on Immunization Practices (ACIP).

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ANTI - INFECTIVES | | |
| ANTIFUNGAL AGENTS | | |
| ABELCET | 4 | B/D PA |
| <i>amphotericin b</i> | 4 | B/D PA; MO |
| <i>caspofungin</i> | 4 | |
| <i>clotrimazole mucous membrane</i> | 2 | MO |
| CRESEMBA ORAL | 5 | PA |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 400 mg/200 ml</i> | 4 | PA |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i> | 4 | PA; MO |
| <i>fluconazole oral suspension for reconstitution</i> | 3 | MO |
| <i>fluconazole oral tablet</i> | 2 | MO |
| <i>flucytosine</i> | 5 | MO |
| <i>griseofulvin microsize</i> | 4 | MO |
| <i>griseofulvin ultramicrosize</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>itraconazole oral capsule</i> | 4 | MO; QL (120 per 30 days) |
| <i>itraconazole oral solution</i> | 4 | MO |
| <i>ketoconazole oral</i> | 2 | MO |
| <i>micafungin</i> | 5 | MO |
| <i>nystatin oral</i> | 2 | MO |
| <i>posaconazole oral tablet,delayed release (dr/ec)</i> | 5 | PA; MO; QL (96 per 30 days) |
| <i>terbinafine hcl oral</i> | 2 | MO |
| <i>voriconazole intravenous</i> | 5 | PA; MO |
| <i>voriconazole oral suspension for reconstitution</i> | 5 | PA; MO |
| <i>voriconazole oral tablet</i> | 4 | PA; MO |
| ANTIVIRALS | | |
| <i>abacavir</i> | 3 | MO |
| <i>abacavir-lamivudine</i> | 3 | MO |
| <i>acyclovir oral capsule</i> | 2 | MO |
| <i>acyclovir oral suspension 200 mg/5 ml</i> | 4 | MO |
| <i>acyclovir oral tablet</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>acyclovir sodium intravenous solution</i> | 4 | B/D PA; MO |
| <i>adefovir</i> | 4 | MO |
| <i>amantadine hcl oral capsule</i> | 3 | MO |
| <i>amantadine hcl oral solution</i> | 3 | MO |
| <i>APRETUDE</i> | 5 | MO |
| <i>APTIVUS</i> | 5 | MO |
| <i>atazanavir</i> | 4 | MO |
| <i>BARACLUDE ORAL SOLUTION</i> | 5 | MO |
| <i>BIKTARVY</i> | 5 | MO |
| <i>CABENNUVA</i> | 5 | MO |
| <i>cidofovir</i> | 5 | B/D PA; MO |
| <i>CIMDUO</i> | 5 | MO |
| <i>COMPLERA</i> | 5 | MO |
| <i>darunavir</i> | 5 | MO |
| <i>DELSTRIGO</i> | 5 | MO |
| <i>DESCOVY</i> | 5 | MO |
| <i>DOVATO</i> | 5 | MO |
| <i>EDURANT</i> | 5 | MO |
| <i>efavirenz</i> | 4 | MO |
| <i>efavirenz-emtricitabine-tenofovir</i> | 5 | MO |
| <i>efavirenz-lamivu-tenofovir disop</i> | 5 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>emtricitabine</i> | 4 | MO |
| <i>emtricitabine-tenofovir (tdf)</i> | 4 | MO |
| <i>EMTRIVA ORAL SOLUTION</i> | 3 | MO |
| <i>entecavir</i> | 4 | MO |
| <i>EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG</i> | 5 | PA; MO; QL (28 per 28 days) |
| <i>EPCLUSA ORAL PELLETS IN PACKET 200-50 MG</i> | 5 | PA; MO; QL (56 per 28 days) |
| <i>EPCLUSA ORAL TABLET 200-50 MG</i> | 5 | PA; MO; QL (56 per 28 days) |
| <i>EPCLUSA ORAL TABLET 400-100 MG</i> | 5 | PA; MO; QL (28 per 28 days) |
| <i>etravirine</i> | 5 | MO |
| <i>EVOTAZ</i> | 5 | MO |
| <i>famciclovir</i> | 3 | MO |
| <i>fosamprenavir</i> | 4 | MO |
| <i>FUZEON SUBCUTANEOUS RECON SOLN</i> | 5 | MO |
| <i>ganciclovir sodium intravenous recon soln</i> | 2 | B/D PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| <i>ganciclovir sodium intravenous solution</i> | 2 | B/D PA |
| GENVOYA | 5 | MO |
| HARVONI ORAL PELLETS IN PACKET 33.75-150 MG | 5 | PA; MO; QL (28 per 28 days) |
| HARVONI ORAL PELLETS IN PACKET 45-200 MG | 5 | PA; MO; QL (56 per 28 days) |
| HARVONI ORAL TABLET 45-200 MG | 5 | PA; MO; QL (56 per 28 days) |
| HARVONI ORAL TABLET 90-400 MG | 5 | PA; MO; QL (28 per 28 days) |
| INTELENCE ORAL TABLET 25 MG | 4 | MO |
| ISENTRESS HD | 5 | MO |
| ISENTRESS ORAL POWDER IN PACKET | 5 | MO |
| ISENTRESS ORAL TABLET | 5 | MO |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG | 5 | MO |
| ISENTRESS ORAL TABLET,CHEWABLE 25 MG | 3 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| JULUCA | 5 | MO |
| LAGEVRIO (EUA) | 1 | QL (40 per 180 days) |
| <i>lamivudine</i> | 3 | MO |
| <i>lamivudine-zidovudine</i> | 3 | MO |
| LEXIVA ORAL SUSPENSION | 4 | MO |
| <i>lopinavir-ritonavir oral solution</i> | 4 | MO |
| <i>lopinavir-ritonavir oral tablet</i> | 3 | MO |
| maraviroc | 5 | MO |
| <i>nevirapine oral suspension</i> | 4 | |
| <i>nevirapine oral tablet</i> | 3 | MO |
| <i>nevirapine oral tablet extended release 24 hr</i> | 4 | MO |
| NORVIR ORAL POWDER IN PACKET | 4 | MO |
| ODEFSEY | 5 | MO |
| <i>oseltamivir</i> | 3 | MO |
| PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG | 1 | QL (20 per 180 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG | 1 | QL (30 per 180 days) |
| PIFELTRO | 5 | MO |
| PREVYMIS INTRAVENOUS | 5 | PA |
| PREVYMIS ORAL | 5 | PA; MO; QL (30 per 30 days) |
| PREZCOBIX | 5 | MO |
| PREZISTA ORAL SUSPENSION | 5 | MO |
| PREZISTA ORAL TABLET 150 MG, 75 MG | 4 | MO |
| RELENZA DISKHALER | 4 | MO |
| RETROVIR INTRAVENOUS | 3 | MO |
| REYATAZ ORAL POWDER IN PACKET | 5 | MO |
| <i>ribavirin oral capsule</i> | 3 | MO |
| <i>ribavirin oral tablet 200 mg</i> | 3 | MO |
| <i>rimantadine</i> | 4 | MO |
| <i>ritonavir</i> | 3 | MO |
| RUKOBIA | 5 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| SELZENTRY ORAL SOLUTION | 3 | MO |
| SELZENTRY ORAL TABLET 25 MG, 75 MG | 3 | MO |
| STRIBILD | 5 | MO |
| SUNLENCA | 5 | |
| SYMTUZA | 5 | MO |
| SYNAGIS | 5 | MO; LA |
| <i>tenofovir disoproxil fumarate</i> | 4 | MO |
| TIVICAY ORAL TABLET 10 MG | 3 | |
| TIVICAY ORAL TABLET 25 MG, 50 MG | 5 | MO |
| TIVICAY PD | 5 | MO |
| TRIUMEQ | 5 | MO |
| TRIUMEQ PD | 5 | MO |
| TRIZIVIR | 5 | |
| TROGARZO | 5 | MO; LA |
| <i>valacyclovir oral tablet 1 gram</i> | 3 | MO; QL (120 per 30 days) |
| <i>valacyclovir oral tablet 500 mg</i> | 3 | MO; QL (60 per 30 days) |
| <i>valganciclovir oral recon soln</i> | 5 | MO |
| <i>valganciclovir oral tablet</i> | 3 | MO |
| VEKLURY | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|--|------------------|----------------------------|
| VEMLIDY | 5 | MO | <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> | 3 | MO |
| VIRACEPT ORAL TABLET | 5 | MO | <i>cefazolin in dextrose (iso-os) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i> | 4 | MO |
| VIREAD ORAL POWDER | 5 | MO | <i>cefazolin injection recon soln 1 gram, 500 mg</i> | 4 | MO |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 4 | MO | <i>cefazolin injection recon soln 10 gram, 100 gram, 300 g</i> | 4 | |
| VOSEVI | 5 | PA; MO; QL (28 per 28 days) | <i>cefazolin intravenous recon soln 1 gram</i> | 4 | |
| <i>zidovudine oral capsule</i> | 4 | MO | <i>cefdinir oral capsule</i> | 2 | MO |
| <i>zidovudine oral syrup</i> | 4 | MO | <i>cefdinir oral suspension for reconstitution</i> | 3 | MO |
| <i>zidovudine oral tablet</i> | 2 | MO | <i>cefepime in dextrose, iso-osm</i> | 4 | |
| CEPHALOSPORINS | | | | | |
| <i>cefaclor oral capsule</i> | 3 | MO | <i>cefepime injection</i> | 4 | MO |
| <i>cefaclor oral suspension for reconstitution 125 mg/5 ml</i> | 4 | MO | <i>cefixime</i> | 4 | MO |
| <i>cefaclor oral suspension for reconstitution 250 mg/5 ml, 375 mg/5 ml</i> | 4 | | <i>cefoxitin in dextrose, iso-osm</i> | 4 | PA |
| <i>cefadroxil oral capsule</i> | 2 | MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|--|------------------|----------------------------|
| <i>cefoxitin intravenous recon soln 1 gram, 2 gram</i> | 4 | PA; MO | <i>cefuroxime sodium intravenous recon soln 1.5 gram</i> | 4 | PA; MO |
| <i>cefoxitin intravenous recon soln 10 gram</i> | 4 | PA | <i>cefuroxime sodium intravenous recon soln 7.5 gram</i> | 4 | PA |
| <i>cefpodoxime</i> | 4 | MO | <i>cephalexin oral capsule 250 mg, 500 mg</i> | 2 | MO |
| <i>cefprozil</i> | 3 | MO | <i>cephalexin oral suspension for reconstitution</i> | 2 | MO |
| <i>ceftazidime injection recon soln 1 gram, 2 gram</i> | 4 | PA; MO | <i>tazicef injection</i> | 4 | PA; MO |
| <i>ceftazidime injection recon soln 6 gram</i> | 4 | PA | <i>tazicef intravenous</i> | 4 | PA |
| <i>ceftriaxone in dextrose,iso-os</i> | 4 | MO | <i>TEFLARO</i> | 5 | PA; MO |
| <i>ceftriaxone injection recon soln 1 gram, 2 gram, 250 mg, 500 mg</i> | 4 | MO | ERYTHROMYCINS / OTHER MACROLIDES | | |
| <i>ceftriaxone injection recon soln 10 gram</i> | 4 | | <i>azithromycin intravenous</i> | 4 | PA; MO |
| <i>ceftriaxone intravenous</i> | 4 | MO | <i>azithromycin oral packet</i> | 3 | MO |
| <i>cefuroxime axetil oral tablet</i> | 3 | MO | <i>azithromycin oral suspension for reconstitution</i> | 2 | MO |
| <i>cefuroxime sodium injection recon soln 750 mg</i> | 4 | PA; MO | <i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i> | 2 | |
| | | | <i>azithromycin oral tablet 250 mg, 500 mg, 600 mg</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>clarithromycin oral suspension for reconstitution</i> | 4 | MO |
| <i>clarithromycin oral tablet</i> | 3 | MO |
| <i>clarithromycin oral tablet extended release 24 hr</i> | 3 | MO |
| DIFICID ORAL TABLET | 5 | MO; QL (20 per 10 days) |
| e.e.s. 400 oral tablet | 4 | MO |
| <i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 333 mg</i> | 4 | MO |
| <i>erythrocin (as stearate) oral tablet 250 mg</i> | 4 | |
| <i>erythromycin ethylsuccinate oral tablet</i> | 4 | MO |
| <i>erythromycin oral</i> | 4 | MO |
| MISCELLANEOUS ANTIINFECTIVES | | |
| <i>albendazole</i> | 5 | MO |
| <i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i> | 4 | PA; MO |
| <i>ARIKAYCE</i> | 5 | PA; LA |
| <i>atovaquone</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|
| <i>atovaquone-proguanil</i> | 4 | MO |
| <i>aztreonam</i> | 4 | PA; MO |
| <i>bacitracin intramuscular</i> | 4 | |
| CAYSTON | 5 | PA; MO; LA; QL (84 per 56 days) |
| <i>chloramphenicol sod succinate</i> | 4 | |
| <i>chloroquine phosphate</i> | 4 | MO |
| <i>clindamycin hcl</i> | 2 | MO |
| <i>clindamycin in 5 % dextrose</i> | 4 | PA; MO |
| <i>clindamycin phosphate injection</i> | 4 | PA; MO |
| <i>clindamycin phosphate intravenous</i> | 4 | PA; MO |
| COARTEM | 4 | MO |
| <i>colistin (colistimethate na)</i> | 4 | PA; MO; QL (30 per 10 days) |
| <i>dapsone oral</i> | 3 | MO |
| DAPTOMYCIN INTRAVENOUS RECON SOLN 350 MG | 5 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------|
| daptomycin <i>intravenous recon soln 500 mg</i> | 5 | MO |
| EMVERM | 5 | MO |
| ertapenem | 4 | PA; MO; QL (14 per 14 days) |
| ethambutol | 3 | MO |
| gentamicin in nacl (iso-osm) <i>intravenous piggyback 100 mg/100 ml, 60 mg/50 ml, 80 mg/50 ml</i> | 4 | PA; MO |
| gentamicin in nacl (iso-osm) <i>intravenous piggyback 80 mg/100 ml</i> | 4 | PA |
| gentamicin injection solution 40 mg/ml | 4 | PA; MO |
| gentamicin sulfate (ped) (pf) | 4 | PA; MO |
| hydroxychloroquine oral tablet 200 mg | 2 | MO |
| imipenem-cilastatin | 4 | PA; MO |
| isoniazid injection | 4 | |
| isoniazid oral solution | 4 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| isoniazid oral tablet | 2 | MO |
| ivermectin oral | 3 | PA; MO; QL (20 per 30 days) |
| lincomycin | 4 | PA |
| linezolid in dextrose 5% | 4 | PA; MO |
| linezolid oral suspension for reconstitution | 5 | MO |
| linezolid oral tablet | 4 | MO |
| linezolid-0.9% sodium chloride | 4 | PA |
| mefloquine | 2 | MO |
| meropenem intravenous recon soln 1 gram | 4 | PA; QL (30 per 10 days) |
| meropenem intravenous recon soln 500 mg | 4 | PA; QL (10 per 10 days) |
| metro i.v. | 4 | PA; MO |
| metronidazole in nacl (iso-os) | 4 | PA; MO |
| metronidazole oral tablet | 2 | MO |
| neomycin | 2 | MO |
| nitazoxanide | 5 | MO |
| paromomycin | 4 | |
| pentamidine inhalation | 4 | B/D PA; MO; QL (1 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|--|------------------|-----------------------------|
| <i>pentamidine injection</i> | 4 | MO | VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | 3 | PA; QL (4000 per 10 days) |
| <i>praziquantel</i> | 4 | MO | VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | 3 | PA; QL (4000 per 10 days) |
| PRIFTIN | 3 | MO | VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | 3 | PA; QL (4000 per 10 days) |
| PRIMAQUINE | 4 | MO | VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | 3 | PA; QL (4000 per 10 days) |
| <i>pyrazinamide</i> | 4 | MO | VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | 3 | PA; QL (4000 per 10 days) |
| <i>pyrimethamine</i> | 5 | PA; MO | VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | 3 | PA; QL (4000 per 10 days) |
| <i>quinine sulfate</i> | 4 | MO | VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | 3 | PA; QL (4000 per 10 days) |
| <i>rifabutin</i> | 4 | MO | VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | 3 | PA; QL (4000 per 10 days) |
| <i>rifampin intravenous</i> | 4 | MO | VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | 3 | PA; QL (4000 per 10 days) |
| <i>rifampin oral</i> | 3 | MO | VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | 3 | PA; QL (4000 per 10 days) |
| SIRTURO | 5 | PA; LA | VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | 3 | PA; QL (4000 per 10 days) |
| STREPTOMYCIN | 5 | PA; MO; QL (60 per 30 days) | VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | 3 | PA; QL (4000 per 10 days) |
| <i>tigecycline</i> | 5 | PA; MO | vancomycin intravenous recon soln 1,000 mg | 4 | PA; MO; QL (20 per 10 days) |
| <i>tinidazole</i> | 3 | MO | vancomycin intravenous recon soln 10 gram | 4 | PA; QL (2 per 10 days) |
| <i>tobramycin in 0.225 % nacl</i> | 5 | PA; MO; QL (280 per 28 days) | vancomycin intravenous recon soln 5 gram | 4 | PA; QL (4 per 10 days) |
| <i>tobramycin inhalation</i> | 5 | PA; MO; QL (224 per 28 days) | vancomycin intravenous recon soln 500 mg | 4 | PA; MO; QL (10 per 10 days) |
| <i>tobramycin sulfate injection recon soln</i> | 4 | PA; QL (9 per 14 days) | vancomycin intravenous recon soln 750 mg | 4 | PA; MO; QL (27 per 10 days) |
| <i>tobramycin sulfate injection solution</i> | 4 | PA; MO | | | |
| TRECATOR | 4 | MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|--|------------------|----------------------------|
| vancomycin oral capsule 125 mg | 4 | PA; MO; QL (40 per 10 days) | amoxicillin-pot clavulanate oral tablet, chewable | 2 | MO |
| vancomycin oral capsule 250 mg | 4 | PA; MO; QL (80 per 10 days) | ampicillin oral capsule 500 mg | 2 | MO |
| XIFAXAN ORAL TABLET 200 MG | 3 | QL (9 per 30 days) | ampicillin sodium injection | 4 | PA; MO |
| XIFAXAN ORAL TABLET 550 MG | 5 | MO; QL (90 per 30 days) | ampicillin sodium intravenous | 4 | PA |
| PENICILLINS | | | | | |
| amoxicillin oral capsule | 2 | MO | ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram | 4 | PA; MO |
| amoxicillin oral suspension for reconstitution | 2 | MO | ampicillin-sulbactam injection recon soln 15 gram | 4 | PA |
| amoxicillin oral tablet | 2 | MO | ampicillin-sulbactam intravenous | 4 | PA |
| amoxicillin oral tablet, chewable 125 mg, 250 mg | 2 | MO | AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 125-31.25 MG/5 ML | 4 | MO |
| amoxicillin-pot clavulanate oral suspension for reconstitution | 2 | MO | BICILLIN C-R | 3 | PA; MO |
| amoxicillin-pot clavulanate oral tablet | 2 | MO | BICILLIN L-A | 4 | PA; MO |
| amoxicillin-pot clavulanate oral tablet extended release 12 hr | 4 | MO | dicloxacillin | 2 | MO |
| | | | nafcillin in dextrose iso-osm | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| nafcillin injection recon soln 1 gram, 2 gram | 4 | PA; MO |
| nafcillin injection recon soln 10 gram | 5 | PA |
| nafcillin intravenous recon soln 2 gram | 4 | PA |
| oxacillin in dextrose(iso-osm) | 4 | PA |
| oxacillin injection recon soln 1 gram, 10 gram | 4 | PA |
| oxacillin injection recon soln 2 gram | 4 | PA; MO |
| penicillin g potassium | 4 | PA; MO |
| penicillin g sodium | 4 | PA; MO |
| penicillin v potassium | 2 | MO |
| pfizerpen-g | 4 | PA |
| piperacillin- tazobactam intravenous recon soln 13.5 gram, 40.5 gram | 4 | |
| piperacillin- tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram | 4 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| QUINOLONES | | |
| ciprofloxacin hcl oral tablet 100 mg | 4 | |
| ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg | 2 | MO |
| ciprofloxacin in 5 % dextrose | 4 | PA; MO |
| ciprofloxacin oral suspension,microc apsule recon 500 mg/5 ml | 4 | |
| levofloxacin in d5w intravenous piggyback 250 mg/50 ml | 4 | PA |
| levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml | 4 | PA; MO |
| levofloxacin intravenous | 4 | PA |
| levofloxacin oral solution | 4 | MO |
| levofloxacin oral tablet | 2 | MO |
| moxifloxacin oral | 3 | MO |
| moxifloxacin- sod.chloride(iso) | 4 | PA; MO |
| SULFA'S / RELATED AGENTS | | |
| sulfadiazine | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| sulfamethoxazole-trimethoprim intravenous | 4 | PA; MO |
| sulfamethoxazole-trimethoprim oral suspension | 3 | MO |
| sulfamethoxazole-trimethoprim oral tablet | 1 | MO |
| TETRACYCLINES | | |
| doxy-100 | 4 | PA; MO |
| doxycycline hyclate intravenous | 4 | PA |
| doxycycline hyclate oral capsule | 2 | MO |
| doxycycline hyclate oral tablet 100 mg, 20 mg, 50 mg | 2 | MO |
| doxycycline monohydrate oral capsule 100 mg, 50 mg | 2 | MO |
| doxycycline monohydrate oral suspension for reconstitution | 4 | MO |
| doxycycline monohydrate oral tablet 100 mg, 50 mg, 75 mg | 2 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| minocycline oral capsule | 2 | MO |
| minocycline oral tablet | 4 | MO |
| monodoxine nl oral capsule 100 mg | 2 | |
| tetracycline oral capsule | 4 | MO |
| URINARY TRACT AGENTS | | |
| methenamine hippurate | 3 | MO |
| methenamine mandelate oral tablet 0.5 g | 2 | MO |
| methenamine mandelate oral tablet 1 gram | 2 | |
| nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg | 3 | MO |
| nitrofurantoin monohyd/m-cryst | 3 | MO |
| trimethoprim | 2 | MO |
| ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS | | |
| ADJUNCTIVE AGENTS | | |
| dexrazoxane hcl | 5 | B/D PA; MO |
| ELITEK | 5 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| KEPIVANCE INTRAVENOUS RECON SOLN 5.16 MG | 5 | |
| KHAPZORY INTRAVENOUS RECON SOLN 175 MG | 5 | B/D PA |
| <i>leucovorin calcium oral</i> | 3 | MO |
| <i>levoleucovorin calcium intravenous recon soln</i> | 5 | B/D PA; MO |
| <i>levoleucovorin calcium intravenous solution</i> | 5 | B/D PA |
| mesna | 2 | B/D PA; MO |
| MESNEX ORAL | 5 | MO |
| VISTOGARD | 5 | PA |
| XGEVA | 5 | B/D PA; MO |
| ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS | | |
| <i>abiraterone oral tablet 250 mg</i> | 5 | PA; MO; QL (120 per 30 days) |
| <i>abiraterone oral tablet 500 mg</i> | 5 | PA; MO; QL (60 per 30 days) |
| ABRAXANE | 5 | B/D PA; MO |
| ADCETRIS | 5 | B/D PA; MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| ADSTILADRIN | 5 | PA |
| AKEEGA | 5 | PA; LA; QL (60 per 30 days) |
| ALECENSA | 5 | PA; MO; QL (240 per 30 days) |
| ALIQOPA | 5 | B/D PA; LA |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG | 5 | PA; QL (30 per 30 days) |
| ALUNBRIG ORAL TABLET 30 MG | 5 | PA; QL (60 per 30 days) |
| ALUNBRIG ORAL TABLETS,DOSE PACK | 5 | PA; QL (30 per 180 days) |
| <i>anastrozole</i> | 2 | MO |
| <i>arsenic trioxide intravenous solution 1 mg/ml</i> | 5 | B/D PA |
| <i>arsenic trioxide intravenous solution 2 mg/ml</i> | 5 | B/D PA; MO |
| ASPARLAS | 5 | PA |
| AUGTYRO | 5 | PA; MO; QL (240 per 30 days) |
| AYVAKIT | 5 | PA; LA; QL (30 per 30 days) |
| <i>azacitidine</i> | 5 | B/D PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| azathioprine oral tablet 50 mg | 2 | B/D PA; MO |
| azathioprine sodium | 2 | B/D PA; MO |
| BALVERSA | 5 | PA; LA |
| BAVENCIO | 5 | B/D PA; LA |
| BELEODAQ | 5 | B/D PA |
| bendamustine intravenous recon soln | 5 | B/D PA; MO |
| BENDEKA | 5 | B/D PA; MO |
| BESPONSA | 5 | B/D PA; MO; LA |
| bexarotene | 5 | PA; MO |
| bicalutamide | 2 | MO |
| bleomycin | 2 | B/D PA |
| BLINCYTO INTRAVENOUS KIT | 5 | B/D PA |
| BORTEZOMIB INJECTION RECON SOLN 1 MG, 2.5 MG | 5 | B/D PA |
| bortezomib injection recon soln 3.5 mg | 5 | B/D PA; MO |
| BOSULIF ORAL CAPSULE 100 MG | 5 | PA; QL (90 per 30 days) |
| BOSULIF ORAL CAPSULE 50 MG | 5 | PA; QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------|------------------|----------------------------------|
| BOSULIF ORAL TABLET 100 MG | 5 | PA; MO; QL (90 per 30 days) |
| BOSULIF ORAL TABLET 400 MG, 500 MG | 5 | PA; MO; QL (30 per 30 days) |
| BRAFTOVI | 5 | PA; MO; LA; QL (180 per 30 days) |
| BRUKINSA | 5 | PA; LA; QL (120 per 30 days) |
| busulfan | 5 | B/D PA |
| CABOMETYX | 5 | PA; MO; LA; QL (30 per 30 days) |
| CALQUENCE | 5 | PA; LA; QL (60 per 30 days) |
| CALQUENCE (ACALABRUTINIB MAL) | 5 | PA; LA; QL (60 per 30 days) |
| CAPRELSA ORAL TABLET 100 MG | 5 | PA; LA; QL (60 per 30 days) |
| CAPRELSA ORAL TABLET 300 MG | 5 | PA; LA; QL (30 per 30 days) |
| carboplatin intravenous solution | 2 | B/D PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|---|------------------|----------------------------|
| carmustine <i>intravenous recon soln 100 mg</i> | 5 | B/D PA; MO | cyclophosphamide <i>oral capsule</i> | 3 | B/D PA; MO |
| cisplatin <i>intravenous solution</i> | 2 | B/D PA; MO | CYCLOPHOSPHA MIDE ORAL TABLET 25 MG | 3 | B/D PA |
| cladribine | 5 | B/D PA; MO | CYCLOPHOSPHA MIDE ORAL TABLET 50 MG | 3 | B/D PA; MO |
| clofarabine | 5 | B/D PA | cyclosporine <i>intravenous</i> | 2 | B/D PA |
| COLUMVI | 5 | PA; MO | cyclosporine <i>modified oral capsule</i> | 4 | B/D PA; MO |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1) | 5 | PA; MO; QL (56 per 28 days) | cyclosporine <i>modified oral solution</i> | 4 | B/D PA |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3) | 5 | PA; MO; QL (112 per 28 days) | cyclosporine oral <i>capsule</i> | 4 | B/D PA; MO |
| COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY) | 5 | PA; MO; QL (84 per 28 days) | CYRAMZA | 5 | B/D PA; MO |
| COPIKTRA | 5 | PA; LA; QL (60 per 30 days) | cytarabine | 2 | B/D PA; MO |
| COSMEGEN | 5 | B/D PA; MO | cytarabine (pf) <i>injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i> | 2 | B/D PA; MO |
| COTELLIC | 5 | PA; MO; LA; QL (63 per 28 days) | cytarabine (pf) <i>injection solution 20 mg/ml</i> | 2 | B/D PA |
| cyclophosphamide <i>intravenous recon soln</i> | 2 | B/D PA; MO | dacarbazine | 2 | B/D PA; MO |
| | | | dactinomycin | 2 | B/D PA; MO |
| | | | DANYELZA | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| DARZALEX | 5 | B/D PA; MO; LA |
| <i>daunorubicin</i> | 2 | B/D PA |
| DAURISMO ORAL TABLET 100 MG | 5 | PA; MO; QL (30 per 30 days) |
| DAURISMO ORAL TABLET 25 MG | 5 | PA; MO; QL (60 per 30 days) |
| <i>decitabine</i> | 5 | B/D PA; MO |
| <i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 80 mg/8 ml (10 mg/ml)</i> | 5 | B/D PA |
| <i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml)</i> | 5 | B/D PA; MO |
| <i>doxorubicin intravenous recon soln 10 mg</i> | 2 | B/D PA |
| <i>doxorubicin intravenous recon soln 50 mg</i> | 2 | B/D PA; MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>doxorubicin intravenous solution 10 mg/5 ml, 20 mg/10 ml, 50 mg/25 ml</i> | 2 | B/D PA; MO |
| <i>doxorubicin intravenous solution 2 mg/ml</i> | 2 | B/D PA |
| <i>doxorubicin, peg-liposomal</i> | 5 | B/D PA; MO |
| DROXIA | 3 | MO |
| ELIGARD | 3 | PA; MO |
| ELIGARD (3 MONTH) | 3 | PA; MO |
| ELIGARD (4 MONTH) | 3 | PA; MO |
| ELIGARD (6 MONTH) | 3 | PA; MO |
| ELREXFIO | 5 | PA |
| ELZONRIS | 5 | PA; LA |
| EMCYT | 5 | MO |
| EMPLICITI | 5 | B/D PA; MO |
| ENVARSUS XR | 4 | B/D PA; MO |
| <i>epirubicin intravenous solution 200 mg/100 ml</i> | 2 | B/D PA |
| EPKINLY | 5 | PA |
| ERBITUX | 5 | B/D PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|--|------------------|---------------------------------|
| ERIVEDGE | 5 | PA; MO; QL (30 per 30 days) | everolimus <i>(antineoplastic)</i> oral tablet for suspension 5 mg | 5 | PA; MO; QL (180 per 30 days) |
| ERLEADA ORAL TABLET 240 MG | 5 | PA; MO; QL (30 per 30 days) | everolimus <i>(immunosuppressive)</i> oral tablet 0.25 mg | 4 | B/D PA; MO |
| ERLEADA ORAL TABLET 60 MG | 5 | PA; MO; QL (120 per 30 days) | everolimus <i>(immunosuppressive)</i> oral tablet 0.5 mg, 0.75 mg, 1 mg | 5 | B/D PA; MO |
| erlotinib oral tablet 100 mg, 150 mg | 5 | PA; MO; QL (30 per 30 days) | exemestane | 4 | MO |
| erlotinib oral tablet 25 mg | 5 | PA; MO; QL (60 per 30 days) | EXKIVITY | 5 | PA; LA; QL (120 per 30 days) |
| ERWINASE | 5 | B/D PA | FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG | 5 | PA; MO |
| ETOPOPHOS | 4 | B/D PA; MO | FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG | 4 | PA; MO |
| etoposide <i>intravenous</i> | 2 | B/D PA; MO | floxuridine | 2 | B/D PA |
| everolimus <i>(antineoplastic)</i> oral tablet | 5 | PA; MO; QL (30 per 30 days) | fludarabine <i>intravenous recon soln</i> | 2 | B/D PA; MO |
| everolimus <i>(antineoplastic)</i> oral tablet for suspension 2 mg | 5 | PA; MO; QL (330 per 30 days) | | | |
| everolimus <i>(antineoplastic)</i> oral tablet for suspension 3 mg | 5 | PA; MO; QL (240 per 30 days) | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|---|------------------|-----------------------------|
| <i>fludarabine intravenous solution</i> | 2 | B/D PA | <i>gemcitabine intravenous recon soln 1 gram, 200 mg</i> | 2 | B/D PA; MO |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 500 mg/10 ml</i> | 2 | B/D PA; MO | <i>gemcitabine intravenous recon soln 2 gram</i> | 2 | B/D PA |
| <i>fluorouracil intravenous solution 2.5 gram/50 ml, 5 gram/100 ml</i> | 2 | B/D PA | <i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i> | 2 | B/D PA; MO |
| FOLOTYN | 5 | B/D PA; MO | GEMCITABINE INTRAVENOUS SOLUTION 100 MG/ML | 3 | B/D PA |
| FOTIVDA | 5 | PA; LA; QL (21 per 28 days) | genograf | 4 | B/D PA; MO |
| FRUZAQLA ORAL CAPSULE 1 MG | 5 | PA; QL (84 per 28 days) | GILOTRIF | 5 | PA; MO; QL (30 per 30 days) |
| FRUZAQLA ORAL CAPSULE 5 MG | 5 | PA; QL (21 per 28 days) | GLEOSTINE | 5 | MO |
| fulvestrant | 5 | B/D PA; MO | HALAVEN | 5 | B/D PA; MO |
| FYARRO | 5 | PA | hydroxyurea | 2 | MO |
| GAVRETO | 5 | PA; MO; LA; QL (120 per 30 days) | IBRANCE | 5 | PA; MO; QL (21 per 28 days) |
| GAZYVA | 5 | B/D PA; MO | ICLUSIG | 5 | PA; QL (30 per 30 days) |
| gefitinib | 5 | PA; MO; QL (30 per 30 days) | idarubicin | 2 | B/D PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|---|------------------|--|
| IDHIFA | 5 | PA; MO; LA; QL (30 per 30 days) | INLYTA ORAL TABLET 1 MG | 5 | PA; MO; QL (180 per 30 days) |
| <i>ifosfamide</i> <i>intravenous recon</i> <i>soln</i> | 2 | B/D PA; MO | INLYTA ORAL TABLET 5 MG | 5 | PA; MO; QL (120 per 30 days) |
| <i>ifosfamide</i> <i>intravenous</i> <i>solution 1 gram/20</i> <i>ml</i> | 2 | B/D PA; MO | INQOVI | 5 | PA; MO; QL (5 per 28 days) |
| <i>ifosfamide</i> <i>intravenous</i> <i>solution 3 gram/60</i> <i>ml</i> | 2 | B/D PA | INREBIC | 5 | PA; MO; LA; QL (120 per 30 days) |
| <i>imatinib oral tablet</i> <i>100 mg</i> | 5 | PA; MO; QL (180 per 30 days) | <i>irinotecan</i> <i>intravenous</i> <i>solution 100 mg/5</i> <i>ml</i> | 2 | B/D PA; MO |
| <i>imatinib oral tablet</i> <i>400 mg</i> | 5 | PA; MO; QL (60 per 30 days) | <i>irinotecan</i> <i>intravenous</i> <i>solution 300</i> <i>mg/15 ml, 500</i> <i>mg/25 ml</i> | 5 | B/D PA |
| IMBRUICA ORAL CAPSULE 140 MG | 5 | PA; QL (120 per 30 days) | <i>irinotecan</i> <i>intravenous</i> <i>solution 40 mg/2</i> <i>ml</i> | 5 | B/D PA; MO |
| IMBRUICA ORAL CAPSULE 70 MG | 5 | PA; QL (30 per 30 days) | ISTODAX | 5 | B/D PA; MO |
| IMBRUICA ORAL SUSPENSION | 5 | PA; QL (324 per 30 days) | IWILFIN | 5 | PA; LA; QL (240 per 30 days) |
| IMBRUICA ORAL TABLET 140 MG, 280 MG, 420 MG | 5 | PA; QL (30 per 30 days) | IXEMPRA | 5 | B/D PA; MO |
| IMFINZI | 5 | B/D PA; MO; LA | JAKAFI | 5 | PA; MO; QL (60 per 30 days) |
| IMJUDO | 5 | PA; MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|---|------------------|------------------------------|
| JAYPIRCA ORAL TABLET 100 MG | 5 | PA; MO; QL (60 per 30 days) | KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2) | 5 | PA; MO; QL (42 per 28 days) |
| JAYPIRCA ORAL TABLET 50 MG | 5 | PA; MO; QL (30 per 30 days) | KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3) | 5 | PA; MO; QL (63 per 28 days) |
| JEMPERLI | 5 | PA; MO | KOSELUGO | 5 | PA |
| JEVTANA | 5 | B/D PA; MO | KRAZATI | 5 | PA; QL (180 per 30 days) |
| KADCYLA | 5 | PA; MO | KYPROLIS | 5 | B/D PA |
| <i>kemoplat</i> | 2 | B/D PA | <i>lapatinib</i> | 5 | PA; MO; QL (180 per 30 days) |
| KEYTRUDA | 5 | PA | <i>lenalidomide oral capsule 10 mg, 15 mg, 25 mg, 5 mg</i> | 5 | PA; MO; QL (28 per 28 days) |
| KIMMTRAK | 5 | PA | <i>lenalidomide oral capsule 2.5 mg, 20 mg</i> | 5 | PA; QL (28 per 28 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG | 5 | PA; MO; QL (49 per 28 days) | LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 4 MG | 5 | PA; MO; QL (30 per 30 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG | 5 | PA; MO; QL (70 per 28 days) | LENVIMA ORAL CAPSULE 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) | 5 | PA; MO; QL (90 per 30 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG | 5 | PA; MO; QL (91 per 28 days) | | | |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1) | 5 | PA; MO; QL (21 per 28 days) | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|--|------------------|----------------------------------|
| LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) | 5 | PA; MO; QL (60 per 30 days) | <i>megestrol oral suspension 400 mg/10 ml (10 ml)</i> | 3 | PA |
| <i>letrozole</i> | 2 | MO | <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i> | 3 | PA; MO |
| LEUKERAN | 5 | MO | <i>megestrol oral suspension 625 mg/5 ml (125 mg/ml)</i> | 4 | PA; MO |
| <i>leuprolide subcutaneous kit</i> | 5 | PA; MO | <i>megestrol oral tablet</i> | 3 | PA; MO |
| LIBTAYO | 5 | PA; LA | MEKINIST ORAL RECON SOLN | 5 | PA; MO; QL (1200 per 30 days) |
| LONSURF | 5 | PA; MO | MEKINIST ORAL TABLET 0.5 MG | 5 | PA; MO; QL (90 per 30 days) |
| LOQTORZI | 5 | PA | MEKINIST ORAL TABLET 2 MG | 5 | PA; MO; QL (30 per 30 days) |
| LORBRENA ORAL TABLET 100 MG | 5 | PA; MO; QL (30 per 30 days) | MEKTOVI | 5 | PA; MO; LA; QL (180 per 30 days) |
| LORBRENA ORAL TABLET 25 MG | 5 | PA; MO; QL (90 per 30 days) | <i>melphalan</i> | 2 | B/D PA; MO |
| LUMAKRAS | 5 | PA; MO | <i>melphalan hcl</i> | 5 | B/D PA |
| LUNSUMIO | 5 | PA; MO | <i>mercaptopurine</i> | 3 | MO |
| LUPRON DEPOT | 5 | PA; MO | <i>methotrexate sodium</i> | 2 | B/D PA; MO |
| LYNPARZA | 5 | PA; MO; QL (120 per 30 days) | | | |
| LYSODREN | 5 | | | | |
| LYTGOBI | 5 | PA; LA | | | |
| MARGENZA | 5 | PA | | | |
| MATULANE | 5 | | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|--|------------------|----------------------------------|
| <i>methotrexate sodium (pf) injection recon soln</i> | 2 | B/D PA | NINLARO | 5 | PA; MO; QL (3 per 28 days) |
| <i>methotrexate sodium (pf) injection solution</i> | 2 | B/D PA; MO | NUBEQA | 5 | PA; MO; LA; QL (120 per 30 days) |
| <i>mitomycin intravenous recon soln 20 mg, 5 mg</i> | 2 | B/D PA; MO | NULOJIX | 5 | B/D PA; MO |
| <i>mitomycin intravenous recon soln 40 mg</i> | 5 | B/D PA; MO | <i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i> | 5 | PA; MO |
| <i>mitoxantrone</i> | 2 | B/D PA; MO | <i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i> | 4 | PA; MO |
| MONJUVI | 5 | PA; LA | <i>octreotide acetate injection syringe 100 mcg/ml (1 ml)</i> | 4 | PA; MO |
| <i>mycophenolate mofetil (hcl)</i> | 4 | B/D PA; MO | <i>octreotide acetate injection syringe 50 mcg/ml (1 ml)</i> | 4 | PA |
| <i>mycophenolate mofetil oral capsule</i> | 3 | B/D PA; MO | <i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i> | 5 | PA; MO |
| <i>mycophenolate mofetil oral suspension for reconstitution</i> | 5 | B/D PA; MO | ODOMZO | 5 | PA; MO; LA; QL (30 per 30 days) |
| <i>mycophenolate mofetil oral tablet</i> | 3 | B/D PA; MO | OJJAARA | 5 | PA; QL (30 per 30 days) |
| <i>mycophenolate sodium</i> | 4 | B/D PA; MO | ONCASPAR | 5 | B/D PA |
| MYLOTARG | 5 | B/D PA; MO; LA | ONIVYDE | 5 | B/D PA |
| nelarabine | 5 | B/D PA; MO | | | |
| NERLYNX | 5 | PA; MO; LA | | | |
| <i>nilutamide</i> | 5 | PA; MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|--|------------------|--------------------------------|
| ONUREG | 5 | PA; MO; QL (14 per 28 days) | PEMAZYRE | 5 | PA; LA; QL (28 per 28 days) |
| OPDIVO | 5 | PA; MO | <i>pemetrexed disodium intravenous recon soln 1,000 mg, 500 mg</i> | 5 | B/D PA; MO |
| OPDUALAG | 5 | PA; MO | <i>pemetrexed disodium intravenous recon soln 100 mg</i> | 4 | B/D PA; MO |
| ORGOVYX | 5 | PA; LA; QL (30 per 28 days) | <i>pemetrexed disodium intravenous recon soln 750 mg</i> | 5 | B/D PA |
| ORSERDU ORAL TABLET 345 MG | 5 | PA; QL (30 per 30 days) | PERJETA | 5 | B/D PA; MO |
| ORSERDU ORAL TABLET 86 MG | 5 | PA; QL (90 per 30 days) | PIQRAY | 5 | PA; MO |
| <i>oxaliplatin intravenous recon soln</i> | 2 | B/D PA; MO | POLIVY | 5 | PA; MO |
| <i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i> | 2 | B/D PA; MO | POMALYST | 5 | PA; MO; LA |
| <i>oxaliplatin intravenous solution 200 mg/40 ml</i> | 2 | B/D PA | PORTRAZZA | 5 | B/D PA; MO |
| paclitaxel | 2 | B/D PA; MO | POTELIGEO | 5 | PA |
| PADCEV | 5 | PA; MO | PROGRAF INTRAVENOUS | 3 | B/D PA; MO |
| <i>paraplatin</i> | 2 | B/D PA | PROGRAF ORAL GRANULES IN PACKET | 4 | B/D PA; MO |
| pazopanib | 5 | PA; MO; QL (120 per 30 days) | PURIXAN | 5 | |
| | | | QINLOCK | 5 | PA; LA; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|--|------------------|------------------------------|
| RETEVMO ORAL CAPSULE 40 MG | 5 | PA; MO; LA; QL (180 per 30 days) | SANDIMMUNE ORAL SOLUTION | 4 | B/D PA |
| RETEVMO ORAL CAPSULE 80 MG | 5 | PA; MO; LA; QL (120 per 30 days) | SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXT ENDED REL RECON | 5 | PA; MO |
| REZLIDHIA | 5 | PA; QL (60 per 30 days) | SARCLISA | 5 | PA; LA |
| REZUROCK | 5 | PA; LA; QL (30 per 30 days) | SCEMBLIX ORAL TABLET 20 MG | 5 | PA; MO; QL (600 per 30 days) |
| <i>romidepsin intravenous recon soln</i> | 5 | B/D PA | SCEMBLIX ORAL TABLET 40 MG | 5 | PA; MO; QL (300 per 30 days) |
| ROZLYTREK ORAL CAPSULE 100 MG | 5 | PA; MO; QL (150 per 30 days) | SIGNIFOR | 5 | PA |
| ROZLYTREK ORAL CAPSULE 200 MG | 5 | PA; MO; QL (90 per 30 days) | SIMULECT | 3 | B/D PA; MO |
| ROZLYTREK ORAL PELLETS IN PACKET | 5 | PA; QL (336 per 28 days) | <i>sirolimus oral solution</i> | 5 | B/D PA; MO |
| RUBRACA | 5 | PA; MO; LA; QL (120 per 30 days) | <i>sirolimus oral tablet</i> | 4 | B/D PA; MO |
| RUXIENCE | 5 | PA; MO | SOLTAMOX | 5 | MO |
| RYBREVANT | 5 | PA; MO | SOMATULINE DEPOT | 5 | PA; MO |
| RYDAPT | 5 | PA; MO; QL (224 per 28 days) | <i>sorafenib</i> | 5 | PA; MO; QL (120 per 30 days) |
| RYLAZE | 5 | PA | SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 80 MG | 5 | PA; MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------|------------------|---------------------------------|--|------------------|-----------------------------|
| SPRYCEL ORAL TABLET 20 MG, 70 MG | 5 | PA; MO; QL (60 per 30 days) | TAZVERIK | 5 | PA; LA |
| STIVARGA | 5 | PA; MO; QL (84 per 28 days) | TECENTRIQ | 5 | B/D PA; MO; LA |
| <i>sunitinib malate</i> | 5 | PA; MO; QL (30 per 30 days) | TECVAYLI | 5 | PA |
| TABLOID | 4 | MO | TEMODAR INTRAVENOUS | 5 | B/D PA; MO |
| TABRECTA | 5 | PA; MO | <i>temsirolimus</i> | 5 | B/D PA; MO |
| <i>tacrolimus oral</i> | 4 | B/D PA; MO | TEPMETKO | 5 | PA; LA |
| TAFINLAR ORAL CAPSULE | 5 | PA; MO; QL (120 per 30 days) | THALOMID ORAL CAPSULE 100 MG, 50 MG | 5 | PA; MO; QL (28 per 28 days) |
| TAFINLAR ORAL TABLET FOR SUSPENSION | 5 | PA; MO; QL (840 per 28 days) | THALOMID ORAL CAPSULE 150 MG, 200 MG | 5 | PA; MO; QL (56 per 28 days) |
| TAGRISSO | 5 | PA; MO; LA; QL (30 per 30 days) | <i>thiotepa injection recon soln 100 mg</i> | 5 | B/D PA |
| TALVEY | 5 | PA | <i>thiotepa injection recon soln 15 mg</i> | 5 | B/D PA; MO |
| TALZENNA | 5 | PA; MO; QL (30 per 30 days) | TIBSOVO | 5 | PA |
| <i>tamoxifen</i> | 2 | MO | TIVDAK | 5 | PA; MO |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG | 5 | PA; MO; QL (112 per 28 days) | topotecan | 5 | B/D PA; MO |
| TASIGNA ORAL CAPSULE 50 MG | 5 | PA; MO; QL (120 per 30 days) | <i>toremifene</i> | 5 | MO |
| | | | TRAZIMERA | 5 | B/D PA; MO |
| | | | TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION | 4 | PA; MO |
| | | | <i>tretinoin (antineoplastic)</i> | 5 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------|------------------|---------------------------------|
| TRODELVY | 5 | PA; LA |
| TRUQAP | 5 | PA; QL (64 per 28 days) |
| TUKYSA ORAL TABLET 150 MG | 5 | PA; LA; QL (120 per 30 days) |
| TUKYSA ORAL TABLET 50 MG | 5 | PA; LA; QL (300 per 30 days) |
| TURALIO ORAL CAPSULE 125 MG | 5 | PA; LA; QL (120 per 30 days) |
| UNITUXIN | 5 | B/D PA |
| <i>valrubicin</i> | 5 | B/D PA; MO |
| VANFLYTA | 5 | PA; QL (56 per 28 days) |
| VECTIBIX | 5 | B/D PA; MO |
| VENCLEXTA ORAL TABLET 10 MG | 4 | PA; LA; QL (60 per 30 days) |
| VENCLEXTA ORAL TABLET 100 MG | 5 | PA; LA; QL (120 per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG | 5 | PA; LA; QL (30 per 30 days) |
| VENCLEXTA STARTING PACK | 5 | PA; LA; QL (42 per 180 days) |
| VERZENIO | 5 | PA; MO; LA; QL (60 per 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|----------------------------------|------------------|----------------------------------|
| <i>vinblastine</i> | 2 | B/D PA; MO |
| <i>vincristine</i> | 2 | B/D PA; MO |
| <i>vinorelbine</i> | 2 | B/D PA; MO |
| VITRAKVI ORAL CAPSULE 100 MG | 5 | PA; MO; LA; QL (60 per 30 days) |
| VITRAKVI ORAL CAPSULE 25 MG | 5 | PA; MO; LA; QL (180 per 30 days) |
| VITRAKVI ORAL SOLUTION | 5 | PA; MO; LA; QL (300 per 30 days) |
| VIZIMPRO | 5 | PA; MO; QL (30 per 30 days) |
| VONJO | 5 | PA; QL (120 per 30 days) |
| VOTRIENT | 5 | PA; MO; QL (120 per 30 days) |
| VYXEOS | 5 | B/D PA |
| WELIREG | 5 | PA; LA |
| XALKORI ORAL CAPSULE | 5 | PA; MO; QL (60 per 30 days) |
| XALKORI ORAL PELLET 150 MG | 5 | PA; MO; QL (180 per 30 days) |
| XALKORI ORAL PELLET 20 MG, 50 MG | 5 | PA; MO; QL (120 per 30 days) |
| XATMEP | 4 | B/D PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|
| XERMELO | 5 | PA; LA; QL (84 per 28 days) |
| XOSPATA | 5 | PA; LA; QL (90 per 30 days) |
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (40 MG X 1), 40MG TWICE WEEK (40 MG X 2), 60 MG/WEEK (60 MG X 1), 60MG TWICE WEEK (120 MG/WEEK), 80 MG/WEEK (40 MG X 2), 80MG TWICE WEEK (160 MG/WEEK) | 5 | PA; LA |
| XTANDI ORAL CAPSULE | 5 | PA; MO; QL (120 per 30 days) |
| XTANDI ORAL TABLET 40 MG | 5 | PA; MO; QL (120 per 30 days) |
| XTANDI ORAL TABLET 80 MG | 5 | PA; MO; QL (60 per 30 days) |
| YEROVY | 5 | B/D PA; MO |
| YONDELIS | 5 | B/D PA |
| ZALTRAP | 5 | B/D PA; MO |

| Drug Name | Drug Tier | Requirements/Limits |
|-----------------------------------|------------------|---------------------------------|
| ZANOSAR | 4 | B/D PA; MO |
| ZEJULA ORAL CAPSULE | 5 | PA; MO; LA; QL (90 per 30 days) |
| ZEJULA ORAL TABLET 100 MG | 5 | PA; MO; LA; QL (90 per 30 days) |
| ZEJULA ORAL TABLET 200 MG, 300 MG | 5 | PA; MO; LA; QL (30 per 30 days) |
| ZELBORAF | 5 | PA; MO; QL (240 per 30 days) |
| ZEPZELCA | 5 | PA |
| ZIRABEV | 5 | B/D PA; MO |
| ZOLADEX | 4 | PA; MO |
| ZOLINZA | 5 | PA; MO; QL (120 per 30 days) |
| ZYDELIG | 5 | PA; MO; QL (60 per 30 days) |
| ZYKADIA | 5 | PA; MO; QL (90 per 30 days) |
| ZYNLONTA | 5 | PA; LA |
| ZYNYZ | 5 | PA |

**AUTONOMIC / CNS DRUGS,
NEUROLOGY / PSYCH
ANTICONVULSANTS**

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| APTIOM ORAL TABLET 200 MG | 5 | MO; QL (180 per 30 days) |
| APTIOM ORAL TABLET 400 MG | 5 | MO; QL (90 per 30 days) |
| APTIOM ORAL TABLET 600 MG, 800 MG | 5 | MO; QL (60 per 30 days) |
| BRIVIACT INTRAVENOUS | 4 | MO; QL (600 per 30 days) |
| BRIVIACT ORAL SOLUTION | 5 | MO; QL (600 per 30 days) |
| BRIVIACT ORAL TABLET | 5 | MO; QL (60 per 30 days) |
| carbamazepine oral capsule, er multiphase 12 hr | 4 | MO |
| carbamazepine oral suspension 100 mg/5 ml | 4 | MO |
| carbamazepine oral tablet | 3 | MO |
| carbamazepine oral tablet extended release 12 hr | 4 | MO |
| carbamazepine oral tablet, chewable | 3 | MO |
| clobazam oral suspension | 4 | PA; MO; QL (480 per 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| clobazam oral tablet | 4 | PA; MO; QL (60 per 30 days) |
| clonazepam oral tablet 0.5 mg, 1 mg | 2 | MO; QL (90 per 30 days) |
| clonazepam oral tablet 2 mg | 2 | MO; QL (300 per 30 days) |
| clonazepam oral tablet,disintegratin g 0.125 mg, 0.25 mg, 0.5 mg, 1 mg | 4 | MO; QL (90 per 30 days) |
| clonazepam oral tablet,disintegratin g 2 mg | 4 | MO; QL (300 per 30 days) |
| DIACOMIT | 5 | PA; LA |
| diazepam rectal | 4 | MO |
| DILANTIN 30 MG | 4 | MO |
| divalproex | 2 | MO |
| EPIDIOLEX | 5 | PA; MO; LA |
| epitol | 3 | MO |
| EPRONTIA | 4 | PA; MO |
| ethosuximide | 3 | MO |
| felbamate oral suspension | 5 | MO |
| felbamate oral tablet | 4 | MO |
| FINTEPLA | 5 | PA; LA; QL (360 per 30 days) |
| fosphenytoin | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| FYCOMPA ORAL SUSPENSION | 5 | MO; QL (720 per 30 days) |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG | 5 | MO; QL (30 per 30 days) |
| FYCOMPA ORAL TABLET 2 MG | 4 | MO; QL (60 per 30 days) |
| FYCOMPA ORAL TABLET 4 MG, 6 MG | 5 | MO; QL (60 per 30 days) |
| <i>gabapentin oral capsule 100 mg, 400 mg</i> | 2 | MO; QL (270 per 30 days) |
| <i>gabapentin oral capsule 300 mg</i> | 2 | MO; QL (360 per 30 days) |
| <i>gabapentin oral solution 250 mg/5 ml</i> | 3 | MO; QL (2160 per 30 days) |
| <i>gabapentin oral solution 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml)</i> | 3 | QL (2160 per 30 days) |
| <i>gabapentin oral tablet 600 mg</i> | 2 | MO; QL (180 per 30 days) |
| <i>gabapentin oral tablet 800 mg</i> | 2 | MO; QL (120 per 30 days) |
| <i>lacosamide intravenous</i> | 3 | MO; QL (1200 per 30 days) |
| <i>lacosamide oral solution</i> | 4 | QL (1200 per 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>lacosamide oral tablet 50 mg</i> | 3 | MO; QL (120 per 30 days) |
| <i>lamotrigine oral tablet</i> | 1 | MO |
| <i>lamotrigine oral tablet, chewable dispersible</i> | 2 | MO |
| <i>lamotrigine oral tablet,disintegrating</i> | 4 | MO |
| <i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 500 mg/100 ml</i> | 2 | MO |
| <i>levetiracetam in nacl (iso-os) intravenous piggyback 1,500 mg/100 ml</i> | 2 | |
| <i>levetiracetam intravenous</i> | 2 | MO |
| <i>levetiracetam oral solution 100 mg/ml</i> | 2 | MO |
| <i>levetiracetam oral solution 500 mg/5 ml (5 ml)</i> | 2 | |
| <i>levetiracetam oral tablet</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| levetiracetam oral tablet extended release 24 hr | 3 | MO |
| methsuximide | 4 | MO |
| NAYZILAM | 5 | PA; MO; QL (10 per 30 days) |
| oxcarbazepine oral suspension | 4 | MO |
| oxcarbazepine oral tablet | 3 | MO |
| phenobarbital oral elixir | 4 | PA; MO |
| phenobarbital oral tablet 100 mg, 15 mg, 30 mg, 60 mg | 3 | PA |
| phenobarbital oral tablet 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg | 3 | PA; MO |
| phenobarbital sodium injection solution 130 mg/ml | 2 | MO |
| phenobarbital sodium injection solution 65 mg/ml | 2 | |
| phenytoin oral suspension 100 mg/4 ml | 2 | |
| phenytoin oral suspension 125 mg/5 ml | 2 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| phenytoin oral tablet, chewable | 3 | MO |
| phenytoin sodium extended oral capsule 100 mg | 2 | MO |
| phenytoin sodium extended oral capsule 200 mg, 300 mg | 2 | |
| phenytoin sodium intravenous solution | 2 | |
| pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg | 3 | MO; QL (90 per 30 days) |
| pregabalin oral capsule 225 mg, 300 mg | 3 | MO; QL (60 per 30 days) |
| pregabalin oral solution | 3 | MO; QL (900 per 30 days) |
| PRIMIDONE ORAL TABLET 125 MG | 4 | MO |
| primidone oral tablet 250 mg, 50 mg | 2 | MO |
| roweepra oral tablet 500 mg | 2 | MO |
| rufinamide oral suspension | 5 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|--|------------------|----------------------------|
| rufinamide oral tablet 200 mg | 4 | PA; MO | vigadronе | 5 | PA; LA |
| rufinamide oral tablet 400 mg | 5 | PA; MO | vigoder | 5 | PA; LA |
| SPRITAM | 4 | MO | XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) | 5 | MO; QL (56 per 28 days) |
| subvenite | 1 | MO | XCOPRI ORAL TABLET 100 MG | 5 | MO; QL (120 per 30 days) |
| SYMPAZAN ORAL FILM 10 MG, 20 MG | 5 | PA; MO; QL (60 per 30 days) | XCOPRI ORAL TABLET 150 MG, 200 MG | 5 | MO; QL (60 per 30 days) |
| SYMPAZAN ORAL FILM 5 MG | 4 | PA; MO; QL (60 per 30 days) | XCOPRI ORAL TABLET 50 MG | 5 | MO; QL (240 per 30 days) |
| tiagabine | 4 | MO | XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14) | 4 | MO; QL (28 per 180 days) |
| topiramate oral capsule, sprinkle | 2 | PA; MO | XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) | 5 | MO; QL (28 per 180 days) |
| topiramate oral tablet | 2 | PA; MO | ZONISADE | 5 | PA; MO |
| valproate sodium | 2 | MO | | | |
| valproic acid | 2 | MO | | | |
| valproic acid (as sodium salt) oral solution 250 mg/5 ml | 2 | MO | | | |
| valproic acid (as sodium salt) oral solution 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml) | 2 | | | | |
| VALTOCO | 5 | PA; MO; QL (10 per 30 days) | | | |
| vigabatrin | 5 | PA; MO; LA | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| <i>zonisamide</i> | 2 | PA; MO |
| ZTALMY | 5 | PA; LA; QL (1080 per 30 days) |
| ANTIPARKINSONISM AGENTS | | |
| APOKYN | 5 | PA; MO; LA; QL (90 per 30 days) |
| <i>apomorphine</i> | 5 | PA; QL (90 per 30 days) |
| <i>benztropine injection</i> | 2 | MO |
| <i>benztropine oral</i> | 2 | PA; MO |
| <i>bromocriptine</i> | 4 | MO |
| <i>carbidopa</i> | 4 | MO |
| <i>carbidopa-levodopa oral tablet</i> | 2 | MO |
| <i>carbidopa-levodopa oral tablet extended release</i> | 2 | MO |
| <i>carbidopa-levodopa oral tablet,disintegrating</i> | 4 | |
| <i>carbidopa-levodopa-entacapone</i> | 4 | MO |
| <i>entacapone</i> | 4 | MO |
| NEUPRO | 4 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| <i>pramipexole oral tablet</i> | 2 | MO |
| <i>rasagiline</i> | 4 | MO |
| <i>ropinirole oral tablet</i> | 2 | MO |
| <i>selegiline hcl</i> | 3 | MO |
| MIGRAINE / CLUSTER HEADACHE THERAPY | | |
| <i>dihydroergotamine injection</i> | 5 | |
| <i>dihydroergotamine nasal</i> | 5 | QL (8 per 28 days) |
| EMGALITY PEN | 3 | PA; MO; QL (2 per 30 days) |
| EMGALITY SUBCUTANEOUS SYRINGE 120 MG/ML | 3 | PA; MO; QL (2 per 30 days) |
| <i>ergotamine-caffeine</i> | 3 | MO |
| <i>naratriptan</i> | 3 | MO; QL (18 per 28 days) |
| NURTEC ODT | 3 | PA; QL (16 per 30 days) |
| <i>rizatriptan oral tablet</i> | 2 | MO; QL (36 per 28 days) |
| <i>rizatriptan oral tablet,disintegrating</i> | 3 | MO; QL (36 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i> | 4 | MO; QL (18 per 28 days) |
| <i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i> | 4 | MO; QL (36 per 28 days) |
| <i>sumatriptan succinate oral</i> | 2 | MO; QL (18 per 28 days) |
| <i>sumatriptan succinate subcutaneous cartridge</i> | 4 | MO; QL (8 per 28 days) |
| <i>sumatriptan succinate subcutaneous pen injector</i> | 4 | MO; QL (8 per 28 days) |
| <i>sumatriptan succinate subcutaneous solution</i> | 4 | MO; QL (8 per 28 days) |

| MISCELLANEOUS NEUROLOGICAL THERAPY | | |
|---|---|------------------------------|
| BRIUMVI | 5 | PA; MO; QL (24 per 180 days) |
| <i>dalfampridine</i> | 3 | PA; MO; QL (60 per 30 days) |
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i> | 5 | PA; MO; QL (14 per 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> | 5 | PA; MO; QL (120 per 180 days) |
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i> | 5 | PA; MO; QL (60 per 30 days) |
| <i>donepezil oral tablet 10 mg, 5 mg</i> | 2 | MO |
| <i>donepezil oral tablet,disintegrating</i> | 2 | MO |
| <i>fingolimod</i> | 5 | PA; MO; QL (30 per 30 days) |
| FIRDAPSE | 5 | PA; LA |
| <i>galantamine oral capsule,ext rel. pellets 24 hr</i> | 3 | MO |
| <i>galantamine oral solution</i> | 4 | |
| <i>galantamine oral tablet</i> | 3 | MO |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i> | 5 | PA; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 40 mg/ml</i> | 5 | PA; QL (12 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| glatopa subcutaneous syringe 20 mg/ml | 5 | PA; MO; QL (30 per 30 days) |
| glatopa subcutaneous syringe 40 mg/ml | 5 | PA; MO; QL (12 per 28 days) |
| KESIMPTA PEN | 5 | PA; MO; QL (1.6 per 28 days) |
| memantine oral capsule,sprinkle,er 24hr | 4 | PA; MO |
| memantine oral solution | 4 | PA; MO |
| memantine oral tablet | 3 | PA; MO |
| NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK | 3 | PA |
| NAMZARIC ORAL CAPSULE,SPRINK LE,ER 24HR | 3 | PA; MO |
| NUEDEXTA | 5 | PA; MO |
| RADICAVA ORS | 5 | PA; MO |
| RADICAVA ORS STARTER KIT SUSP | 5 | PA; MO |
| rivastigmine | 4 | MO |
| rivastigmine tartrate | 3 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| teriflunomide | 5 | PA; MO; QL (30 per 30 days) |
| tetrabenazine oral tablet 12.5 mg | 5 | PA; MO; QL (240 per 30 days) |
| tetrabenazine oral tablet 25 mg | 5 | PA; MO; QL (120 per 30 days) |
| MUSCLE RELAXANTS / ANTISPASMODIC THERAPY | | |
| baclofen oral tablet | 2 | MO |
| cyclobenzaprine oral tablet 10 mg, 5 mg | 4 | PA; MO |
| dantrolene intravenous | 2 | |
| dantrolene oral | 4 | MO |
| LIORESAL INTRATHECAL SOLUTION 2,000 MCG/ML, 500 MCG/ML | 3 | B/D PA; MO |
| LIORESAL INTRATHECAL SOLUTION 50 MCG/ML | 3 | B/D PA |
| pyridostigmine bromide oral tablet 60 mg | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|--|------------------|------------------------------|
| <i>pyridostigmine bromide oral tablet extended release</i> | 3 | MO | <i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i> | 5 | PA; MO; QL (120 per 30 days) |
| <i>revonto</i> | 2 | | <i>fentanyl citrate buccal lozenge on a handle 200 mcg</i> | 4 | PA; MO; QL (120 per 30 days) |
| <i>tizanidine oral tablet</i> | 2 | MO | <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> | 4 | PA; MO; QL (10 per 30 days) |
| NARCOTIC ANALGESICS | | | | | |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i> | 3 | MO; QL (4500 per 30 days) | <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i> | 3 | MO; QL (5550 per 30 days) |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i> | 3 | MO; QL (360 per 30 days) | <i>hydrocodone-acetaminophen oral tablet 10-300 mg, 5-300 mg, 7.5-300 mg</i> | 3 | MO; QL (390 per 30 days) |
| <i>buprenorphine hcl injection syringe</i> | 2 | | <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i> | 3 | MO; QL (360 per 30 days) |
| <i>buprenorphine hcl sublingual</i> | 2 | MO | <i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i> | 3 | MO; QL (50 per 30 days) |
| <i>endocet</i> | 3 | MO; QL (360 per 30 days) | | | |
| <i>fentanyl citrate (pf) injection solution</i> | 2 | | | | |
| <i>fentanyl citrate (pf) intravenous syringe 100 mcg/2 ml (50 mcg/ml)</i> | 2 | | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|--|------------------|-------------------------------------|
| hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml, 2 mg/ml | 4 | | methadone oral solution 10 mg/5 ml | 3 | PA; MO; QL (600 per 30 days) |
| hydromorphone injection solution 1 mg/ml | 4 | | methadone oral solution 5 mg/5 ml | 3 | PA; MO; QL (1200 per 30 days) |
| hydromorphone injection solution 2 mg/ml | 4 | MO | methadone oral tablet 10 mg | 3 | PA; MO; QL (120 per 30 days) |
| hydromorphone injection syringe 1 mg/ml, 4 mg/ml | 4 | MO | methadone oral tablet 5 mg | 3 | PA; MO; QL (240 per 30 days) |
| hydromorphone injection syringe 2 mg/ml | 4 | | methadose oral concentrate | 3 | PA; MO; QL (90 per 30 days) |
| hydromorphone oral liquid | 4 | MO; QL (2400 per 30 days) | morphine (pf) injection solution 0.5 mg/ml | 4 | |
| hydromorphone oral tablet | 3 | MO; QL (180 per 30 days) | morphine (pf) injection solution 1 mg/ml | 4 | MO |
| hydromorphone oral tablet extended release 24 hr | 4 | PA; MO; QL (60 per 30 days) | morphine concentrate oral solution | 3 | MO; QL (900 per 30 days) |
| methadone injection solution | 3 | | morphine injection syringe 4 mg/ml | 4 | MO |
| methadone intensol | 3 | PA; MO; QL (90 per 30 days) | morphine intravenous solution 10 mg/ml, 4 mg/ml | 4 | MO |
| methadone oral concentrate | 3 | PA; QL (90 per 30 days) | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| <i>morphine</i> <i>intravenous syringe</i> <i>10 mg/ml, 2 mg/ml,</i> <i>4 mg/ml</i> | 4 | |
| <i>morphine oral solution</i> | 3 | MO; QL (900 per 30 days) |
| <i>morphine oral tablet</i> | 3 | MO; QL (180 per 30 days) |
| <i>morphine oral tablet extended release</i> | 3 | PA; MO; QL (120 per 30 days) |
| <i>oxycodone oral capsule</i> | 3 | MO; QL (360 per 30 days) |
| <i>oxycodone oral concentrate</i> | 4 | MO; QL (180 per 30 days) |
| <i>oxycodone oral solution</i> | 3 | MO; QL (1200 per 30 days) |
| <i>oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg</i> | 3 | MO; QL (180 per 30 days) |
| <i>oxycodone oral tablet 5 mg</i> | 3 | MO; QL (360 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 3 | MO; QL (360 per 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>buprenorphine-naloxone sublingual film 12-3 mg</i> | 3 | MO; QL (60 per 30 days) |
| <i>buprenorphine-naloxone sublingual film 2-0.5 mg</i> | 3 | MO; QL (360 per 30 days) |
| <i>buprenorphine-naloxone sublingual film 4-1 mg, 8-2 mg</i> | 3 | MO; QL (90 per 30 days) |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg</i> | 2 | MO; QL (360 per 30 days) |
| <i>buprenorphine-naloxone sublingual tablet 8-2 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>butorphanol injection</i> | 2 | MO |
| <i>butorphanol nasal</i> | 4 | MO; QL (10 per 28 days) |
| <i>celecoxib</i> | 3 | MO |
| <i>clonidine (pf) epidural solution 5,000 mcg/10 ml</i> | 2 | |
| <i>diclofenac potassium oral tablet 50 mg</i> | 2 | MO |
| <i>diclofenac sodium oral</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>diclofenac sodium topical gel 1 %</i> | 3 | MO; QL (1000 per 28 days) |
| <i>diflunisal</i> | 3 | MO |
| <i>ec-naproxen</i> | 2 | |
| <i>etodolac oral capsule</i> | 3 | MO |
| <i>etodolac oral tablet</i> | 3 | MO |
| <i>flurbiprofen oral tablet 100 mg</i> | 2 | MO |
| <i>ibu</i> | 1 | MO |
| <i>ibuprofen oral suspension</i> | 2 | MO |
| <i>ibuprofen oral tablet 400 mg, 800 mg</i> | 1 | MO |
| <i>ibuprofen oral tablet 600 mg</i> | 1 | |
| <i>meloxicam oral tablet</i> | 1 | MO; QL (30 per 30 days) |
| <i>nabumetone</i> | 2 | MO |
| <i>nalbuphine</i> | 2 | |
| <i>naloxone injection solution</i> | 2 | MO |
| <i>naloxone injection syringe</i> | 2 | MO |
| <i>naloxone nasal</i> | 2 | MO |
| <i>naltrexone</i> | 2 | MO |
| <i>naproxen oral tablet</i> | 1 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>naproxen oral tablet, delayed release (dr/ec)</i> | 2 | MO |
| <i>oxaprozin oral tablet</i> | 4 | MO |
| <i>piroxicam</i> | 3 | MO |
| <i>salsalate</i> | 1 | MO |
| <i>sulindac</i> | 2 | MO |
| <i>tramadol oral tablet 50 mg</i> | 2 | MO; QL (240 per 30 days) |
| <i>tramadol-acetaminophen</i> | 2 | MO; QL (240 per 30 days) |
| <i>VIVITROL</i> | 5 | MO |
| PSYCHOTHERAPEUTIC DRUGS | | |
| <i>ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 720 MG/2.4 ML</i> | 5 | MO; QL (2.4 per 56 days) |
| <i>ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 960 MG/3.2 ML</i> | 5 | MO; QL (3.2 per 56 days) |
| <i>ABILIFY MAINTENA</i> | 5 | MO; QL (1 per 28 days) |
| <i>amitriptyline</i> | 2 | MO |
| <i>amoxapine</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>aripiprazole oral solution</i> | 4 | MO |
| <i>aripiprazole oral tablet</i> | 3 | MO; QL (30 per 30 days) |
| <i>aripiprazole oral tablet,disintegrating</i> | 4 | MO; QL (60 per 30 days) |
| ARISTADA INITIO | 5 | MO; QL (4.8 per 365 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 1,064 MG/3.9 ML | 5 | MO; QL (3.9 per 56 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 441 MG/1.6 ML | 5 | MO; QL (1.6 per 28 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 662 MG/2.4 ML | 5 | MO; QL (2.4 per 28 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXT ENDED REL SYRING 882 MG/3.2 ML | 5 | MO; QL (3.2 per 28 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| <i>armodafinil</i> | 4 | PA; MO; QL (30 per 30 days) |
| <i>asenapine maleate</i> | 4 | MO; QL (60 per 30 days) |
| <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> | 4 | MO; QL (30 per 30 days) |
| AUVELITY | 5 | ST; MO; QL (60 per 30 days) |
| <i>bupropion hcl oral tablet</i> | 2 | MO |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>bupropion hcl oral tablet extended release 24 hr 300 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>bupropion hcl oral tablet sustained-release 12 hr</i> | 2 | MO; QL (60 per 30 days) |
| <i>buspirone</i> | 2 | MO |
| CAPLYTA | 4 | MO; QL (30 per 30 days) |
| <i>chlorpromazine injection</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| <i>chlorpromazine oral</i> | 4 | MO |
| <i>citalopram oral solution</i> | 3 | MO |
| <i>citalopram oral tablet</i> | 1 | MO; QL (30 per 30 days) |
| <i>clomipramine</i> | 4 | MO |
| <i>clonidine hcl oral tablet extended release 12 hr</i> | 4 | MO |
| <i>clorazepate dipotassium oral tablet 15 mg</i> | 4 | PA; MO; QL (180 per 30 days) |
| <i>clorazepate dipotassium oral tablet 3.75 mg</i> | 4 | PA; MO; QL (90 per 30 days) |
| <i>clorazepate dipotassium oral tablet 7.5 mg</i> | 4 | PA; MO; QL (360 per 30 days) |
| <i>clozapine oral tablet</i> | 3 | |
| <i>clozapine oral tablet,disintegrating</i> | 4 | |
| <i>desipramine</i> | 4 | MO |
| <i>desvenlafaxine succinate</i> | 4 | MO; QL (30 per 30 days) |
| <i>dextroamphetamine oral capsule,extended release 24hr</i> | 4 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| <i>dextroamphetamine oral tablet</i> | 3 | MO |
| <i>diazepam injection</i> | 2 | PA |
| <i>diazepam intensol</i> | 2 | PA; MO; QL (240 per 30 days) |
| <i>diazepam oral concentrate</i> | 2 | PA; QL (240 per 30 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> | 2 | PA; MO; QL (1200 per 30 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml, 5 ml)</i> | 2 | PA; QL (1200 per 30 days) |
| <i>diazepam oral tablet</i> | 2 | PA; MO; QL (120 per 30 days) |
| <i>doxepin oral capsule</i> | 4 | MO |
| <i>doxepin oral concentrate</i> | 4 | MO |
| <i>doxepin oral tablet</i> | 3 | MO; QL (30 per 30 days) |
| <i>DRIZALMA ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG</i> | 4 | QL (60 per 30 days) |
| <i>DRIZALMA ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG</i> | 4 | QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg | 2 | MO; QL (60 per 30 days) |
| EMSAM | 5 | MO |
| escitalopram oxalate oral solution | 4 | MO |
| escitalopram oxalate oral tablet | 2 | MO; QL (30 per 30 days) |
| FANAPT ORAL TABLET | 4 | MO; QL (60 per 30 days) |
| FANAPT ORAL TABLETS,DOSE PACK | 4 | MO; QL (8 per 180 days) |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK | 4 | QL (28 per 180 days) |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR | 4 | MO; QL (30 per 30 days) |
| flumazenil | 2 | |
| fluoxetine oral capsule 10 mg | 1 | MO; QL (30 per 30 days) |
| fluoxetine oral capsule 20 mg | 1 | MO; QL (90 per 30 days) |
| fluoxetine oral capsule 40 mg | 1 | MO; QL (60 per 30 days) |
| fluoxetine oral solution | 2 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| fluphenazine decanoate | 4 | MO |
| fluphenazine hcl | 4 | MO |
| fluvoxamine oral tablet 100 mg | 3 | MO; QL (90 per 30 days) |
| fluvoxamine oral tablet 25 mg | 3 | MO; QL (30 per 30 days) |
| fluvoxamine oral tablet 50 mg | 3 | MO; QL (60 per 30 days) |
| haloperidol | 2 | MO |
| haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml) | 4 | |
| haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml | 4 | MO |
| haloperidol lactate injection | 4 | MO |
| haloperidol lactate intramuscular | 2 | |
| haloperidol lactate oral | 2 | MO |
| imipramine hcl | 4 | MO |
| imipramine pamoate | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|---|------------------|------------------------------|
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML | 5 | MO; QL (3.5 per 180 days) | INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML | 5 | MO; QL (0.88 per 90 days) |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML | 5 | MO; QL (5 per 180 days) | INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML | 5 | MO; QL (1.32 per 90 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML | 5 | MO; QL (0.75 per 28 days) | INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML | 5 | MO; QL (1.75 per 90 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML | 5 | MO; QL (1 per 28 days) | INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML | 5 | MO; QL (2.63 per 90 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML | 5 | MO; QL (1.5 per 28 days) | <i>lithium carbonate</i> | 2 | MO |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML | 3 | MO; QL (0.25 per 28 days) | <i>lithium citrate</i> | 2 | |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML | 5 | MO; QL (0.5 per 28 days) | <i>lorazepam</i> <i>injection solution</i> | 2 | PA; MO |
| | | | <i>lorazepam</i> <i>injection syringe 2 mg/ml</i> | 2 | PA; MO |
| | | | <i>lorazepam intensol</i> | 2 | PA; QL (150 per 30 days) |
| | | | <i>lorazepam oral concentrate</i> | 2 | PA; MO; QL (150 per 30 days) |
| | | | <i>lorazepam oral tablet 0.5 mg, 1 mg</i> | 2 | PA; MO; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|--|------------------|-----------------------------|
| <i>lorazepam oral tablet 2 mg</i> | 2 | PA; MO; QL (150 per 30 days) | <i>modafinil oral tablet 200 mg</i> | 3 | PA; MO; QL (60 per 30 days) |
| <i>loxapine succinate</i> | 2 | MO | <i>molindone oral tablet 10 mg, 25 mg</i> | 4 | |
| <i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> | 5 | MO; QL (30 per 30 days) | <i>molindone oral tablet 5 mg</i> | 4 | MO |
| <i>lurasidone oral tablet 80 mg</i> | 5 | MO; QL (60 per 30 days) | <i>nefazodone</i> | 4 | MO |
| MARPLAN | 4 | MO | <i>nortriptyline oral capsule</i> | 2 | MO |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50</i> | 4 | MO | <i>nortriptyline oral solution</i> | 4 | MO |
| <i>methylphenidate hcl oral solution</i> | 4 | MO | NUPLAZID | 4 | PA; MO; QL (30 per 30 days) |
| <i>methylphenidate hcl oral tablet</i> | 3 | MO | <i>olanzapine intramuscular</i> | 4 | MO |
| <i>methylphenidate hcl oral tablet extended release</i> | 4 | MO | <i>olanzapine oral tablet</i> | 2 | MO; QL (30 per 30 days) |
| <i>methylphenidate hcl oral tablet,chewable</i> | 4 | MO | <i>olanzapine oral tablet,disintegrating</i> | 4 | MO; QL (30 per 30 days) |
| <i>mirtazapine oral tablet</i> | 2 | MO | <i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> | 4 | MO; QL (30 per 30 days) |
| <i>mirtazapine oral tablet,disintegrating</i> | 3 | MO | <i>paliperidone oral tablet extended release 24hr 6 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>modafinil oral tablet 100 mg</i> | 3 | PA; MO; QL (30 per 30 days) | <i>paroxetine hcl oral suspension</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 40 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>paroxetine hcl oral tablet 30 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>perphenazine</i> | 4 | MO |
| <i>PERSERIS</i> | 5 | MO; QL (1 per 30 days) |
| <i>phenelzine</i> | 3 | MO |
| <i>pimozide</i> | 4 | MO |
| <i>protriptyline</i> | 4 | MO |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>quetiapine oral tablet 300 mg, 400 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg</i> | 4 | MO; QL (30 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg, 50 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>ramelteon</i> | 3 | MO; QL (30 per 30 days) |
| REXULTI ORAL TABLET | 4 | MO; QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXT ENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML | 3 | MO; QL (2 per 28 days) |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXT ENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML | 5 | MO; QL (2 per 28 days) |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml, 25 mg/2 ml</i> | 3 | MO; QL (2 per 28 days) |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> | 5 | MO; QL (2 per 28 days) |
| <i>risperidone oral solution</i> | 2 | MO |
| <i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 1 | MO; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|--|------------------|----------------------------|
| <i>risperidone oral tablet 4 mg</i> | 1 | MO; QL (120 per 30 days) | <i>trimipramine</i> | 4 | MO |
| <i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 4 | MO; QL (60 per 30 days) | <i>TRINTELLIX</i> | 3 | MO; QL (30 per 30 days) |
| <i>risperidone oral tablet,disintegrating 4 mg</i> | 4 | MO; QL (120 per 30 days) | <i>UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 100 MG/0.28 ML</i> | 5 | MO; QL (0.28 per 28 days) |
| <i>SECUADO</i> | 5 | MO; QL (30 per 30 days) | <i>UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 125 MG/0.35 ML</i> | 5 | MO; QL (0.35 per 28 days) |
| <i>sertraline oral concentrate</i> | 4 | MO | <i>UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 150 MG/0.42 ML</i> | 5 | MO; QL (0.42 per 56 days) |
| <i>sertraline oral tablet 100 mg, 50 mg</i> | 1 | MO; QL (60 per 30 days) | <i>UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 200 MG/0.56 ML</i> | 5 | MO; QL (0.56 per 56 days) |
| <i>sertraline oral tablet 25 mg</i> | 1 | MO; QL (30 per 30 days) | <i>UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 250 MG/0.7 ML</i> | 5 | MO; QL (0.7 per 56 days) |
| <i>SODIUM OXYBATE</i> | 5 | PA; LA; QL (540 per 30 days) | | | |
| <i>SPRAVATO NASAL SPRAY,NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)</i> | 5 | PA; MO | | | |
| <i>thioridazine</i> | 3 | MO | | | |
| <i>thiothixene</i> | 4 | MO | | | |
| <i>tranylcypromine</i> | 4 | MO | | | |
| <i>trazodone</i> | 1 | MO | | | |
| <i>trifluoperazine</i> | 3 | MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 50 MG/0.14 ML | 5 | MO; QL (0.14 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXT ENDED REL SYRING 75 MG/0.21 ML | 5 | MO; QL (0.21 per 28 days) |
| <i>venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>venlafaxine oral capsule,extended release 24hr 75 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>venlafaxine oral tablet</i> | 2 | MO; QL (90 per 30 days) |
| VERSACLOZ | 5 | |
| <i>vilazodone</i> | 3 | MO; QL (30 per 30 days) |
| VRAYLAR ORAL CAPSULE | 4 | MO; QL (30 per 30 days) |
| VRAYLAR ORAL CAPSULE,DOSE PACK | 4 | QL (7 per 180 days) |
| <i>zaleplon oral capsule 10 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>zaleplon oral capsule 5 mg</i> | 4 | MO; QL (30 per 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>ziprasidone hcl</i> | 4 | MO; QL (60 per 30 days) |
| <i>ziprasidone mesylate</i> | 4 | MO |
| <i>zolpidem oral tablet</i> | 2 | MO; QL (30 per 30 days) |
| ZURZUVAE | 5 | PA; MO |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG | 3 | MO; QL (2 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG | 5 | QL (2 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG | 5 | MO; QL (1 per 28 days) |
| CARDIOVASCULAR, HYPERTENSION / LIPIDS | | |
| ANTIARRHYTHMIC AGENTS | | |
| adenosine | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| amiodarone <i>intravenous solution</i> | 2 | B/D PA; MO |
| amiodarone <i>intravenous syringe</i> | 2 | B/D PA |
| amiodarone oral tablet 100 mg | 4 | MO |
| amiodarone oral tablet 200 mg | 2 | MO |
| amiodarone oral tablet 400 mg | 4 | |
| dofetilide | 4 | MO |
| flecainide | 3 | MO |
| ibutilide fumarate | 2 | |
| lidocaine (pf) <i>intravenous</i> | 2 | |
| lidocaine in 5 % dextrose (pf) <i>intravenous parenteral solution</i> 4 mg/ml (0.4 %), 8 mg/ml (0.8 %) | 4 | |
| mexiletine | 3 | MO |
| pacerone oral tablet 100 mg, 400 mg | 4 | MO |
| pacerone oral tablet 200 mg | 2 | MO |
| procainamide injection | 2 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| propafenone oral capsule,extended release 12 hr | 4 | MO |
| propafenone oral tablet | 3 | MO |
| quinidine sulfate oral tablet | 2 | MO |
| sorine oral tablet 120 mg, 160 mg | 2 | MO |
| sorine oral tablet 80 mg | 2 | |
| sotalol af | 2 | |
| sotalol oral | 2 | MO |
| ANTIHYPERTENSIVE THERAPY | | |
| acebutolol | 2 | MO |
| aliskiren | 4 | MO |
| amiloride | 2 | MO |
| amiloride-hydrochlorothiazide | 2 | MO |
| amlodipine | 1 | MO |
| amlodipine-benazepril | 1 | MO |
| amlodipine-olmesartan | 1 | MO |
| amlodipine-valsartan | 1 | MO |
| amlodipine-valsartan-hcthiazid | 2 | MO |
| atenolol | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| atenolol- chlorthalidone | 1 | MO |
| benazepril | 1 | MO |
| benazepril- hydrochlorothiazide | 1 | MO |
| betaxolol oral | 3 | MO |
| bisoprolol fumarate | 2 | MO |
| bisoprolol- hydrochlorothiazide | 1 | MO |
| bumetanide injection | 4 | MO |
| bumetanide oral | 2 | MO |
| candesartan | 1 | MO |
| candesartan- hydrochlorothiazide | 2 | MO |
| captopril oral tablet 100 mg, 50 mg | 2 | MO |
| captopril oral tablet 12.5 mg, 25 mg | 1 | MO |
| captopril- hydrochlorothiazide | 2 | |
| cartia xt | 2 | MO |
| carvedilol | 1 | MO |
| chlorothiazide sodium | 2 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| chlorthalidone oral tablet 25 mg, 50 mg | 2 | MO |
| clonidine transdermal patch | 4 | MO; QL (4 per 28 days) |
| clonidine (pf) epidural solution 1,000 mcg/10 ml (100 mcg/ml) | 2 | |
| clonidine hcl oral tablet | 1 | MO |
| diltiazem hcl intravenous | 2 | |
| diltiazem hcl oral | 2 | MO |
| dilt-xr | 2 | MO |
| doxazosin oral tablet 1 mg, 2 mg, 4 mg | 2 | MO; QL (30 per 30 days) |
| doxazosin oral tablet 8 mg | 2 | MO; QL (60 per 30 days) |
| enalapril maleate oral tablet | 1 | MO |
| enalaprilat intravenous solution | 2 | |
| enalapril- hydrochlorothiazide oral tablet 10-25 mg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|--|------------------|----------------------------|
| enalapril-hydrochlorothiazide oral tablet 5-12.5 mg | 1 | MO | KERENDIA | 3 | PA; QL (30 per 30 days) |
| eplerenone | 3 | MO | labetalol intravenous solution | 2 | |
| esmolol intravenous solution | 2 | | labetalol intravenous syringe 20 mg/4 ml (5 mg/ml) | 2 | |
| ethacrynone sodium | 5 | | labetalol oral | 2 | MO |
| felodipine | 2 | MO | lisinopril | 1 | MO |
| fosinopril | 1 | MO | lisinopril-hydrochlorothiazide | 1 | MO |
| fosinopril-hydrochlorothiazide | 1 | MO | losartan | 1 | MO |
| furosemide injection solution | 4 | MO | losartan-hydrochlorothiazide | 1 | MO |
| furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml) | 2 | MO | mannitol 20 % | 4 | |
| furosemide oral tablet | 1 | MO | mannitol 25 % intravenous solution | 2 | MO |
| hydralazine | 2 | MO | matzim la | 2 | MO |
| hydrochlorothiazide | 1 | MO | metolazone | 3 | MO |
| indapamide | 1 | MO | metoprolol succinate | 1 | MO |
| irbesartan | 1 | MO | metoprolol tartrate-hydrochlorothiazide | 2 | MO |
| irbesartan-hydrochlorothiazide | 1 | MO | metoprolol tartrate intravenous | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>metoprolol tartrate oral</i> | 1 | MO |
| <i>metyrosine</i> | 5 | PA; MO |
| <i>minoxidil oral</i> | 2 | MO |
| <i>moexipril</i> | 1 | MO |
| <i>nadolol</i> | 4 | MO |
| <i>nebivolol</i> | 2 | MO |
| <i>nicardipine intravenous solution</i> | 2 | |
| <i>nicardipine oral</i> | 4 | MO |
| <i>nifedipine oral tablet extended release</i> | 2 | MO |
| <i>nifedipine oral tablet extended release 24hr</i> | 2 | MO |
| <i>nimodipine</i> | 4 | MO |
| <i>olmesartan</i> | 1 | MO |
| <i>olmesartan-amlodipin-hctiazide</i> | 2 | MO |
| <i>olmesartan-hydrochlorothiazide</i> | 1 | MO |
| <i>osmitrol 20 %</i> | 4 | |
| <i>perindopril erbumine</i> | 1 | MO |
| <i>phentolamine</i> | 2 | |
| <i>pindolol</i> | 3 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>prazosin</i> | 2 | MO |
| <i>propranolol intravenous</i> | 2 | |
| <i>propranolol oral capsule,extended release 24 hr</i> | 2 | MO |
| <i>propranolol oral solution</i> | 2 | MO |
| <i>propranolol oral tablet</i> | 1 | MO |
| <i>quinapril</i> | 1 | |
| <i>quinapril-hydrochlorothiazide</i> | 1 | |
| <i>ramipril</i> | 1 | MO |
| <i>spironolactone oral tablet</i> | 1 | MO |
| <i>spironolacton-hydrochlorothiazide</i> | 2 | MO |
| <i>taztia xt</i> | 2 | MO |
| <i>telmisartan</i> | 1 | MO |
| <i>telmisartan-amlodipine</i> | 2 | MO |
| <i>telmisartan-hydrochlorothiazide</i> | 2 | MO |
| <i>terazosin oral capsule 1 mg, 2 mg, 5 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>terazosin oral capsule 10 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>tiadylt er</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|--|------------------|----------------------------|
| <i>timolol maleate oral</i> | 4 | MO | <i>aminocaproic acid oral</i> | 5 | MO |
| <i>torsemide oral</i> | 2 | MO | <i>aspirin-dipyridamole</i> | 4 | MO |
| <i>trandolapril</i> | 1 | MO | <i>BRILINTA</i> | 3 | MO |
| <i>treprostinil sodium</i> | 5 | PA; MO; LA | <i>CABLIVI INJECTION KIT</i> | 5 | PA; LA |
| <i>triamterene-hydrochlorothiazide</i> | 1 | MO | <i>CEPROTIN (BLUE BAR)</i> | 3 | PA; MO |
| <i>UPTRAVI ORAL</i> | 5 | PA; MO; LA | <i>CEPROTIN (GREEN BAR)</i> | 3 | PA; MO |
| <i>valsartan oral tablet</i> | 1 | MO | <i>cilostazol</i> | 2 | MO |
| <i>valsartan-hydrochlorothiazide</i> | 1 | MO | <i>clopidogrel oral tablet 300 mg</i> | 2 | MO |
| <i>veletri</i> | 2 | B/D PA; MO | <i>clopidogrel oral tablet 75 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>verapamil intravenous</i> | 2 | | <i>dabigatran etexilate oral capsule 110 mg</i> | 4 | |
| <i>verapamil oral capsule, 24 hr er pellet ct</i> | 2 | MO | <i>dabigatran etexilate oral capsule 150 mg, 75 mg</i> | 4 | MO |
| <i>verapamil oral capsule, ext rel. pellets 24 hr</i> | 2 | MO | <i>dipyridamole intravenous</i> | 2 | |
| <i>verapamil oral tablet</i> | 1 | MO | <i>dipyridamole oral</i> | 4 | MO |
| <i>verapamil oral tablet extended release</i> | 2 | MO | <i>DOPTELET (10 TAB PACK)</i> | 5 | PA; MO; LA |
| COAGULATION THERAPY | | | | | |
| <i>aminocaproic acid intravenous</i> | 2 | MO | <i>DOPTELET (15 TAB PACK)</i> | 5 | PA; MO; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|--|------------------|----------------------------|
| DOPTELET (30 TAB PACK) | 5 | PA; MO; LA | <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> | 4 | MO |
| ELIQUIS | 3 | MO | <i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml), 25,000 unit/250 ml(100 unit/ml)</i> | 3 | |
| ELIQUIS DVT-PE TREAT 30D START | 3 | MO | <i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/500 ml (50 unit/ml)</i> | 3 | MO |
| enoxaparin subcutaneous solution | 2 | MO; QL (30 per 30 days) | <i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml</i> | 3 | MO |
| enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml | 4 | MO; QL (28 per 28 days) | <i>heparin (porcine) in nacl (pf) intravenous parenteral solution 2,000 unit/1,000 ml</i> | 3 | MO |
| enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml | 4 | MO; QL (22.4 per 28 days) | <i>heparin (porcine) injection cartridge</i> | 3 | MO |
| enoxaparin subcutaneous syringe 30 mg/0.3 ml, 60 mg/0.6 ml | 4 | MO; QL (16.8 per 28 days) | <i>heparin (porcine) injection solution</i> | 3 | MO |
| enoxaparin subcutaneous syringe 40 mg/0.4 ml | 4 | MO; QL (11.2 per 28 days) | | | |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i> | 5 | MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>heparin (porcine) injection syringe 5,000 unit/ml</i> | 3 | MO |
| <i>HEPARIN(PORCINE) IN 0.45% NACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML</i> | 3 | |
| <i>heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml, 25,000 unit/500 ml</i> | 3 | MO |
| <i>heparin, porcine (pf) injection solution 1,000 unit/ml</i> | 3 | |
| <i>heparin, porcine (pf) injection solution 5,000 unit/0.5 ml</i> | 3 | MO |
| <i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i> | 3 | MO |
| <i>HEPARIN, PORCINE (PF) INJECTION SYRINGE 5,000 UNIT/ML</i> | 3 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>HEPARIN, PORCINE (PF) SUBCUTANEOUS</i> | 3 | MO |
| <i>jantoven</i> | 1 | MO |
| <i>pentoxifylline</i> | 2 | MO |
| <i>prasugrel</i> | 3 | MO |
| <i>PROMACTA</i> | 5 | PA; MO; LA |
| <i>protamine</i> | 2 | |
| <i>warfarin</i> | 1 | MO |
| <i>XARELTO</i> | 3 | MO |
| <i>XARELTO DVT-PE TREAT 30D START</i> | 3 | MO |
| LIPID/CHOLESTEROL LOWERING AGENTS | | |
| <i>atorvastatin</i> | 1 | MO; QL (30 per 30 days) |
| <i>cholestyramine (with sugar)</i> | 3 | MO |
| <i>cholestyramine light</i> | 3 | |
| <i>colesevelam</i> | 4 | MO |
| <i>colestipol oral granules</i> | 4 | MO |
| <i>colestipol oral packet</i> | 4 | |
| <i>colestipol oral tablet</i> | 4 | MO |
| <i>ezetimibe</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ezetimibe-simvastatin | 2 | MO; QL (30 per 30 days) |
| fenofibrate micronized oral capsule 134 mg, 200 mg, 43 mg, 67 mg | 2 | MO |
| fenofibrate nanocrystallized | 2 | MO |
| fenofibrate oral tablet 160 mg, 54 mg | 2 | MO |
| fenofibric acid | 2 | |
| fenofibric acid (choline) | 4 | MO |
| fluvastatin oral capsule 20 mg | 2 | MO; QL (30 per 30 days) |
| fluvastatin oral capsule 40 mg | 2 | MO; QL (60 per 30 days) |
| gemfibrozil | 1 | MO |
| icosapent ethyl | 3 | MO |
| JUXTAPID | 5 | PA; MO; LA |
| lovastatin oral tablet 10 mg | 1 | MO; QL (30 per 30 days) |
| lovastatin oral tablet 20 mg, 40 mg | 1 | MO; QL (60 per 30 days) |
| niacin oral tablet 500 mg | 2 | MO |
| niacin oral tablet extended release 24 hr | 4 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|---------------------------|------------------|----------------------------|
| omega-3 acid ethyl esters | 2 | MO |
| pitavastatin calcium | 1 | MO; QL (30 per 30 days) |
| pravastatin | 1 | MO; QL (30 per 30 days) |
| prevalite | 3 | MO |
| REPATHA | 3 | PA; QL (6 per 28 days) |
| REPATHA PUSHTRONEX | 3 | PA; QL (7 per 28 days) |
| REPATHA SURECLICK | 3 | PA; QL (6 per 28 days) |
| rosuvastatin | 1 | MO; QL (30 per 30 days) |
| simvastatin | 1 | MO; QL (30 per 30 days) |

MISCELLANEOUS CARDIOVASCULAR AGENTS

| | | |
|---|---|-------------------------|
| CORLANOR ORAL SOLUTION | 3 | QL (450 per 30 days) |
| CORLANOR ORAL TABLET | 3 | MO; QL (60 per 30 days) |
| digoxin oral solution | 3 | MO |
| digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg) | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|---|------------------|----------------------------|
| <i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i> | 3 | MO | <i>dopamine intravenous solution 400 mg/10 ml (40 mg/ml)</i> | 2 | B/D PA; MO |
| <i>dobutamine</i> | 2 | B/D PA | <i>ENTRESTO</i> | 3 | MO; QL (60 per 30 days) |
| <i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml)</i> | 2 | B/D PA | <i>milrinone</i> | 2 | B/D PA |
| <i>dopamine in 5 % dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)</i> | 2 | B/D PA | <i>milrinone in 5 % dextrose</i> | 2 | B/D PA |
| <i>dopamine in 5 % dextrose intravenous solution 800 mg/250 ml (3,200 mcg/ml)</i> | 2 | B/D PA; MO | <i>norepinephrine bitartrate</i> | 2 | |
| <i>dopamine</i> | 2 | B/D PA | <i>ranolazine</i> | 4 | MO |
| <i>intravenous solution 200 mg/5 ml (40 mg/ml)</i> | | | <i>sodium nitroprusside</i> | 2 | B/D PA |
| | | | <i>VECAMYL</i> | 5 | |
| | | | <i>VERQUVO</i> | 3 | MO; QL (30 per 30 days) |
| | | | <i>VYNDAMAX</i> | 5 | PA; MO |
| NITRATES | | | | | |
| | | | <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i> | 2 | MO |
| | | | <i>isosorbide mononitrate</i> | 1 | MO |
| | | | <i>nitro-bid</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>nitroglycerin in 5 % dextrose intravenous solution 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml)</i> | 2 | B/D PA |
| <i>nitroglycerin intravenous</i> | 2 | B/D PA |
| <i>nitroglycerin sublingual</i> | 2 | MO |
| <i>nitroglycerin transdermal patch 24 hour</i> | 2 | MO |
| <i>nitroglycerin translingual</i> | 4 | MO |
| DERMATOLOGICALS/TOPICAL THERAPY | | |
| ANTIPSORIATIC / ANTISEBORRHEIC | | |
| <i>acitretin</i> | 4 | MO |
| <i>calcipotriene scalp</i> | 3 | MO; QL (120 per 30 days) |
| <i>calcipotriene topical cream</i> | 4 | MO; QL (120 per 30 days) |
| <i>calcipotriene topical ointment</i> | 4 | MO; QL (120 per 30 days) |
| <i>selenium sulfide topical lotion</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| <i>SKYRIZI SUBCUTANEOUS PEN INJECTOR</i> | 5 | PA; MO; QL (2 per 28 days) |
| <i>SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML</i> | 5 | PA; MO; QL (2 per 28 days) |
| <i>STELARA INTRAVENOUS</i> | 5 | PA; MO; QL (104 per 180 days) |
| <i>STELARA SUBCUTANEOUS SOLUTION</i> | 5 | PA; MO; QL (0.5 per 28 days) |
| <i>STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML</i> | 5 | PA; MO; QL (0.5 per 28 days) |
| <i>STELARA SUBCUTANEOUS SYRINGE 90 MG/ML</i> | 5 | PA; MO; QL (1 per 28 days) |
| <i>TALTZ AUTOINJECTOR</i> | 5 | PA; MO; QL (1 per 28 days) |
| <i>TALTZ AUTOINJECTOR (2 PACK)</i> | 5 | PA; MO; QL (4 per 28 days) |
| <i>TALTZ AUTOINJECTOR (3 PACK)</i> | 5 | PA; MO; QL (3 per 180 days) |
| <i>TALTZ SYRINGE</i> | 5 | PA; MO; QL (1 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| MISCELLANEOUS DERMATOLOGICALS | | |
| ammonium lactate | 2 | MO |
| chloroprocaine (pf) | 2 | |
| dermacinrx lidocan | 4 | PA; QL (90 per 30 days) |
| DUPIXENT SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML | 5 | PA; MO; QL (4.56 per 28 days) |
| DUPIXENT SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML | 5 | PA; MO; QL (8 per 28 days) |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML | 5 | PA; QL (1.34 per 28 days) |
| DUPIXENT SUBCUTANEOUS SYRINGE 200 MG/1.14 ML | 5 | PA; MO; QL (4.56 per 28 days) |
| DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML | 5 | PA; MO; QL (8 per 28 days) |
| fluorouracil topical cream 5 % | 3 | MO |
| fluorouracil topical solution | 3 | MO |
| glydo | 2 | MO; QL (60 per 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>imiquimod topical cream in packet 5 %</i> | 3 | MO |
| <i>lidocaine (pf) injection solution</i> | 2 | |
| <i>lidocaine hcl injection solution</i> | 2 | |
| <i>lidocaine hcl laryngotracheal</i> | 3 | MO |
| <i>lidocaine hcl mucous membrane jelly in applicator</i> | 2 | MO; QL (60 per 30 days) |
| <i>lidocaine hcl mucous membrane solution 2 %</i> | 2 | MO |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i> | 3 | MO |
| <i>lidocaine topical adhesive patch,medicated 5 %</i> | 4 | PA; MO; QL (90 per 30 days) |
| <i>lidocaine topical ointment</i> | 4 | MO; QL (36 per 30 days) |
| <i>lidocaine viscous</i> | 2 | |
| <i>lidocaine-epinephrine</i> | 2 | |
| <i>lidocaine-epinephrine (pf) injection solution 1.5 %-1:200,000, 2 %-1:200,000</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|---|------------------|----------------------------|
| <i>lidocaine-prilocaine topical cream</i> | 3 | MO; QL (30 per 30 days) | <i>clindamycin phosphate topical gel</i> | 3 | MO; QL (120 per 30 days) |
| <i>lidocan iii</i> | 4 | PA; QL (90 per 30 days) | <i>clindamycin phosphate topical gel, once daily</i> | 3 | MO; QL (150 per 30 days) |
| <i>methoxsalen</i> | 5 | MO | <i>clindamycin phosphate topical lotion</i> | 3 | MO; QL (120 per 30 days) |
| PANRETIN | 5 | PA; MO | <i>clindamycin phosphate topical solution</i> | 3 | MO; QL (120 per 30 days) |
| <i>pimecrolimus</i> | 4 | PA; MO; QL (100 per 30 days) | <i>ery pads</i> | 3 | MO |
| <i>podofilox topical solution</i> | 3 | MO | <i>erythromycin with ethanol topical solution</i> | 2 | MO |
| <i>polocaine injection solution 1% (10 mg/ml)</i> | 2 | | <i>isotretinoin</i> | 4 | |
| <i>polocaine-mpf</i> | 2 | | <i>ivermectin topical cream</i> | 2 | MO; QL (90 per 30 days) |
| REGRANEX | 5 | QL (15 per 30 days) | <i>metronidazole topical</i> | 4 | MO |
| SANTYL | 3 | MO; QL (180 per 30 days) | <i>tazarotene topical cream</i> | 4 | PA; MO |
| <i>silver sulfadiazine</i> | 2 | MO | <i>tazarotene topical gel</i> | 4 | PA; MO |
| <i>ssd</i> | 2 | MO | <i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i> | 4 | PA; MO |
| <i>tacrolimus topical</i> | 4 | PA; MO; QL (100 per 30 days) | <i>tretinoin topical gel 0.01 %, 0.025 %, 0.05 %</i> | 3 | PA; MO |
| VALCHLOR | 5 | PA; MO | <i>zenatane</i> | 4 | |
| THERAPY FOR ACNE | | | | | |
| <i>accutane</i> | 4 | | | | |
| <i>amnesteem</i> | 4 | | | | |
| <i>claravis</i> | 4 | | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| TOPICAL ANTIBACTERIALS | | |
| <i>gentamicin topical cream</i> | 4 | MO; QL (60 per 30 days) |
| <i>gentamicin topical ointment</i> | 3 | MO; QL (60 per 30 days) |
| <i>mupirocin</i> | 2 | MO; QL (44 per 30 days) |
| <i>sulfacetamide sodium (acne)</i> | 4 | MO |
| TOPICAL ANTIFUNGALS | | |
| <i>ciclodan topical solution</i> | 2 | MO; QL (6.6 per 28 days) |
| <i>ciclopirox topical cream</i> | 2 | MO; QL (90 per 28 days) |
| <i>ciclopirox topical gel</i> | 3 | MO; QL (100 per 28 days) |
| <i>ciclopirox topical shampoo</i> | 3 | MO; QL (120 per 28 days) |
| <i>ciclopirox topical solution</i> | 2 | MO; QL (6.6 per 28 days) |
| <i>ciclopirox topical suspension</i> | 3 | MO; QL (60 per 28 days) |
| <i>clotrimazole topical cream</i> | 2 | MO; QL (45 per 28 days) |
| <i>clotrimazole topical solution</i> | 2 | MO; QL (30 per 28 days) |
| <i>clotrimazole- betamethasone topical cream</i> | 3 | MO; QL (45 per 28 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>clotrimazole- betamethasone topical lotion</i> | 4 | MO; QL (60 per 28 days) |
| <i>econazole</i> | 4 | MO; QL (85 per 28 days) |
| <i>ketoconazole topical cream</i> | 2 | MO; QL (60 per 28 days) |
| <i>ketoconazole topical shampoo</i> | 2 | MO; QL (120 per 28 days) |
| <i>klayesta</i> | 3 | QL (180 per 30 days) |
| <i>naftifine topical gel 2 %</i> | 4 | MO; QL (60 per 28 days) |
| <i>nyamyc</i> | 3 | QL (180 per 30 days) |
| <i>nystatin topical cream</i> | 2 | MO; QL (30 per 28 days) |
| <i>nystatin topical ointment</i> | 2 | MO; QL (30 per 28 days) |
| <i>nystatin topical powder</i> | 3 | MO; QL (180 per 30 days) |
| <i>nystatin- triamcinolone</i> | 3 | MO; QL (60 per 28 days) |
| <i>nystop</i> | 3 | MO; QL (180 per 30 days) |
| TOPICAL ANTIVIRALS | | |
| <i>acyclovir topical ointment</i> | 4 | PA; MO; QL (30 per 30 days) |
| <i>penciclovir</i> | 4 | MO; QL (5 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TOPICAL CORTICOSTEROIDS | | |
| ala-cort topical cream 1% | 2 | MO |
| ala-cort topical cream 2.5 % | 2 | |
| alclometasone | 3 | MO |
| betamethasone dipropionate | 3 | MO |
| betamethasone valerate topical cream | 3 | MO |
| betamethasone valerate topical lotion | 3 | MO |
| betamethasone valerate topical ointment | 3 | MO |
| betamethasone, augmented topical cream | 2 | MO |
| betamethasone, augmented topical gel | 3 | MO |
| betamethasone, augmented topical lotion | 4 | MO |
| betamethasone, augmented topical ointment | 2 | MO |
| clobetasol scalp | 4 | MO; QL (100 per 28 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|------------------------------------|------------------|----------------------------|
| clobetasol topical cream | 4 | MO; QL (120 per 28 days) |
| clobetasol topical foam | 4 | MO; QL (100 per 28 days) |
| clobetasol topical gel | 4 | MO; QL (120 per 28 days) |
| clobetasol topical lotion | 4 | MO; QL (118 per 28 days) |
| clobetasol topical ointment | 4 | MO; QL (120 per 28 days) |
| clobetasol topical shampoo | 4 | MO; QL (236 per 28 days) |
| clobetasol-emollient topical cream | 4 | MO; QL (120 per 28 days) |
| clodan | 4 | MO; QL (236 per 28 days) |
| desonide | 4 | MO |
| fluocinolone and shower cap | 4 | MO |
| fluocinolone topical cream 0.01 % | 4 | MO |
| fluocinolone topical cream 0.025 % | 4 | |
| fluocinolone topical oil | 4 | MO |
| fluocinolone topical ointment | 4 | MO |
| fluocinolone topical solution | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| fluocinonide <i>topical cream 0.05 %</i> | 4 | MO; QL (120 per 30 days) |
| fluocinonide <i>topical gel</i> | 4 | MO; QL (120 per 30 days) |
| fluocinonide <i>topical ointment</i> | 4 | MO; QL (120 per 30 days) |
| fluocinonide <i>topical solution</i> | 4 | MO; QL (120 per 30 days) |
| fluocinonide- <i>emollient</i> | 4 | MO; QL (120 per 30 days) |
| halobetasol <i>propionate topical cream</i> | 4 | MO |
| halobetasol <i>propionate topical ointment</i> | 4 | MO |
| hydrocortisone <i>topical cream 1 %, 2.5 %</i> | 2 | MO |
| hydrocortisone <i>topical lotion 2.5 %</i> | 2 | MO |
| hydrocortisone <i>topical ointment 1 %, 2.5 %</i> | 2 | MO |
| mometasone <i>topical</i> | 2 | MO |
| prednicarbate <i>topical ointment</i> | 4 | |
| triamcinolone <i>acetonide topical cream</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| triamcinolone <i>acetonide topical lotion</i> | 2 | MO |
| triamcinolone <i>acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> | 2 | MO |
| TOPICAL SCABICIDES / PEDICULICIDES | | |
| crotan | 2 | |
| malathion | 4 | MO |
| permethrin | 3 | MO; QL (60 per 30 days) |
| DIAGNOSTICS / MISCELLANEOUS AGENTS | | |
| ANTIDOTES | | |
| acetylcysteine <i>intravenous</i> | 3 | |
| IRRIGATING SOLUTIONS | | |
| lactated ringers <i>irrigation</i> | 4 | |
| neomycin- <i>polymyxin b gu</i> | 2 | |
| ringer's irrigation | 4 | |
| MISCELLANEOUS AGENTS | | |
| acamprostate | 4 | MO |
| acetic acid <i>irrigation</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|---------------------------------------|------------------|----------------------------|
| anagrelide | 3 | MO | dextrose 5 % in water (d5w) | 4 | MO |
| caffeine citrate intravenous | 2 | | dextrose 5 %-lactated ringers | 4 | MO |
| caffeine citrate oral | 2 | MO | dextrose 5%-0.2 % sod chloride | 4 | |
| carglumic acid | 5 | PA | dextrose 5%-0.3 % sod.chloride | 4 | |
| CHEMET | 3 | PA | dextrose 50 % in water (d50w) | 4 | |
| CLINIMIX 4.25%/D5W SULFIT FREE | 4 | B/D PA | dextrose 70 % in water (d70w) | 4 | |
| d10 %-0.45 % sodium chloride | 4 | | disulfiram oral tablet 250 mg | 3 | MO |
| d2.5 %-0.45 % sodium chloride | 4 | | disulfiram oral tablet 500 mg | 3 | |
| d5 % and 0.9 % sodium chloride | 4 | MO | droxidopa | 5 | PA; MO |
| d5 %-0.45 % sodium chloride | 4 | MO | ENDARI | 5 | PA; MO |
| deferasirox oral tablet 180 mg, 360 mg | 5 | PA; MO | INCRELEX | 5 | MO; LA |
| deferasirox oral tablet 90 mg | 4 | PA; MO | levocarnitine (with sugar) | 4 | MO |
| deferiprone | 5 | PA; MO | levocarnitine oral solution 100 mg/ml | 4 | MO |
| deferoxamine | 2 | B/D PA; MO | levocarnitine oral tablet | 4 | MO |
| dextrose 10 % and 0.2 % nacl | 4 | | LOKELMA | 3 | MO |
| dextrose 10 % in water (d10w) | 4 | | midodrine | 3 | MO |
| dextrose 25 % in water (d25w) | 4 | | nitisinone | 5 | PA; MO |
| | | | pilocarpine hcl oral | 4 | MO |
| | | | PROLASTIN-C | 5 | PA; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| REVCovi | 5 | PA; LA |
| riluzole | 3 | PA; MO |
| sevelamer carbonate oral tablet | 4 | MO; QL (270 per 30 days) |
| sodium benzoate-sod phenylacet | 5 | |
| sodium chloride 0.9 % intravenous | 4 | MO |
| sodium chloride irrigation | 4 | MO |
| sodium phenylbutyrate oral powder | 5 | PA; MO |
| sodium phenylbutyrate oral tablet | 5 | PA |
| sodium polystyrene sulfonate oral powder | 3 | MO |
| sps (with sorbitol) oral | 3 | MO |
| sps (with sorbitol) rectal | 3 | |
| trientine oral capsule 250 mg | 5 | PA; MO |
| water for irrigation, sterile | 4 | MO |
| XIAFLEX | 5 | PA |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml | 2 | PA; MO |
| SMOKING DETERRENTS | | |
| bupropion hcl (smoking deter) | 2 | |
| NICOTROL | 4 | |
| NICOTROL NS | 4 | MO |
| varenicline | 4 | MO |
| EAR, NOSE / THROAT MEDICATIONS | | |
| MISCELLANEOUS AGENTS | | |
| azelastine nasal aerosol,spray | 3 | MO; QL (60 per 30 days) |
| azelastine nasal spray,non-aerosol | 3 | QL (60 per 30 days) |
| chlorhexidine gluconate mucous membrane | 2 | MO |
| denta 5000 plus | 2 | MO |
| dentagel | 2 | MO |
| fluoride (sodium) dental cream | 2 | |
| fluoride (sodium) dental gel | 2 | |
| fluoride (sodium) dental paste | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>ipratropium bromide nasal</i> | 2 | MO; QL (30 per 30 days) |
| <i>kourzeq</i> | 2 | |
| <i>oralone</i> | 2 | |
| <i>periogard</i> | 2 | MO |
| <i>sf</i> | 2 | MO |
| <i>sf 5000 plus</i> | 2 | MO |
| <i>sodium fluoride 5000 dry mouth</i> | 2 | MO |
| <i>sodium fluoride 5000 plus</i> | 2 | |
| <i>sodium fluoride-pot nitrate</i> | 2 | MO |
| <i>triamcinolone acetonide dental</i> | 2 | MO |
| MISCELLANEOUS OTIC PREPARATIONS | | |
| <i>acetic acid otic (ear)</i> | 2 | MO |
| <i>ciprofloxacin hcl otic (ear)</i> | 4 | MO |
| <i>flac otic oil</i> | 4 | |
| <i>fluocinolone acetonide oil</i> | 4 | MO |
| <i>hydrocortisone-acetic acid</i> | 4 | MO |
| <i>ofloxacin otic (ear)</i> | 3 | MO |
| OTIC STEROID / ANTIBIOTIC | | |
| <i>ciprofloxacin-dexamethasone</i> | 3 | MO; QL (7.5 per 7 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>neomycin-polymyxin-hc otic (ear)</i> | 3 | MO |
| ENDOCRINE/DIABETES | | |
| ADRENAL HORMONES | | |
| <i>cortisone</i> | 4 | |
| <i>dexamethasone intensol</i> | 2 | MO |
| <i>dexamethasone oral elixir</i> | 2 | MO |
| <i>dexamethasone oral solution</i> | 2 | MO |
| <i>dexamethasone oral tablet</i> | 2 | MO |
| <i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i> | 2 | MO |
| <i>dexamethasone sodium phosphate injection</i> | 2 | MO |
| <i>fludrocortisone</i> | 2 | MO |
| <i>hydrocortisone oral</i> | 2 | MO |
| <i>methylprednisolone acetate</i> | 3 | MO |
| <i>methylprednisolone oral tablet</i> | 2 | B/D PA; MO |
| <i>methylprednisolone oral tablets, dose pack</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i> | 3 | MO |
| <i>methylprednisolone sodium succ intravenous</i> | 3 | MO |
| <i>prednisolone oral solution</i> | 3 | MO |
| <i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> | 3 | MO |
| <i>prednisolone sodium phosphate oral solution 15 mg/5 ml (5 ml)</i> | 3 | |
| <i>prednisone</i> | 2 | MO |
| <i>prednisone intensol</i> | 4 | MO |
| <i>triamcinolone acetonide injection suspension 40 mg/ml</i> | 2 | MO |
| ANTITHYROID AGENTS | | |
| <i>methimazole oral tablet 10 mg, 5 mg</i> | 1 | MO |
| <i>propylthiouracil</i> | 3 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| DIABETES THERAPY | | |
| <i>acarbose oral tablet 100 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>acarbose oral tablet 25 mg</i> | 2 | MO; QL (360 per 30 days) |
| <i>acarbose oral tablet 50 mg</i> | 2 | MO; QL (180 per 30 days) |
| <i>alcohol pads</i> | 3 | MO |
| <i>BYDUREON BCISE</i> | 3 | PA; MO; QL (4 per 28 days) |
| <i>BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML</i> | 3 | PA; MO; QL (2.4 per 30 days) |
| <i>BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML</i> | 3 | PA; MO; QL (1.2 per 30 days) |
| <i>diazoxide</i> | 4 | MO |
| <i>DROPSAFE ALCOHOL PREP PADS</i> | 3 | |
| <i>FARXIGA ORAL TABLET 10 MG</i> | 3 | MO; QL (30 per 30 days) |
| <i>FARXIGA ORAL TABLET 5 MG</i> | 3 | MO; QL (60 per 30 days) |
| <i>FREESTYLE INSULIN X STRIP</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|--|------------------|-----------------------------|
| FREESTYLE INSULINX TEST STRIPS | 3 | MO | glipizide- <i>metformin oral</i> tablet 2.5-500 mg, 5-500 mg | 1 | MO; QL (120 per 30 days) |
| FREESTYLE LITE STRIPS | 3 | MO | GVOKE | 3 | MO |
| FREESTYLE PRECISION NEO STRIPS | 3 | MO | GVOKE | 3 | |
| FREESTYLE TEST | 3 | MO | HYPOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML | | |
| <i>glimepiride oral</i> tablet 1 mg | 1 | MO; QL (240 per 30 days) | GVOKE | 3 | MO |
| <i>glimepiride oral</i> tablet 2 mg | 1 | MO; QL (120 per 30 days) | HYPOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 1 MG/0.2 ML | | |
| <i>glimepiride oral</i> tablet 4 mg | 1 | MO; QL (60 per 30 days) | GVOKE | 3 | MO |
| <i>glipizide oral tablet</i> 10 mg | 1 | MO; QL (120 per 30 days) | HYPOPEN 2- PACK | | |
| <i>glipizide oral tablet</i> 5 mg | 1 | MO; QL (240 per 30 days) | GVOKE PFS 1- PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML | | |
| <i>glipizide oral tablet</i> extended release 24hr 10 mg | 1 | MO; QL (60 per 30 days) | GVOKE PFS 2- PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML | | |
| <i>glipizide oral tablet</i> extended release 24hr 2.5 mg | 1 | MO; QL (240 per 30 days) | HUMALOG JUNIOR KWIKPEN U-100 | 3 | MO |
| <i>glipizide oral tablet</i> extended release 24hr 5 mg | 1 | MO; QL (120 per 30 days) | HUMALOG KWIKPEN INSULIN | 3 | MO |
| <i>glipizide-</i> <i>metformin oral</i> tablet 2.5-250 mg | 1 | MO; QL (240 per 30 days) | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--------------------------------------|------------------|----------------------------|--|------------------|----------------------------|
| HUMALOG MIX 50-50 INSULN U-100 | 3 | | INSULIN LISPRO SUBCUTANEOUS SOLUTION | 3 | MO |
| HUMALOG MIX 50-50 KWIKPEN | 3 | MO | JANUMET | 3 | MO; QL (60 per 30 days) |
| HUMALOG MIX 75-25 KWIKPEN | 3 | MO | JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG | 3 | MO; QL (30 per 30 days) |
| HUMALOG MIX 75-25(U-100)INSULN | 3 | MO | JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG | 3 | MO; QL (60 per 30 days) |
| HUMALOG U-100 INSULIN | 3 | MO | JANUVIA | 3 | MO; QL (30 per 30 days) |
| HUMULIN 70/30 U-100 INSULIN | 3 | MO | JARDIANCE | 3 | MO; QL (30 per 30 days) |
| HUMULIN 70/30 U-100 KWIKPEN | 3 | MO | LANTUS SOLOSTAR U-100 INSULIN | 3 | MO |
| HUMULIN N NPH INSULIN KWIKPEN | 3 | MO | LANTUS U-100 INSULIN | 3 | MO |
| HUMULIN N NPH U-100 INSULIN | 3 | MO | LYUMJEV KWIKPEN U-100 INSULIN | 3 | MO |
| HUMULIN R REGULAR U-100 INSULN | 3 | MO | LYUMJEV KWIKPEN U-200 INSULIN | 3 | MO |
| HUMULIN R U-500 (CONC) INSULIN | 3 | MO | LYUMJEV U-100 INSULIN | 3 | MO |
| HUMULIN R U-500 (CONC) KWIKPEN | 3 | MO | <i>metformin oral tablet 1,000 mg</i> | 1 | MO; QL (75 per 30 days) |
| INSULIN GLARGINE | 3 | | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>metformin oral tablet 500 mg</i> | 1 | MO; QL (150 per 30 days) |
| <i>metformin oral tablet 850 mg</i> | 1 | MO; QL (90 per 30 days) |
| <i>metformin oral tablet extended release 24 hr 500 mg</i> | 1 | MO; QL (120 per 30 days) |
| <i>metformin oral tablet extended release 24 hr 750 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>nateglinide oral tablet 120 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>nateglinide oral tablet 60 mg</i> | 2 | MO; QL (180 per 30 days) |
| ONETOUCH ULTRA TEST | 3 | MO |
| ONETOUCH VERIO TEST STRIPS | 3 | MO |
| <i>pioglitazone</i> | 1 | MO; QL (30 per 30 days) |
| PRECISION XTRA TEST | 3 | MO |
| <i>repaglinide oral tablet 0.5 mg</i> | 2 | MO; QL (960 per 30 days) |
| <i>repaglinide oral tablet 1 mg</i> | 2 | MO; QL (480 per 30 days) |
| <i>repaglinide oral tablet 2 mg</i> | 2 | MO; QL (240 per 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>saxagliptin</i> | 3 | MO; QL (30 per 30 days) |
| <i>saxagliptin-metformin oral tablet, er multiphase 24 hr 2.5-1,000 mg</i> | 3 | MO; QL (60 per 30 days) |
| <i>saxagliptin-metformin oral tablet, er multiphase 24 hr 5-1,000 mg, 5-500 mg</i> | 3 | MO; QL (30 per 30 days) |
| SOLIQUA 100/33 | 3 | MO; QL (90 per 30 days) |
| SYNJARDY | 3 | MO; QL (60 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG | 3 | MO; QL (30 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG | 3 | MO; QL (60 per 30 days) |
| TOUJEO MAX U-300 SOLOSTAR | 3 | MO |
| TOUJEO SOLOSTAR U-300 INSULIN | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| TRULICITY | 3 | PA; MO; QL (2 per 28 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG | 3 | MO; QL (30 per 30 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG | 3 | MO; QL (60 per 30 days) |
| MISCELLANEOUS HORMONES | | |
| ALDURAZYME | 5 | PA; MO |
| <i>cabergoline</i> | 3 | MO |
| <i>calcitonin (salmon) injection</i> | 5 | MO |
| <i>calcitonin (salmon) nasal</i> | 3 | MO |
| <i>calcitriol intravenous solution 1 mcg/ml</i> | 2 | |
| <i>calcitriol oral capsule</i> | 2 | MO |
| <i>calcitriol oral solution</i> | 4 | |
| <i>cinacalcet</i> | 4 | PA; MO |
| <i>clomid</i> | 2 | PA; MO |
| <i>clomiphene citrate</i> | 2 | PA |
| CRYSVITA | 5 | PA; MO; LA |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>danazol</i> | 4 | MO |
| <i>desmopressin injection</i> | 2 | MO |
| <i>desmopressin nasal spray with pump</i> | 4 | MO |
| <i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i> | 4 | |
| <i>desmopressin oral</i> | 3 | MO |
| <i>doxercalciferol intravenous</i> | 2 | |
| <i>doxercalciferol oral</i> | 4 | MO |
| ELAPRASE | 5 | PA; MO |
| FABRAZYME | 5 | PA; MO |
| KANUMA | 5 | PA; MO |
| KORLYM | 5 | PA |
| LUMIZYME | 5 | PA; MO |
| MEPSEVII | 5 | PA; MO |
| <i>mifepristone oral tablet 300 mg</i> | 5 | PA |
| MYALEPT | 5 | PA; MO; LA |
| NAGLAZYME | 5 | PA; MO; LA |
| NATPARA | 5 | PA; LA |
| <i>pamidronate intravenous solution</i> | 2 | MO |
| <i>paricalcitol intravenous</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|--|------------------|----------------------------------|
| paricalcitol oral | 4 | MO | testosterone | 4 | PA; MO; QL (300 per 30 days) |
| sapropterin | 5 | PA; MO | <i>transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i> | | |
| SOMAVERT | 5 | PA; MO | testosterone | 4 | PA; MO; QL (37.5 per 30 days) |
| testosterone cypionate <i>intramuscular oil 100 mg/ml, 200 mg/ml</i> | 3 | PA; MO | <i>transdermal gel in packet 1.62% (20.25 mg/1.25 gram)</i> | | |
| testosterone cypionate <i>intramuscular oil 200 mg/ml (1 ml)</i> | 3 | PA | <i>transdermal gel in packet 1.62% (40.5 mg/2.5 gram)</i> | 4 | PA; MO; QL (150 per 30 days) |
| testosterone enanthate | 3 | PA; MO | <i>transdermal solution in metered pump w/app</i> | 4 | PA; MO; QL (180 per 30 days) |
| testosterone transdermal gel | 4 | PA; MO; QL (300 per 30 days) | tolvaptan | 5 | PA; MO |
| testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation | 4 | PA; MO; QL (120 per 30 days) | VIMIZIM | 5 | PA; MO; LA |
| testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1%) | 3 | PA; MO; QL (300 per 30 days) | zoledronic acid intravenous solution | 2 | B/D PA; MO |
| testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %) | 4 | PA; MO; QL (150 per 30 days) | zoledronic acid-mannitol-water intravenous piggyback 4 mg/100 ml | 2 | B/D PA; MO |
| THYROID HORMONES | | | | | |
| euthyrox | 1 | MO | | | |
| levo-t | 1 | | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>levothyroxine intravenous recon soln</i> | 2 | |
| <i>levothyroxine oral tablet</i> | 1 | MO |
| <i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1 | MO |
| <i>liothyronine</i> | 2 | MO |
| <i>unithroid</i> | 1 | MO |

GASTROENTEROLOGY

ANTIDIARRHEALS / ANTISPASMODICS

| | | |
|---|---|----|
| <i>atropine injection solution 0.4 mg/ml</i> | 2 | |
| <i>atropine injection syringe 0.1 mg/ml</i> | 2 | |
| <i>atropine intravenous solution 0.4 mg/ml</i> | 2 | |
| <i>atropine intravenous syringe 0.25 mg/5 ml (0.05 mg/ml)</i> | 2 | |
| <i>dicyclomine intramuscular</i> | 2 | MO |
| <i>dicyclomine oral capsule</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>dicyclomine oral solution</i> | 4 | MO |
| <i>dicyclomine oral tablet</i> | 2 | MO |
| <i>diphenoxylate-atropine oral liquid</i> | 4 | MO |
| <i>diphenoxylate-atropine oral tablet</i> | 3 | MO |
| <i>glycopyrrolate (pf) in water intravenous syringe 0.4 mg/2 ml (0.2 mg/ml)</i> | 2 | MO |
| <i>glycopyrrolate injection</i> | 2 | MO |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i> | 3 | MO |
| <i>glycopyrrolate oral tablet 1.5 mg</i> | 3 | |
| <i>loperamide oral capsule</i> | 2 | MO |
| <i>opium tincture</i> | 2 | MO |

MISCELLANEOUS GASTROINTESTINAL AGENTS

| | | |
|-------------------------------------|---|------------|
| <i>alosetron oral tablet 0.5 mg</i> | 4 | PA; MO |
| <i>alosetron oral tablet 1 mg</i> | 5 | PA; MO |
| <i>aprepitant</i> | 4 | B/D PA; MO |
| <i>balsalazide</i> | 4 | MO |
| <i>betaine</i> | 5 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|---|------------------|-----------------------------|
| budesonide oral capsule, delayed, extend.release | 4 | MO | ENTYVIO | 5 | PA; MO; QL (2 per 28 days) |
| budesonide oral tablet, delayed and ext.release | 5 | MO | enulose | 2 | MO |
| CHENODAL | 5 | PA; LA | fosaprepitant | 2 | MO |
| CHOLBAM ORAL CAPSULE 250 MG | 5 | PA | GATTEX 30-VIAL | 5 | PA; MO |
| CHOLBAM ORAL CAPSULE 50 MG | 5 | PA; QL (120 per 30 days) | GATTEX ONE-VIAL | 5 | PA; MO |
| CINVANTI | 3 | MO | gavilyte-c | 2 | MO |
| compro | 4 | MO | gavilyte-g | 2 | MO |
| constulose | 2 | MO | generlac | 2 | |
| CORTIFOAM | 3 | MO | gransetron (pf) intravenous solution 1 mg/ml (1 ml) | 2 | MO |
| CREON | 3 | MO | gransetron hcl intravenous solution 1 mg/ml | 2 | MO |
| cromolyn oral | 4 | MO | gransetron hcl intravenous solution 1 mg/ml (1 ml) | 2 | |
| dimenhydrinate injection solution | 2 | MO | gransetron hcl oral | 4 | B/D PA; MO |
| dronabinol oral capsule 10 mg | 4 | B/D PA; MO | hydrocortisone rectal | 4 | MO |
| dronabinol oral capsule 2.5 mg, 5 mg | 4 | B/D PA | hydrocortisone topical cream with perineal applicator | 2 | MO |
| droperidol injection solution | 2 | MO | INFLECTRA | 5 | PA; MO; QL (20 per 28 days) |
| EMEND ORAL SUSPENSION FOR RECONSTITUTION | 4 | B/D PA | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|---|------------------|---------------------------------|
| <i>lactulose oral solution 10 gram/15 ml</i> | 2 | MO | <i>metoclopramide hcl oral solution</i> | 2 | MO |
| <i>lactulose oral solution 10 gram/15 ml (15 ml), 20 gram/30 ml</i> | 2 | | <i>metoclopramide hcl oral tablet</i> | 1 | MO |
| LINZESS | 4 | ST; MO; QL (30 per 30 days) | MOVANTIK | 3 | MO; QL (30 per 30 days) |
| <i>lubiprostone</i> | 4 | MO; QL (60 per 30 days) | OCALIVA | 5 | PA; MO; LA; QL (30 per 30 days) |
| <i>meclizine oral tablet 12.5 mg, 25 mg</i> | 2 | MO | <i>ondansetron</i> | 2 | B/D PA; MO |
| <i>mesalamine oral capsule (with delayed release tablets)</i> | 4 | MO | <i>ondansetron hcl (pf) injection solution</i> | 2 | MO |
| <i>mesalamine oral capsule, extended release</i> | 5 | | <i>ondansetron hcl (pf) injection syringe</i> | 2 | |
| <i>mesalamine oral capsule, extended release 24hr</i> | 4 | MO | <i>ondansetron hcl intravenous</i> | 2 | MO |
| <i>mesalamine oral tablet, delayed release (dr/ec)</i> | 4 | MO | <i>ondansetron hcl oral solution</i> | 4 | B/D PA; MO |
| <i>mesalamine rectal</i> | 4 | MO | <i>ondansetron hcl oral tablet 4 mg, 8 mg</i> | 2 | B/D PA; MO |
| <i>mesalamine with cleansing wipe</i> | 4 | MO | <i>palonosetron intravenous solution 0.25 mg/5 ml</i> | 2 | MO |
| <i>metoclopramide hcl injection solution</i> | 2 | MO | <i>palonosetron intravenous syringe</i> | 2 | |
| | | | <i>peg 3350-electrolytes</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|--|------------------|------------------------------|
| peg3350-sod sulfonacil-kcl-asb-c | 4 | MO | SKYRIZI INTRAVENOUS | 5 | PA; MO; QL (30 per 180 days) |
| peg-electrolyte | 2 | MO | SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML) | 5 | PA; MO; QL (1.2 per 56 days) |
| PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG | 4 | MO | SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML) | 5 | PA; MO; QL (2.4 per 56 days) |
| prochlorperazine | 4 | MO | sodium,potassium, mag sulfates oral recon soln 17.5-3.13-1.6 gram | 4 | MO |
| prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml) | 2 | MO | sodium,potassium, mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml) | 4 | |
| prochlorperazine maleate oral | 2 | MO | SUCRAID | 5 | PA |
| procto-med hc | 2 | MO | sulfasalazine | 2 | MO |
| proctosol hc topical | 2 | MO | TRULANCE | 3 | MO; QL (30 per 30 days) |
| proctozone-hc | 2 | | ursodiol oral capsule 300 mg | 3 | MO |
| RECTIV | 3 | MO | ursodiol oral tablet | 3 | MO |
| RELISTOR SUBCUTANEOUS SOLUTION | 5 | MO; QL (18 per 30 days) | VARUBI | 3 | B/D PA |
| RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML | 5 | MO; QL (18 per 30 days) | VIOKACE | 3 | MO |
| RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML | 5 | MO; QL (12 per 30 days) | | | |
| scopolamine base | 4 | MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ULCER THERAPY | | |
| esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg | 3 | MO; QL (30 per 30 days) |
| esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg | 3 | MO; QL (60 per 30 days) |
| esomeprazole sodium intravenous recon soln 40 mg | 2 | MO |
| famotidine (pf) | 2 | MO |
| famotidine (pf)-nacl (iso-os) | 2 | MO |
| famotidine intravenous | 2 | MO |
| famotidine oral tablet 20 mg, 40 mg | 1 | MO |
| lansoprazole oral capsule,delayed release(dr/ec) 15 mg | 3 | MO; QL (30 per 30 days) |
| lansoprazole oral capsule,delayed release(dr/ec) 30 mg | 3 | MO; QL (60 per 30 days) |
| misoprostol | 3 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg | 1 | MO; QL (30 per 30 days) |
| omeprazole oral capsule,delayed release(dr/ec) 40 mg | 1 | MO; QL (60 per 30 days) |
| pantoprazole intravenous | 2 | MO |
| pantoprazole oral tablet,delayed release (dr/ec) 20 mg | 1 | MO; QL (30 per 30 days) |
| pantoprazole oral tablet,delayed release (dr/ec) 40 mg | 1 | MO; QL (60 per 30 days) |
| sucralfate oral suspension | 4 | MO |
| sucralfate oral tablet | 2 | MO |
| IMMUNOLOGY, VACCINES / BIOTECHNOLOGY | | |
| BIOTECHNOLOGY DRUGS | | |
| ACTIMMUNE | 5 | B/D PA; MO |
| ARCALYST | 5 | PA |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT | 5 | PA; MO; QL (1 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| AVONEX INTRAMUSCULAR SYRINGE KIT | 5 | PA; MO; QL (1 per 28 days) |
| BESREMI | 5 | PA; LA |
| BETASERON SUBCUTANEOUS KIT | 5 | PA; MO; QL (14 per 28 days) |
| ILARIS (PF) | 5 | PA; MO; LA; QL (2 per 28 days) |
| LEUKINE INJECTION RECON SOLN | 5 | PA; MO |
| MOZOBIL | 5 | B/D PA; MO |
| NIVESTYM | 5 | PA; MO |
| NYVEPRIA | 5 | PA; MO |
| OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML) | 5 | PA; MO |
| OMNITROPE SUBCUTANEOUS CARTRIDGE 5 MG/1.5 ML (3.3 MG/ML) | 5 | PA |
| OMNITROPE SUBCUTANEOUS RECON SOLN | 5 | PA; MO |
| PEGASYS SUBCUTANEOUS SOLUTION | 5 | MO; QL (4 per 28 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PEGASYS SUBCUTANEOUS SYRINGE | 5 | MO; QL (2 per 28 days) |
| plerixafor | 5 | B/D PA; MO |
| PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3 | PA; MO |
| PROCRIT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML | 5 | PA; MO |
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3 | PA; MO |
| RETACRIT INJECTION SOLUTION 40,000 UNIT/ML | 5 | PA; MO |
| VACCINES / MISCELLANEOUS IMMUNOLOGICALS | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|---|------------------|----------------------------|
| ABRYSVO | 1 | V | HIBERIX (PF) | 3 | |
| ACTHIB (PF) | 3 | | HIZENTRA | 5 | B/D PA; MO |
| ADACEL(TDAP ADOLESN/ADULT)(PF) | 1 | V | HYPERHEP B INTRAMUSCULAR SOLUTION | 3 | |
| AREXVY (PF) | 1 | V | HYPERHEP B NEONATAL | 3 | |
| BCG VACCINE, LIVE (PF) | 1 | V | IMOVAX RABIES VACCINE (PF) | 1 | V |
| BEXSERO | 1 | V | INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE | 3 | |
| BOOSTRIX TDAP | 1 | V | IPOL | 1 | V |
| DAPTACEL (DTAP PEDIATRIC) (PF) | 3 | | IXIARO (PF) | 1 | V |
| DENGVAXIA (PF) | 3 | | JYNNEOS (PF) | 1 | B/D PA; V |
| ENGERIX-B (PF) | 1 | B/D PA; V | KINRIX (PF) INTRAMUSCULAR SYRINGE | 3 | |
| ENGERIX-B PEDIATRIC (PF) | 1 | B/D PA; V | MENACTRA (PF) INTRAMUSCULAR SOLUTION | 1 | V |
| fomepizole | 2 | | MENQUADFI (PF) | 1 | V |
| GAMASTAN | 3 | MO | MENVEO A-C-Y-W-135-DIP (PF) | 1 | V |
| GAMASTAN S/D | 3 | | M-M-R II (PF) | 1 | V |
| GARDASIL 9 (PF) | 1 | V | PEDIARIX (PF) | 3 | |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML | 1 | V | PEDVAX HIB (PF) | 3 | |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML | 3 | | PENBRAYA (PF) | 1 | V |
| HEPLISAV-B (PF) | 1 | B/D PA; V | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PENTACEL (PF) INTRAMUSCULAR KIT 15LF-48MCG- 62DU -10 MCG/0.5ML | 3 | |
| PREHEVBRIOD (PF) | 1 | B/D PA; V |
| PRIORIX (PF) | 1 | V |
| PRIVIGEN | 5 | PA; MO |
| PROQUAD (PF) | 3 | |
| QUADRACEL (PF) | 3 | |
| RABAVERT (PF) | 1 | V |
| RECOMBIVAX HB (PF) | 1 | B/D PA; V |
| ROTARIX | 3 | |
| ROTATEQ VACCINE | 3 | |
| SHINGRIX (PF) | 1 | V; QL (2 per 720 days) |
| TDVAX | 1 | V |
| TENIVAC (PF) | 1 | V |
| TETANUS,DIPHT HERIA TOX PED(PF) | 3 | |
| TICE BCG | 3 | B/D PA |
| TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML | 3 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML | 3 | V |
| TRUMENBA | 1 | V |
| TWINRIX (PF) | 1 | V |
| TYPHIM VI | 1 | V |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML | 3 | |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML | 1 | V |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML | 3 | |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML | 1 | V |
| VARIVAX (PF) | 1 | V |
| VARIZIG | 3 | |
| YF-VAX (PF) | 1 | V |

MISCELLANEOUS SUPPLIES

MISCELLANEOUS SUPPLIES

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|--|------------------|----------------------------|
| BD INSULIN SYRINGE SYRINGE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1ML 30 GAUGE X 1/2", 1/2 ML 31 GAUGE X 15/64" | 3 | MO | FREESTYLE LIBRE 14 DAY READER | 3 | |
| BD PEN NEEDLE | 3 | MO | FREESTYLE LIBRE 14 DAY SENSOR | 3 | MO |
| BD PEN NEEDLE | 3 | | FREESTYLE LIBRE 2 READER | 3 | MO |
| CEQUR SIMPLICITY INSERTER | 3 | MO | FREESTYLE LIBRE 2 SENSOR | 3 | MO |
| DEXCOM G6 RECEIVER | 3 | MO | FREESTYLE LIBRE 3 READER | 3 | MO |
| DEXCOM G6 SENSOR | 3 | MO | FREESTYLE LIBRE 3 SENSOR | 3 | MO |
| DEXCOM G6 TRANSMITTER | 3 | MO | FREESTYLE LITE METER | 3 | MO |
| DEXCOM G7 RECEIVER | 3 | MO | GAUZE PADS 2 X 2 | 3 | MO |
| DEXCOM G7 SENSOR | 3 | MO | INSULIN SYRINGE- NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE | 3 | MO |
| FREESTYLE FREEDOM LITE | 3 | MO | INSULIN SYRINGES (NON-PREFERRED BRANDS) | 3 | MO |
| FREESTYLE INSULINX | 3 | | SYRINGE 1 ML 29 GAUGE X 1/2" | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| OMNIPOD 5 G6 INTRO KIT (GEN 5) | 3 | MO; QL (1 per 720 days) |
| OMNIPOD 5 G6 PODS (GEN 5) | 3 | MO |
| OMNIPOD CLASSIC PODS (GEN 3) | 3 | MO |
| OMNIPOD DASH INTRO KIT (GEN 4) | 3 | QL (1 per 720 days) |
| OMNIPOD DASH PODS (GEN 4) | 3 | MO |
| ONETOUCH ULTRA2 METER | 3 | MO |
| ONETOUCH VERIO FLEX METER | 3 | MO |
| ONETOUCH VERIO REFLECT METER | 3 | MO |
| PEN NEEDLES (NON-PREFERRED BRANDS) NEEDLE 29 GAUGE X 1/2" | 3 | MO |
| PRECISION XTRA MONITOR | 3 | MO |
| V-GO 20 | 3 | MO |
| V-GO 30 | 3 | MO |
| V-GO 40 | 3 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| MUSCULOSKELETAL / RHEUMATOLOGY | | |
| GOUT THERAPY | | |
| <i>allopurinol oral tablet 100 mg, 300 mg</i> | 1 | MO |
| <i>allopurinol sodium</i> | 2 | |
| <i>aloprim</i> | 2 | |
| <i>colchicine oral tablet</i> | 3 | MO |
| <i>febuxostat</i> | 3 | MO |
| <i>probenecid</i> | 3 | MO |
| <i>probenecid-colchicine</i> | 3 | MO |
| OSTEOPOROSIS THERAPY | | |
| <i>alendronate oral tablet 10 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>alendronate oral tablet 35 mg, 70 mg</i> | 1 | MO; QL (4 per 28 days) |
| <i>ibandronate intravenous solution</i> | 3 | PA |
| <i>ibandronate intravenous syringe</i> | 3 | PA; MO |
| <i>ibandronate oral</i> | 3 | MO; QL (1 per 30 days) |
| <i>PROLIA</i> | 4 | PA; MO; QL (1 per 180 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|---|------------------|-------------------------------|
| raloxifene | 3 | MO | ADALIMUMAB-ADBM SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; MO; QL (4 per 28 days) |
| TERIPARATIDE SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (620MCG/2.48ML) | 5 | PA; QL (2.48 per 28 days) | ADALIMUMAB-ADBM(CF) PEN CROHNS | 5 | PA; QL (6 per 180 days) |
| OTHER RHEUMATOLOGICALS | | | | | |
| ACTEMRA ACTPEN | 5 | PA; MO; QL (3.6 per 28 days) | ADALIMUMAB-ADBM(CF) PEN PS-UV | 5 | PA; QL (4 per 180 days) |
| ACTEMRA INTRAVENOUS | 5 | PA; MO; QL (160 per 28 days) | BENLYSTA | 5 | PA; MO |
| ACTEMRA SUBCUTANEOUS | 5 | PA; MO; QL (3.6 per 28 days) | CYLTEZO(CF) PEN | 5 | PA; MO; QL (4 per 28 days) |
| ADALIMUMAB-ADAZ | 5 | PA; MO; QL (1.6 per 28 days) | CYLTEZO(CF) PEN CROHN'S-UC-HS | 5 | PA; QL (6 per 180 days) |
| ADALIMUMAB-ADBM SUBCUTANEOUS PEN INJECTOR KIT | 5 | PA; MO; QL (4 per 28 days) | CYLTEZO(CF) PEN PSORIASIS-UV | 5 | PA; QL (4 per 180 days) |
| ADALIMUMAB-ADBM SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML | 5 | PA; MO; QL (2 per 28 days) | CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML | 5 | PA; MO; QL (2 per 28 days) |
| ADALIMUMAB-ADBM SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; MO; QL (4 per 28 days) | CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; MO; QL (4 per 28 days) |
| ENBREL MINI | 5 | PA; MO; QL (8 per 28 days) | ENBREL MINI | 5 | PA; MO; QL (8 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|---|------------------|----------------------------------|
| ENBREL SUBCUTANEOUS SOLUTION | 5 | PA; MO; QL (8 per 28 days) | HUMIRA(CF) (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML | 5 | PA; MO; QL (2 per 28 days) |
| ENBREL SUBCUTANEOUS SYRINGE | 5 | PA; MO; QL (8 per 28 days) | HUMIRA(CF) (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML | 5 | PA; MO; QL (4 per 28 days) |
| HUMIRA (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; MO; QL (4 per 28 days) | HUMIRA(CF) PEDI CROHNS STARTER (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML | 5 | PA; QL (3 per 180 days) |
| HUMIRA PEN (ONLY NDCS STARTING WITH 00074) | 5 | PA; MO; QL (4 per 28 days) | HUMIRA(CF) PEDI CROHNS STARTER (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML-40 MG/0.4 ML | 5 | PA; QL (2 per 180 days) |
| HUMIRA PEN CROHNS-UC-HS START (ONLY NDCS STARTING WITH 00074) | 5 | PA; QL (6 per 180 days) | | | |
| HUMIRA PEN PSOR-UVEITS- ADOL HS (ONLY NDCS STARTING WITH 00074) | 5 | PA; QL (4 per 180 days) | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|---|------------------|-------------------------------------|
| HUMIRA(CF) PEN (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML | 5 | PA; MO; QL (4 per 28 days) | HYRIMOZ CF (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS PEN INJECTOR 40 MG/0.4 ML, 80 MG/0.8 ML | 5 | PA; MO; QL (1.6 per 28 days) |
| HUMIRA(CF) PEN (ONLY NDCS STARTING WITH 00074) SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML | 5 | PA; MO; QL (2 per 28 days) | HYRIMOZ CF (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 10 MG/0.1 ML | 5 | PA; MO; QL (0.2 per 28 days) |
| HUMIRA(CF) PEN CROHNS-UC-HS (ONLY NDCS STARTING WITH 00074) | 5 | PA; MO; QL (3 per 180 days) | HYRIMOZ CF (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 20 MG/0.2 ML | 5 | PA; MO; QL (0.4 per 28 days) |
| HUMIRA(CF) PEN PEDIATRIC UC (ONLY NDCS STARTING WITH 00074) | 5 | PA; MO; QL (4 per 180 days) | HYRIMOZ CF (PREFERRED NDCS STARTING WITH 61314) SUBCUTANEOUS SYRINGE 40 MG/0.4 ML | 5 | PA; MO; QL (1.6 per 28 days) |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS (ONLY NDCS STARTING WITH 00074) | 5 | PA; MO; QL (3 per 180 days) | HYRIMOZ PEN CROHN'S-UC STARTER | 5 | PA; MO; QL (2.4 per 180 days) |
| | | | HYRIMOZ PEN PSORIASIS STARTER | 5 | PA; MO; QL (1.6 per 180 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|--|------------------|------------------------------------|
| HYRIMOZ(CF) PEDI CROHN STARTER SUBCUTANEOUS SYRINGE 80 MG/0.8 ML | 5 | PA; MO; QL (2.4 per 180 days) | OTEZLA | 5 | PA; MO; QL (60 per 30 days) |
| HYRIMOZ(CF) PEDI CROHN STARTER SUBCUTANEOUS SYRINGE 80 MG/0.8 ML- 40 MG/0.4 ML | 5 | PA; MO; QL (1.2 per 180 days) | OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (4)-30 MG (47) | 5 | PA; MO; QL (55 per 180 days) |
| <i>leflunomide</i> | 3 | MO; QL (30 per 30 days) | <i>penicillamine oral tablet</i> | 5 | PA; MO |
| ORENCIA (WITH MALTOSE) | 5 | PA; MO; QL (12 per 28 days) | RIDAURA | 5 | MO |
| ORENCIA CLICKJECT | 5 | PA; MO; QL (4 per 28 days) | RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG | 5 | PA; MO; QL (30 per 30 days) |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML | 5 | PA; MO; QL (4 per 28 days) | RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 45 MG | 5 | PA; MO; QL (84 per 180 days) |
| ORENCIA SUBCUTANEOUS SYRINGE 50 MG/0.4 ML | 5 | PA; MO; QL (1.6 per 28 days) | XELJANZ ORAL SOLUTION | 5 | PA; MO; QL (300 per 30 days) |
| ORENCIA SUBCUTANEOUS SYRINGE 87.5 MG/0.7 ML | 5 | PA; MO; QL (2.8 per 28 days) | XELJANZ ORAL TABLET | 5 | PA; MO; QL (60 per 30 days) |
| | | | XELJANZ XR | 5 | PA; MO; QL (30 per 30 days) |

OBSTETRICS / GYNECOLOGY

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| ESTROGENS / PROGESTINS | | |
| <i>amabelz</i> | 3 | PA |
| <i>camila</i> | 2 | MO |
| <i>deblitane</i> | 2 | MO |
| DEPO-SUBQ PROVERA 104 | 4 | MO |
| <i>dotti</i> | 3 | PA; MO; QL (8 per 28 days) |
| <i>errin</i> | 2 | MO |
| <i>estradiol oral</i> | 4 | PA; MO |
| <i>estradiol transdermal patch semiweekly</i> | 3 | PA; MO; QL (8 per 28 days) |
| <i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | 3 | PA; QL (4 per 28 days) |
| <i>estradiol transdermal patch weekly 0.0375 mg/24 hr</i> | 3 | PA; MO; QL (4 per 28 days) |
| <i>estradiol vaginal</i> | 4 | MO |
| <i>estradiol valerate</i> | 4 | MO |
| <i>estradiol-norethindrone acet</i> | 3 | PA; MO |
| <i>fyavolv</i> | 4 | PA; MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| <i>heather</i> | 2 | MO |
| <i>hydroxyprogesterone caproate</i> | 5 | |
| <i>incassia</i> | 2 | MO |
| <i>jencycla</i> | 2 | MO |
| <i>jintelii</i> | 4 | PA; MO |
| <i>lyleq</i> | 2 | MO |
| <i>lyllana</i> | 3 | PA; MO; QL (8 per 28 days) |
| <i>lyza</i> | 2 | |
| <i>medroxyprogesterone</i> | 2 | MO |
| <i>MENEST</i> | 3 | PA; MO |
| <i>mimvey</i> | 3 | PA; MO |
| <i>nora-be</i> | 2 | MO |
| <i>norethindrone (contraceptive)</i> | 2 | |
| <i>norethindrone acetate</i> | 2 | MO |
| <i>norethindrone ace-th estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> | 4 | PA; MO |
| <i>progesterone</i> | 2 | MO |
| <i>progesterone micronized</i> | 3 | MO |
| <i>sharobel</i> | 2 | MO |
| <i>yuvafem</i> | 4 | MO |
| MISCELLANEOUS OB/GYN | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>clindamycin phosphate vaginal</i> | 4 | MO |
| <i>eluryng</i> | 4 | MO |
| <i>etonogestrel-ethinyl estradiol</i> | 4 | |
| <i>metronidazole vaginal</i> | 3 | MO |
| <i>mifepristone oral tablet 200 mg</i> | 2 | LA |
| MYFEMBREE | 5 | PA; MO |
| <i>terconazole</i> | 3 | MO |
| <i>tranexamic acid oral</i> | 3 | MO |
| <i>vandazole</i> | 3 | MO |
| <i>xulane</i> | 4 | MO |
| <i>zafemy</i> | 4 | MO |

ORAL CONTRACEPTIVES / RELATED AGENTS

| | | |
|---------------------------|---|----|
| <i>altavera (28)</i> | 2 | MO |
| <i>alyacen 1/35 (28)</i> | 2 | MO |
| <i>alyacen 7/7/7 (28)</i> | 2 | MO |
| <i>apri</i> | 2 | MO |
| <i>aranelle (28)</i> | 2 | MO |
| <i>aubra eq</i> | 2 | MO |
| <i>aviane</i> | 2 | MO |
| <i>azurette (28)</i> | 2 | MO |
| <i>cryselle (28)</i> | 2 | MO |
| <i>cyred eq</i> | 2 | MO |
| <i>dasetta 1/35 (28)</i> | 2 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>dasetta 7/7/7 (28)</i> | 2 | MO |
| <i>desog-e.estradiole.estradiole.estradiole</i> | 2 | |
| <i>desogestrel-ethinyl estradiol</i> | 2 | |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> | 2 | MO |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> | 2 | |
| <i>elinest</i> | 2 | MO |
| <i>enpresse</i> | 2 | MO |
| <i>enskyce</i> | 2 | MO |
| <i>estarylla</i> | 2 | MO |
| <i>ethynodiol diacetate estradiol</i> | 2 | |
| <i>falmina (28)</i> | 2 | MO |
| <i>introvale</i> | 2 | |
| <i>isibloom</i> | 2 | MO |
| <i>jasmiel (28)</i> | 2 | MO |
| <i>jolessa</i> | 2 | MO |
| <i>juleber</i> | 2 | MO |
| <i>kalliga</i> | 2 | |
| <i>kariva (28)</i> | 2 | MO |
| <i>kelnor 1/35 (28)</i> | 2 | MO |
| <i>kelnor 1-50 (28)</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|---|------------------|----------------------------|
| kurvelo (28) | 2 | MO | lo-zumandimine (28) | 2 | MO |
| <i>I</i> <i>norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i> | 2 | | <i>lulera (28)</i> | 2 | MO |
| <i>larin 1.5/30 (21)</i> | 2 | MO | <i>marlissa (28)</i> | 2 | MO |
| <i>larin 1/20 (21)</i> | 2 | MO | <i>microgestin 1.5/30 (21)</i> | 2 | MO |
| <i>larin fe 1.5/30 (28)</i> | 2 | MO | <i>microgestin 1/20 (21)</i> | 2 | MO |
| <i>larin fe 1/20 (28)</i> | 2 | MO | <i>microgestin fe 1.5/30 (28)</i> | 2 | MO |
| <i>lessina</i> | 2 | MO | <i>microgestin fe 1/20 (28)</i> | 2 | MO |
| <i>levonest (28)</i> | 2 | MO | <i>milil</i> | 2 | MO |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> | 2 | MO | <i>mono-linyah</i> | 2 | MO |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> | 2 | | <i>nikki (28)</i> | 2 | MO |
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month</i> | 2 | MO | <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i> | 2 | MO |
| <i>levonorg-eth estrad triphasic</i> | 2 | | <i>norethindrone-e.estradol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | 2 | |
| <i>levora-28</i> | 2 | MO | <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg, 0.25-35 mg-mcg</i> | 2 | |
| <i>loryna (28)</i> | 2 | MO | | | |
| <i>low-ogestrel (28)</i> | 2 | MO | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28) | 2 | MO |
| nortrel 0.5/35 (28) | 2 | MO |
| nortrel 1/35 (21) | 2 | MO |
| nortrel 1/35 (28) | 2 | MO |
| nortrel 7/7/7 (28) | 2 | MO |
| pimtrea (28) | 2 | MO |
| portia 28 | 2 | MO |
| reclipsen (28) | 2 | MO |
| setlakin | 2 | MO |
| sprintec (28) | 2 | MO |
| sronyx | 2 | MO |
| syeda | 2 | MO |
| tarina fe 1-20 eq (28) | 2 | MO |
| tilia fe | 4 | MO |
| tri-estarrylla | 2 | MO |
| tri-legest fe | 4 | MO |
| tri-linyah | 2 | MO |
| tri-lo-estarrylla | 2 | MO |
| tri-lo-marzia | 2 | MO |
| tri-lo-sprintec | 2 | |
| tri-sprintec (28) | 2 | MO |
| trivora (28) | 2 | MO |
| turqoz (28) | 2 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|-------------------------------------|------------------|----------------------------|
| velvet triphasic regimen (28) | 2 | MO |
| vestura (28) | 2 | MO |
| vienna | 2 | MO |
| vioorele (28) | 2 | MO |
| wera (28) | 2 | MO |
| zovia 1-35 (28) | 2 | MO |
| zumandimine (28) | 2 | MO |
| OXYTOCICS | | |
| methylergonovine oral | 4 | PA |
| OPHTHALMOLOGY | | |
| ANTIBIOTICS | | |
| bacitracin ophthalmic (eye) | 3 | MO |
| bacitracin-polymyxin b | 2 | MO |
| ciprofloxacin hcl ophthalmic (eye) | 2 | MO |
| erythromycin ophthalmic (eye) | 2 | MO; QL (3.5 per 14 days) |
| gentamicin ophthalmic (eye) drops | 2 | MO; QL (70 per 30 days) |
| levofloxacin ophthalmic (eye) | 3 | |
| moxifloxacin ophthalmic (eye) drops | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>moxifloxacin ophthalmic (eye) drops, viscous</i> | 3 | |
| NATACYN | 4 | |
| <i>neomycin-bacitracin-polymyxin</i> | 3 | MO |
| <i>neomycin-polymyxin-gramicidin</i> | 3 | MO |
| neo-polycin | 3 | |
| <i>ofloxacin ophthalmic (eye)</i> | 2 | MO |
| polycin | 2 | |
| <i>polymyxin b sulf-trimethoprim</i> | 2 | MO |
| <i>tobramycin ophthalmic (eye)</i> | 2 | MO; QL (10 per 14 days) |
| ANTIVIRALS | | |
| trifluridine | 3 | MO |
| ZIRGAN | 4 | MO |
| BETA-BLOCKERS | | |
| <i>betaxolol ophthalmic (eye)</i> | 3 | MO |
| carteolol | 2 | MO |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i> | 2 | MO |
| <i>timolol maleate ophthalmic (eye) drops</i> | 1 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>timolol maleate ophthalmic (eye) gel forming solution</i> | 4 | MO |
| MISCELLANEOUS OPHTHALMOLOGICS | | |
| <i>atropine ophthalmic (eye) drops 1 %</i> | 3 | MO |
| <i>azelastine ophthalmic (eye)</i> | 3 | MO |
| <i>balanced salt</i> | 2 | |
| bss | 2 | |
| CIMERLI | 5 | PA; MO |
| <i>cromolyn ophthalmic (eye)</i> | 2 | MO |
| <i>cyclosporine ophthalmic (eye)</i> | 3 | MO; QL (60 per 30 days) |
| CYSTARAN | 5 | PA |
| epinastine | 3 | MO |
| EYLEA | 5 | PA; MO |
| <i>olopatadine ophthalmic (eye)</i> | 3 | MO |
| OXERVATE | 5 | PA; MO |
| PHOSPHOLINE IODIDE | 4 | |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| sulfacetamide | 2 | MO |
| sodium ophthalmic (eye) drops | | |
| sulfacetamide | 2 | |
| sodium ophthalmic (eye) ointment | | |
| sulfacetamide- prednisolone | 2 | |
| XDEMVY | 5 | PA; QL (10 per 42 days) |
| XIIDRA | 3 | MO; QL (60 per 30 days) |
| NON-STEROIDAL ANTI-INFLAMMATORY AGENTS | | |
| diclofenac sodium | 2 | MO |
| ophthalmic (eye) | | |
| flurbiprofen | 2 | MO |
| sodium | | |
| ketorolac | 2 | MO |
| ophthalmic (eye) | | |
| ORAL DRUGS FOR GLAUCOMA | | |
| acetazolamide | 3 | MO |
| acetazolamide | 2 | MO |
| sodium | | |
| methazolamide | 4 | MO |
| OTHER GLAUCOMA DRUGS | | |
| dorzolamide | 2 | MO |
| dorzolamide- timolol | 2 | MO |
| latanoprost | 1 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| miostat | 2 | |
| tafluprost (pf) | 3 | MO |
| travoprost | 3 | MO |
| STEROID-ANTIBIOTIC COMBINATIONS | | |
| neomycin- bacitracin-poly-hc | 3 | MO |
| neomycin- polymyxin b- dexameth | 2 | MO |
| neomycin- polymyxin-hc | 4 | MO |
| ophthalmic (eye) | | |
| neo-polycin hc | 3 | |
| tobramycin- dexamethasone | 3 | MO; QL (10 per 14 days) |
| STEROIDS | | |
| dexamethasone | 2 | MO |
| sodium phosphate | | |
| ophthalmic (eye) | | |
| fluorometholone | 3 | MO |
| loteprednol | 3 | MO |
| etabonate | | |
| OZURDEX | 5 | MO |
| prednisolone | 2 | MO |
| acetate | | |
| prednisolone | 2 | MO |
| sodium phosphate | | |
| ophthalmic (eye) | | |
| SYMPATHOMIMETICS | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| apraclonidine | 3 | MO |
| brimonidine ophthalmic (eye) drops 0.1%, 0.15 % | 3 | MO |
| brimonidine ophthalmic (eye) drops 0.2 % | 2 | MO |
| RESPIRATORY AND ALLERGY | | |
| ANTIHISTAMINE / ANTIALLERGENIC AGENTS | | |
| adrenalin injection solution 1 mg/ml | 2 | |
| adrenalin injection solution 1 mg/ml (1 ml) | 2 | MO |
| cetirizine oral solution 1 mg/ml | 2 | MO |
| diphenhydramine hcl injection solution 50 mg/ml | 2 | MO |
| diphenhydramine hcl injection syringe | 2 | MO |
| diphenhydramine hcl oral elixir | 2 | PA |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml (manufactured by mylan specialty) | 3 | MO; QL (2 per 30 days) |
| epinephrine injection solution 1 mg/ml | 2 | |
| hydroxyzine hcl oral tablet | 2 | PA; MO |
| levocetirizine oral solution | 4 | MO |
| levocetirizine oral tablet | 2 | MO; QL (30 per 30 days) |
| promethazine injection solution | 4 | MO |
| promethazine oral | 4 | PA; MO |
| PULMONARY AGENTS | | |
| acetylcysteine | 3 | B/D PA; MO |
| ADEMPAS | 5 | PA; MO; LA |
| albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation | 2 | MO; QL (17 per 30 days) |
| albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation package size 6.7 gm | 2 | QL (13.4 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|---|------------------|----------------------------|
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/3 ml (0.083 %), 2.5 mg/0.5 ml</i> | 2 | B/D PA; MO | ASMANEX HFA INHALATION HFA AEROSOL INHALER 200 MCG/ACTUATOR N | 3 | MO; QL (13 per 30 days) |
| <i>albuterol sulfate inhalation solution for nebulization 5 mg/ml</i> | 2 | B/D PA | ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30) | 3 | QL (1 per 30 days) |
| <i>albuterol sulfate oral syrup</i> | 2 | MO | ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (120) | 3 | MO; QL (2 per 30 days) |
| <i>alyq</i> | 5 | PA; QL (60 per 30 days) | ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (120) | 3 | QL (2 per 28 days) |
| <i>ambrisentan</i> | 5 | PA; MO; LA | ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (14) | | |
| <i>arformoterol</i> | 4 | B/D PA; MO; QL (120 per 30 days) | | | |
| <i>ASMANEX HFA INHALATION HFA AEROSOL INHALER 100 MCG/ACTUATOR N, 50 MCG/ACTUATOR N</i> | 3 | QL (13 per 30 days) | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) | 3 | MO; QL (1 per 30 days) |
| ATROVENT HFA | 4 | MO; QL (25.8 per 30 days) |
| <i>bosentan</i> | 5 | PA; MO; LA |
| <i>breyna</i> | 3 | MO; QL (10.3 per 30 days) |
| BREZTRI AEROSPHERE | 3 | MO; QL (10.7 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> | 4 | B/D PA; MO; QL (120 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> | 4 | B/D PA; MO; QL (60 per 30 days) |
| <i>budesonide-formoterol</i> | 3 | QL (10.2 per 30 days) |
| CINRYZE | 5 | PA; MO |
| COMBIVENT RESPIMAT | 3 | MO; QL (8 per 30 days) |

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| <i>cromolyn inhalation</i> | 4 | B/D PA; MO |
| DULERA | 3 | MO; QL (13 per 30 days) |
| <i>flunisolide</i> | 3 | MO; QL (50 per 30 days) |
| FLUTICASONE PROPIONATE INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATOR | 4 | ST; MO; QL (12 per 30 days) |
| FLUTICASONE PROPIONATE INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATOR | 4 | ST; MO; QL (24 per 30 days) |
| FLUTICASONE PROPIONATE INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATOR | 4 | ST; MO; QL (10.6 per 30 days) |
| <i>fluticasone propionate nasal</i> | 2 | MO; QL (16 per 30 days) |
| <i>fluticasone propion-salmeterol inhalation blister with device</i> | 3 | MO; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|---|------------------|------------------------------|
| <i>formoterol fumarate</i> | 4 | B/D PA; MO; QL (120 per 30 days) | <i>pirfenidone oral tablet 267 mg</i> | 5 | PA; MO; QL (270 per 30 days) |
| <i>icatibant</i> | 5 | PA; MO | <i>pirfenidone oral tablet 801 mg</i> | 5 | PA; MO; QL (90 per 30 days) |
| <i>ipratropium bromide inhalation</i> | 2 | B/D PA; MO | PULMOZYME | 5 | B/D PA; MO |
| <i>ipratropium-albuterol</i> | 2 | B/D PA; MO | QVAR | 3 | MO; QL (10.6 per 30 days) |
| KALYDECO | 5 | PA; MO; QL (56 per 28 days) | REDIHALER | | |
| <i>montelukast oral granules in packet</i> | 4 | MO | INHALATION HFA | | |
| <i>montelukast oral tablet</i> | 2 | MO | AEROSOL | | |
| <i>montelukast oral tablet, chewable</i> | 2 | MO | BREATH | | |
| OFEV | 5 | PA; MO; QL (60 per 30 days) | ACTIVATED 40 MCG/ACTUATOR | | |
| OPSUMIT | 5 | PA; MO; LA | QVAR | 3 | MO; QL (21.2 per 30 days) |
| ORKAMBI ORAL GRANULES IN PACKET | 5 | PA; MO; QL (56 per 28 days) | REDIHALER | | |
| ORKAMBI ORAL TABLET | 5 | PA; MO; QL (112 per 28 days) | INHALATION HFA | | |
| <i>pirfenidone oral capsule</i> | 5 | PA; MO; QL (270 per 30 days) | AEROSOL | | |
| | | | BREATH | | |
| | | | ACTIVATED 80 MCG/ACTUATOR | | |
| | | | roflumilast | 4 | PA; MO; QL (30 per 30 days) |
| | | | sajazir | 5 | PA; MO |
| | | | sildenafil | 5 | PA |
| | | | <i>(pulmonary arterial hypertension)</i> | | |
| | | | <i>intravenous solution 10 mg/12.5 ml</i> | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|---|------------------|--------------------------------|
| <i>sildenafil</i> <i>(pulmonary arterial hypertension) oral tablet 20 mg</i> | 3 | PA; MO; QL (90 per 30 days) | <i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i> | 2 | MO |
| SPIRIVA RESPIMAT | 3 | MO; QL (4 per 30 days) | <i>theophylline oral tablet extended release 24 hr</i> | 2 | MO |
| STIOLTO RESPIMAT | 3 | MO; QL (4 per 30 days) | <i>tiotropium bromide</i> | 3 | QL (90 per 90 days) |
| STRIVERDI RESPIMAT | 3 | MO; QL (4 per 30 days) | TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL | 5 | PA; MO; QL (56 per 28 days) |
| SYMDEKO | 5 | PA; MO; QL (56 per 28 days) | TRIKAFTA ORAL TABLETS, SEQUENTIAL | 5 | PA; MO; QL (84 per 28 days) |
| <i>tadalafil</i> <i>(pulmonary arterial hypertension) oral tablet 20 mg</i> | 5 | PA; QL (60 per 30 days) | TYVASO | 5 | B/D PA; MO |
| terbutaline oral | 4 | MO | TYVASO INSTITUTIONAL START KIT | 5 | B/D PA |
| terbutaline subcutaneous | 2 | MO | TYVASO REFILL KIT | 5 | B/D PA; MO |
| THEO-24 | 3 | MO | TYVASO STARTER KIT | 5 | B/D PA; MO |
| <i>theophylline oral elixir</i> | 4 | MO | wixela inhub | 3 | QL (60 per 30 days) |
| <i>theophylline oral solution</i> | 4 | | XOLAIR SUBCUTANEOUS RECON SOLN | 5 | PA; MO; LA; QL (8 per 28 days) |
| <i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg</i> | 2 | | XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML | 5 | PA; MO; LA; QL (8 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| XOLAIR SUBCUTANEOUS SYRINGE 300 MG/2 ML | 5 | PA; LA; QL (8 per 28 days) |
| XOLAIR SUBCUTANEOUS SYRINGE 75 MG/0.5 ML | 5 | PA; MO; LA; QL (1 per 28 days) |
| zafirlukast | 4 | MO |
| UROLOGICALS | | |
| ANTICHOLINERGICS / ANTISPASMODICS | | |
| MYRBETRIQ ORAL SUSPENSION,EXT ENDED REL RECON | 3 | |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR | 3 | MO |
| <i>oxybutynin chloride oral syrup</i> | 2 | MO |
| <i>oxybutynin chloride oral tablet 5 mg</i> | 2 | MO |
| <i>oxybutynin chloride oral tablet extended release 24hr</i> | 2 | MO |
| tolterodine | 4 | MO |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>trospium oral tablet</i> | 2 | MO |
| BENIGN PROSTATIC HYPERPLASIA(BPH) THERAPY | | |
| MISCELLANEOUS UROLOGICALS | | |
| <i>bethanechol chloride</i> | 3 | MO |
| CYSTAGON | 4 | PA; LA |
| ELMIRON | 3 | MO |
| <i>glycine urologic solution</i> | 2 | |
| K-PHOS NO 2 | 3 | MO |
| K-PHOS ORIGINAL | 3 | MO |
| <i>potassium citrate oral tablet extended release</i> | 2 | MO |
| RENACIDIN | 3 | MO |
| VITAMINS, HEMATINICS / ELECTROLYTES | | |
| BLOOD DERIVATIVES | | |
| <i>albumin, human 25 %</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|---|------------------|----------------------------|
| alburx (human) 25 % | 4 | | MAGNESIUM SULFATE IN D5W | 3 | |
| alburx (human) 5 % | 4 | | INTRAVENOUS PIGGYBACK 1 GRAM/100 ML | | |
| albutein 25 % | 4 | | | | |
| albutein 5 % | 4 | | | | |
| plasbumin 25 % | 4 | | magnesium sulfate in water | 4 | |
| plasbumin 5 % | 4 | | magnesium sulfate injection solution | 4 | MO |
| ELECTROLYTES | | | magnesium sulfate injection syringe | 4 | |
| calcium acetate(phosphat bind) | 3 | MO; QL (360 per 30 days) | potassium acetate | 4 | |
| calcium chloride | 2 | | potassium chlorid-d5-0.45%nacl | 4 | |
| calcium gluconate intravenous | 2 | | potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l | 4 | |
| effer-k oral tablet, effervescent 25 meq | 2 | MO | potassium chloride in 5 % dex intravenous parenteral solution 10 meq/l, 20 meq/l | 4 | |
| klor-con 10 | 2 | MO | potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l | 4 | |
| klor-con 8 | 2 | MO | | | |
| klor-con m10 | 2 | MO | | | |
| klor-con m15 | 2 | MO | | | |
| klor-con m20 | 2 | MO | | | |
| klor-con oral packet 20 | 4 | MO | | | |
| klor-con/ef | 2 | MO | | | |
| lactated ringers intravenous | 4 | MO | | | |
| magnesium chloride injection | 4 | | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits | Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|--|------------------|----------------------------|
| potassium chloride in water <i>intravenous</i> <i>piggyback</i> 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 40 meq/100 ml | 4 | | potassium chloride-0.45 % nacl | 4 | |
| potassium chloride <i>intravenous</i> | 4 | | potassium chloride-d5-0.2%nacl <i>intravenous</i> <i>parenteral solution</i> 20 meq/l | 4 | |
| potassium chloride <i>oral capsule,</i> <i>extended release</i> | 2 | MO | potassium chloride-d5-0.9%nacl | 4 | |
| potassium chloride <i>oral liquid</i> | 4 | MO | potassium phosphate m-/d-basic <i>intravenous</i> <i>solution</i> 3 mmol/ml | 4 | |
| potassium chloride <i>oral packet</i> | 4 | | ringer's <i>intravenous</i> | 4 | |
| potassium chloride <i>oral tablet</i> <i>extended release</i> 10 meq, 8 meq | 2 | MO | sodium acetate | 4 | |
| potassium chloride <i>oral tablet</i> <i>extended release</i> 20 meq | 2 | | sodium bicarbonate <i>intravenous</i> | 4 | |
| potassium chloride <i>oral tablet,er</i> <i>particles/crystals</i> 10 meq | 2 | MO | sodium chloride 0.45 % <i>intravenous</i> | 4 | MO |
| potassium chloride <i>oral tablet,er</i> <i>particles/crystals</i> 15 meq, 20 meq | 2 | | sodium chloride 3 % <i>hypertonic</i> | 4 | |
| | | | sodium chloride 5 % <i>hypertonic</i> | 4 | MO |
| | | | sodium chloride <i>intravenous</i> | 4 | |
| | | | sodium phosphate | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| MISCELLANEOUS NUTRITION PRODUCTS | | |
| CLINIMIX 5%/D15W SULFITE FREE | 4 | B/D PA |
| CLINIMIX 4.25%/D10W SULF FREE | 4 | B/D PA |
| CLINIMIX 5%- D20W(SULFITE- FREE) | 4 | B/D PA |
| CLINIMIX 6%- D5W (SULFITE- FREE) | 4 | B/D PA |
| CLINIMIX 8%- D10W(SULFITE- FREE) | 4 | B/D PA |
| CLINIMIX 8%- D14W(SULFITE- FREE) | 4 | B/D PA |
| electrolyte-148 | 3 | |
| electrolyte-48 in d5w | 4 | |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| electrolyte-a | 3 | |
| <i>intralipid</i> <i>intravenous</i> <i>emulsion 20 %</i> | 4 | B/D PA |
| ISOLYTE S PH 7.4 | 4 | |
| ISOLYTE-P IN 5 % DEXTROSE | 4 | |
| ISOLYTE-S | 4 | |
| PLASMA-LYTE A | 3 | |
| <i>plasmanate</i> | 4 | |
| PLENAMINE | 4 | B/D PA |
| <i>premasol 10 %</i> | 4 | B/D PA |
| <i>travasol 10 %</i> | 4 | B/D PA |
| TROPHAMINE 10 % | 4 | B/D PA |
| VITAMINS / HEMATINICS | | |
| <i>fluoride (sodium)</i> <i>oral tablet</i> | 2 | MO |
| <i>prenatal vitamin</i> <i>oral tablet</i> | 2 | MO |
| wescap-pn dha | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

Index

A

| | | | | | |
|-----------------------------------|--------|----------------------------------|---------|--|-----|
| <i>abacavir</i> | 9 | <i>adenosine</i> | 54 | <i>amiodarone</i> | 55 |
| <i>abacavir-lamivudine</i> | 9 | <i>adrenalin</i> | 99 | <i>amitriptyline</i> | 46 |
| <i>ABELCET</i> | 9 | <i>ADSTILADRIN</i> | 21 | <i>amlodipine</i> | 55 |
| <i>ABILIFY ASIMTUFII</i> | 46 | <i>AKEEGA</i> | 21 | <i>amlodipine-benazepril</i> | 55 |
| <i>ABILIFY MAINTENA</i> | 46 | <i>ala-cort</i> | 68 | <i>amlodipine-olmesartan</i> | 55 |
| <i>abiraterone</i> | 21 | <i>albendazole</i> | 15 | <i>amlodipine-valsartan</i> | 55 |
| <i>ABRAXANE</i> | 21 | <i>albumin, human 25 %</i> | 104 | <i>amlodipine-valsartan-</i> <i>hcthiazid</i> | 55 |
| <i>ABRYSVO</i> | 85 | <i>alburx (human) 25 %</i> | 105 | <i>ammonium lactate</i> | 65 |
| <i>acamprosate</i> | 69 | <i>alburx (human) 5 %</i> | 105 | <i>amnesteem</i> | 66 |
| <i>acarbose</i> | 73 | <i>albutein 25 %</i> | 105 | <i>amoxapine</i> | 46 |
| <i>accutane</i> | 66 | <i>albuterol sulfate</i> | 99, 100 | <i>amoxicillin</i> | 18 |
| <i>acebutolol</i> | 55 | <i>alclometasone</i> | 68 | <i>amoxicillin-pot clavulanate</i> | 18 |
| <i>acetaminophen-codeine</i> .. | 43 | <i>alcohol pads</i> | 73 | <i>amphotericin b</i> | 9 |
| <i>acetazolamide</i> | 98 | <i>ALDURAZYME</i> | 77 | <i>ampicillin</i> | 18 |
| <i>acetazolamide sodium</i> | 98 | <i>ALECENSA</i> | 21 | <i>ampicillin sodium</i> | 18 |
| <i>acetic acid</i> | 69, 72 | <i>alendronate</i> | 88 | <i>ampicillin-sulbactam</i> | 18 |
| <i>acetylcysteine</i> | 69, 99 | <i>alfuzosin</i> | 104 | <i>anagrelide</i> | 70 |
| <i>acitretin</i> | 64 | <i>ALIQOPA</i> | 21 | <i>anastrozole</i> | 21 |
| <i>ACTEMRA</i> | 89 | <i>aliskiren</i> | 55 | <i>APOKYN</i> | 40 |
| <i>ACTEMRA ACTPEN</i> | 89 | <i>allopurinol</i> | 88 | <i>apomorphine</i> | 40 |
| <i>ACTHIB (PF)</i> | 85 | <i>allopurinol sodium</i> | 88 | <i>apraclonidine</i> | 99 |
| <i>ACTIMMUNE</i> | 83 | <i>aloprim</i> | 88 | <i>aprepitant</i> | 79 |
| <i>acyclovir</i> | 9, 67 | <i>alosetron</i> | 79 | <i>APRETUDE</i> | 10 |
| <i>acyclovir sodium</i> | 10 | <i>altavera (28)</i> | 94 | <i>apri</i> | 94 |
| <i>ADACEL(TDAP</i> | | <i>ALUNBRIG</i> | 21 | <i>APTIOM</i> | 36 |
| <i>ADOLESN/ADULT)(PF)</i> | | <i>alyacen 1/35 (28)</i> | 94 | <i>APTIVUS</i> | 10 |
| | 85 | <i>alyacen 7/7/7 (28)</i> | 94 | <i>aranelle (28)</i> | 94 |
| <i>ADALIMUMAB-ADAZ</i> | 89 | <i>alyq</i> | 100 | <i>ARCALYST</i> | 83 |
| <i>ADALIMUMAB-ADBM</i> | 89 | <i>amabelz</i> | 93 | <i>AREXVY (PF)</i> | 85 |
| <i>ADALIMUMAB-ADBM(CF)</i> | | <i>amantadine hcl</i> | 10 | <i>arformoterol</i> | 100 |
| <i>PEN CROHNS</i> | 89 | <i>ambrisentan</i> | 100 | <i>ARIKAYCE</i> | 15 |
| <i>ADALIMUMAB-ADBM(CF)</i> | | <i>amikacin</i> | 15 | <i>ariPIPrazole</i> | 47 |
| <i>PEN PS-UV</i> | 89 | <i>amiloride</i> | 55 | <i>ARISTADA</i> | 47 |
| <i>ADCETRIS</i> | 21 | <i>amiloride-</i> | | <i>ARISTADA INITIO</i> | 47 |
| <i>adefovir</i> | 10 | <i>hydrochlorothiazide</i> | 55 | <i>armodafinil</i> | 47 |
| <i>ADEMPAS</i> | 99 | <i>aminocaproic acid</i> | 59 | <i>arsenic trioxide</i> | 21 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | |
|--------------------------|---------|
| asenapine maleate | 47 |
| ASMANEX HFA | 100 |
| ASMANEX TWISTHALER | 101 |
| ASPARLAS | 21 |
| aspirin-dipyridamole | 59 |
| atazanavir | 10 |
| atenolol | 55 |
| atenolol-chlorthalidone | 56 |
| atomoxetine | 47 |
| atorvastatin | 61 |
| atovaquone | 15 |
| atovaquone-proguanil | 15 |
| atropine | 79, 97 |
| ATROVENT HFA | 101 |
| aubra eq. | 94 |
| AUGMENTIN | 18 |
| AUGTYRO | 21 |
| AUVELITY | 47 |
| aviane | 94 |
| AVONEX | 83, 84 |
| AYVAKIT | 21 |
| azacitidine | 21 |
| azathioprine | 22 |
| azathioprine sodium | 22 |
| azelastine | 71, 97 |
| azithromycin | 14 |
| aztreonam | 15 |
| azurette (28) | 94 |
| B | |
| bacitracin | 15, 96 |
| bacitracin-polymyxin b | 96 |
| baclofen | 42 |
| balanced salt | 97 |
| balsalazide | 79 |
| BALVERSA | 22 |
| BARACLUDE | 10 |
| BAVENCIO | 22 |
| BCG VACCINE, LIVE (PF) | |
| BD INSULIN SYRINGE | 87 |
| BD PEN NEEDLE | 87 |
| BELEODAQ | 22 |
| benazepril | 56 |
| benazepril- | |
| hydrochlorothiazide | 56 |
| bendamustine | 22 |
| BENDEKA | 22 |
| BENLYSTA | 89 |
| benztropine | 40 |
| BESPONSA | 22 |
| BESREMI | 84 |
| betaine | 79 |
| betamethasone | |
| dipropionate | 68 |
| betamethasone valerate | 68 |
| betamethasone, augmented | |
| | 68 |
| BETASERON | 84 |
| betaxolol | 56, 97 |
| bethanechol chloride | 104 |
| bexarotene | 22 |
| BEXSERO | 85 |
| bicalutamide | 22 |
| BICILLIN C-R | 18 |
| BICILLIN L-A | 18 |
| BIKTARVY | 10 |
| bisoprolol fumarate | 56 |
| bisoprolol- | |
| hydrochlorothiazide | 56 |
| bleomycin | 22 |
| BLINCYTO | 22 |
| BOOSTRIX TDAP | 85 |
| bortezomib | 22 |
| BORTEZOMIB | 22 |
| bosentan | 101 |
| BOSULIF | 22 |
| BRAFTOVI | 22 |
| breyna | 101 |
| BPE7TPIAEROSPHERE | 101 |
| BRILINTA | 59 |
| brimonidine | 99 |
| BRIUMVI | 41 |
| BRIVIACT | 36 |
| bromocriptine | 40 |
| BRUKINSA | 22 |
| bss | 97 |
| budesonide | 80, 101 |
| budesonide-formoterol | 101 |
| bumetanide | 56 |
| buprenorphine hcl | 43 |
| buprenorphine-naloxone | 45 |
| bupropion hcl | 47 |
| bupropion hcl (smoking | |
| deter) | 71 |
| buspirone | 47 |
| busulfan | 22 |
| butorphanol | 45 |
| BYDUREON BCISE | 73 |
| BYETTA | 73 |
| C | |
| CABENUVA | 10 |
| cabergoline | 77 |
| CABLIVI | 59 |
| CABOMETYX | 22 |
| caffeine citrate | 70 |
| calcipotriene | 64 |
| calcitonin (salmon) | 77 |
| calcitriol | 77 |
| calcium acetate(phosphat | |
| bind) | 105 |
| calcium chloride | 105 |
| calcium gluconate | 105 |
| CALQUENCE | 22 |
| CALQUENCE | |
| (ACALABRUTINIB MAL) | |
| | 22 |
| camila | 93 |
| candesartan | 56 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| | |
|-------------------------------|------------|
| candesartan- | |
| hydrochlorothiazid | 56 |
| CAPLYTA | 47 |
| CAPRELSA | 22 |
| captoril | 56 |
| captopril- | |
| hydrochlorothiazide | 56 |
| carbamazepine..... | 36 |
| carbidopa | 40 |
| carbidopa-levodopa..... | 40 |
| carbidopa-levodopa- | |
| entacapone..... | 40 |
| carboplatin..... | 22 |
| carglumic acid | 70 |
| carmustine | 23 |
| carteolol | 97 |
| cartia xt..... | 56 |
| carvedilol..... | 56 |
| caspofungin..... | 9 |
| CAYSTON | 15 |
| cefaclor..... | 13 |
| cefadroxil | 13 |
| cefazolin | 13 |
| cefazolin in dextrose (iso- | |
| os) | 13 |
| cefdinir..... | 13 |
| cefepime | 13 |
| cefepime in dextrose, iso- | |
| osm | 13 |
| cefixime | 13 |
| cefoxitin..... | 14 |
| cefoxitin in dextrose, iso- | |
| osm | 13 |
| cefpodoxime | 14 |
| cefprozil..... | 14 |
| ceftazidime..... | 14 |
| ceftriaxone | 14 |
| ceftriaxone in dextrose, iso- | |
| os | 14 |
| cefuroxime axetil..... | 14 |
| cefuroxime sodium..... | 14 |
| celecoxib..... | 45 |
| cephalexin | 14 |
| CEPROTIN (BLUE BAR) .. | 59 |
| CEPROTIN (GREEN BAR) | |
| | 59 |
| CEQUR SIMPLICITY | |
| INSERTER | 87 |
| cetirizine..... | 99 |
| CHEMET..... | 70 |
| CHENODAL | 80 |
| chloramphenicol sod | |
| succinate | 15 |
| chlorhexidine gluconate | 71 |
| chlorprocaine (pf) | 65 |
| chloroquine phosphate | 15 |
| chlorothiazide sodium | 56 |
| chlorpromazine | 47, 48 |
| chlorthalidone | 56 |
| CHOLBAM..... | 80 |
| cholestyramine (with sugar) | |
| | 61 |
| cholestyramine light | 61 |
| cycladan | 67 |
| ciclopirox | 67 |
| cidofovir | 10 |
| cilostazol | 59 |
| CIMDUO | 10 |
| CIMERLI..... | 97 |
| cinacalcet | 77 |
| CINRYZE | 101 |
| CINVANTI | 80 |
| ciprofloxacin | 19 |
| ciprofloxacin hcl | 19, 72, 96 |
| ciprofloxacin in 5 % dextrose | |
| | 19 |
| ciprofloxacin- | |
| dexamethasone | 72 |
| cisplatin | 23 |
| citalopram | 48 |
| cladribine | 23 |
| claravis | 66 |
| clarithromycin | 15 |
| clindamycin hcl | 15 |
| clindamycin in 5 % dextrose | |
| | 15 |
| clindamycin phosphate | 15, |
| 66, 94 | |
| CLINIMIX 5%/D15W | |
| SULFITE FREE | 107 |
| CLINIMIX 4.25%/D10W | |
| SULF FREE..... | 107 |
| CLINIMIX 4.25%/D5W | |
| SULFIT FREE..... | 70 |
| CLINIMIX 5%- | |
| D20W(SULFITE-FREE) | |
| | 107 |
| CLINIMIX 6%-D5W | |
| (SULFITE-FREE) | 107 |
| CLINIMIX 8%- | |
| D10W(SULFITE-FREE) | |
| | 107 |
| CLINIMIX 8%- | |
| D14W(SULFITE-FREE) | |
| | 107 |
| clobazam | 36 |
| clobetasol..... | 68 |
| clobetasol-emollient | 68 |
| clodan | 68 |
| clofarabine | 23 |
| clomid | 77 |
| clomiphene citrate | 77 |
| clomipramine | 48 |
| clonazepam | 36 |
| clonidine (pf) | 45, 56 |
| clonidine hcl | 48, 56 |
| clonidine transdermal patch | |
| | 56 |
| clopidogrel | 59 |
| clorazepate dipotassium... | 48 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| | | | | | |
|---|-------------|-----------------------------------|-----|---------------------------------------|--------|
| <i>clotrimazole</i> | 9, 67 | CYSTAGON..... | 104 | DEPO-SUBQ PROVERA | |
| <i>clotrimazole-betamethasone</i> | 67 | CYSTARAN..... | 97 | 10493 | |
| <i>clozapine</i> | 48 | <i>cytarabine</i> | 23 | <i>dermacinrx lidocan</i>65 | |
| <i>COARTEM</i> | 15 | <i>cytarabine (pf)</i> | 23 | DESCOVY10 | |
| <i>colchicine</i> | 88 | D | | <i>desipramine</i>48 | |
| <i>colesevelam</i> | 61 | <i>d10 %-0.45 % sodium</i> | | <i>desmopressin</i>77 | |
| <i>colestipol</i> | 61 | <i>chloride</i> | 70 | <i>desog-</i> | |
| <i>colistin (colistimethate na)</i> | 15 | <i>d2.5 %-0.45 % sodium</i> | | <i>e.estradiol/e.estriadiol</i> ...94 | |
| <i>COLUMVI</i> | 23 | <i>chloride</i> | 70 | <i>desogestrel-ethynodiol</i> | |
| <i>COMBIVENT RESPIMAT</i> 101 | | <i>d5 % and 0.9 % sodium</i> | |94 | |
| <i>COMETRIQ</i> | 23 | <i>chloride</i> | 70 | <i>desonide</i>68 | |
| <i>COMPLERA</i> | 10 | <i>dabigatran etexilate</i> | 59 | <i>desvenlafaxine succinate</i> .48 | |
| <i>compro</i> | 80 | <i>dacarbazine</i> | 23 | <i>dexamethasone</i> | 72 |
| <i>constulose</i> | 80 | <i>dactinomycin</i> | 23 | <i>dexamethasone intensol</i> | 72 |
| <i>COPIKTRA</i> | 23 | <i>dalfampridine</i> | 41 | <i>dexamethasone sodium</i> | |
| <i>CORLANOR</i> | 62 | <i>danazol</i> | 77 | <i>phos (pf)</i> | 72 |
| <i>CORTIFOAM</i> | 80 | <i>dantrolene</i> | 42 | <i>dexamethasone sodium</i> | |
| <i>cortisone</i> | 72 | <i>DANYELZA</i> | 23 | <i>phosphate</i> | 72, 98 |
| <i>COSMEGEN</i> | 23 | <i>dapsone</i> | 15 | <i>DEXCOM G6 RECEIVER</i> .87 | |
| <i>COTELLIC</i> | 23 | DAPTACEL (DTAP | | <i>DEXCOM G6 SENSOR</i>87 | |
| <i>CREON</i> | 80 | <i>PEDIATRIC) (PF)</i> | 85 | DEXCOM G6 | |
| <i>CRESEMBOLA</i> | 9 | <i>daptomycin</i> | 16 | TRANSMITTER | 87 |
| <i>cromolyn</i> | 80, 97, 101 | DAPTO MYCIN | 15 | <i>DEXCOM G7 RECEIVER</i> .87 | |
| <i>crotan</i> | 69 | <i>darunavir</i> | 10 | <i>DEXCOM G7 SENSOR</i>87 | |
| <i>cryselle (28)</i> | 94 | DARZALEX | 24 | <i>dexrazoxane hcl</i> | 20 |
| <i>CRYSVITA</i> | 77 | <i>dasetta 1/35 (28)</i> | 94 | <i>dextroamphetamine-</i> | |
| <i>cyclobenzaprine</i> | 42 | <i>dasetta 7/7/7 (28)</i> | 94 | <i>amphetamine</i> | 48 |
| <i>cyclophosphamide</i> | 23 | <i>daunorubicin</i> | 24 | <i>dextrose 10 % and 0.2 % nacl</i> | |
| <i>CYCLOPHOSPHAMIDE</i> | 23 | DAURISMO | 24 |70 | |
| <i>cyclosporine</i> | 23, 97 | <i>deblitane</i> | 93 | <i>dextrose 10 % in water</i> | |
| <i>cyclosporine modified</i> | 23 | <i>decitabine</i> | 24 | <i>(d10w)</i> | 70 |
| <i>CYLTEZO(CF)</i> | 89 | <i>deferasirox</i> | 70 | <i>dextrose 25 % in water</i> | |
| <i>CYLTEZO(CF) PEN</i> | 89 | <i>deferiprone</i> | 70 | <i>(d25w)</i> | 70 |
| <i>CYLTEZO(CF) PEN</i> | | <i>deferoxamine</i> | 70 | <i>dextrose 5 % in water (d5w)</i> | |
| <i>CROHN'S-UC-HS</i> | 89 | DELSTRIGO | 10 |70 | |
| <i>CYLTEZO(CF) PEN</i> | | DENGVAXIA (PF) | 85 | <i>dextrose 5 %-lactated</i> | |
| <i>PSORIASIS-UV</i> | 89 | <i>denta 5000 plus</i> | 71 | <i>ringers</i>70 | |
| <i>CYRAMZA</i> | 23 | <i>dentagel</i> | 71 | <i>dextrose 5%-0.2 % sod</i> | |
| <i>cyred eq</i> | 94 | | | <i>chloride</i>70 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| | | |
|------------------------------|-----------------------------|--------------------------------|
| dextrose 5%-0.3 % | DOPTELET (30 TAB PACK) | ELAPRASE |
| sod.chloride70 |60 | electrolyte-148.....107 |
| dextrose 50 % in water | dorzolamide.....98 | electrolyte-48 in d5w107 |
| (d50w).....70 | dorzolamide-timolol98 | electrolyte-a |
| dextrose 70 % in water | dotti.....93 | ELIGARD |
| (d70w).....70 | DOVATO10 | ELIGARD (3 MONTH).....24 |
| DIACOMIT | doxazosin.....56 | ELIGARD (4 MONTH).....24 |
| diazepam | doxepin.....48 | ELIGARD (6 MONTH).....24 |
| diazepam intensol | doxercalciferol77 | elinest |
| diazoxide | doxorubicin24 | ELIQUIS |
| diclofenac potassium | doxorubicin, peg-liposomal | ELIQUIS DVT-PE TREAT |
| diclofenac sodium 45, 46, 98 |24 | 30D START |
| dicloxacillin | doxy-100.....20 | ELITEK |
| dicyclomine | doxycycline hyclate.....20 | ELMIRON |
| DIFICID | doxycycline monohydrate 20 | ELREXFIO |
| diflunisal | DRIZALMA SPRINKLE48 | eluryng |
| digoxin.....62, 63 | dronabinol80 | ELZONRIS |
| dihydroergotamine | droperidol80 | EMCYT |
| DILANTIN 30 MG | DROPSAFE ALCOHOL | EMEND |
| diltiazem hcl | PREP PADS73 | EMGALITY PEN |
| dilt-xr.....56 | drospirenone-ethinyl | EMGALITY SYRINGE |
| dimenhydrinate.....80 | estradiol.....94 | EMPLICITI |
| dimethyl fumarate | DROXIA24 | EMSAM |
| diphenhydramine hcl.....99 | droxidopa70 | emtricitabine |
| diphenoxylate-atropine | DULERA101 | emtricitabine-tenofovir (tdf) |
| dipyridamole | duoxetine.....49 |10 |
| disulfiram.....70 | DUPIXENT PEN65 | EMTRIVA |
| divalproex | DUPIXENT SYRINGE65 | EMVERM |
| dobutamine | dutasteride.....104 | enalapril maleate |
| dobutamine in d5w | E | enalaprilat |
| docetaxel | e.e.s. 400.....15 | enalapril- |
| dofetilide | ec-naproxen.....46 | hydrochlorothiazide 56, 57 |
| donepezil.....41 | econazole | ENBREL |
| dopamine | EDURANT | ENBREL MINI |
| dopamine in 5 % dextrose 63 | efavirenz | ENBREL SURECLICK |
| DOPTELET (10 TAB PACK) | efavirenz-emtricitabin- | ENDARI |
|59 | tenofov | endocet |
| DOPTELET (15 TAB PACK) | efavirenz-lamivu-tenofov | ENGERIX-B (PF) |
|59 | disop | ENGERIX-B PEDIATRIC |
| | effer-k.....105 | (PF) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| | | | | | |
|-----------------------------------|--------|--|----|--------------------------------------|---------|
| enoxaparin | 60 | estradiol-norethindrone acet | 93 | fenofibrate nanocrystallized | 62 |
| enpresse | 94 | ethacrynat e sodium | 57 | fenofibric acid | 62 |
| enskyce | 94 | ethambutol | 16 | fenofibric acid (choline) | 62 |
| entacapone | 40 | ethosuximide | 36 | fentanyl | 43 |
| entecavir | 10 | ethynodiol diac-eth estradiol | 94 | fentanyl citrate | 43 |
| ENTRESTO | 63 | etodolac | 46 | fentanyl citrate (pf) | 43 |
| ENTYVIO | 80 | etonogestrel-ethinyl estradiol | 94 | FETZIMA | 49 |
| enulose | 80 | everolimus (antineoplastic) | 25 | finasteride | 104 |
| ENVARSUS XR..... | 24 | everolimus | 25 | fingolimod | 41 |
| EPCLUSA | 10 | (immunosuppressive) | 25 | FINTEPLA | 36 |
| EPIDIOLEX | 36 | EVOTAZ | 10 | FIRDAPSE | 41 |
| epinastine | 97 | exemestane | 25 | FIRMAGON KIT W DILUENT SYRINGE | 25 |
| epinephrine | 99 | EXKIVITY | 25 | flac otic oil | 72 |
| epirubicin..... | 24 | EYLEA | 97 | flecainide | 55 |
| epitol..... | 36 | ezetimibe | 61 | flouxuridine | 25 |
| EPKINLY | 24 | ezetimibe-simvastatin | 62 | fluconazole | 9 |
| eplerenone | 57 | F | | fluconazole in nacl (iso-osm) | 9 |
| EPRONTIA | 36 | FABRAZYME | 77 | flucytosine | 9 |
| ERBITUX | 24 | falmina (28) | 94 | fludarabine | 25, 26 |
| ergotamine-caffeine..... | 40 | famciclovir | 10 | fludrocortisone | 72 |
| ERIVEDGE..... | 25 | famotidine | 83 | flumazenil | 49 |
| ERLEADA | 25 | famotidine (pf) | 83 | flunisolide | 101 |
| erlotinib..... | 25 | famotidine (pf)-nacl (iso-osm) | 83 | fluocinolone | 68 |
| errin | 93 | FANAPT | 49 | fluocinolone acetonide oil | 72 |
| ertapenem | 16 | FARXIGA | 73 | fluocinolone and shower cap | 68 |
| ERWINASE | 25 | febuxostat | 88 | fluocinonide | 69 |
| ery pads | 66 | felbamate | 36 | fluocinonide-emollient | 69 |
| ery-tab | 15 | felodipine | 57 | fluoride (sodium) | 71, 107 |
| erythrocin (as stearate) | 15 | fenofibrate | 62 | fluorometholone | 98 |
| erythromycin | 15, 96 | fenofibrate micronized | 62 | fluorouracil | 26, 65 |
| erythromycin ethylsuccinate | 15 | You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table. | | fluoxetine | 49 |
| erythromycin with ethanol | 66 | | | fluphenazine decanoate | 49 |
| escitalopram oxalate | 49 | | | fluphenazine hcl | 49 |
| esmolol..... | 57 | | | flurbiprofen | 46 |
| esomeprazole magnesium | 83 | | | flurbiprofen sodium | 98 |
| esomeprazole sodium | 83 | | | fluticasone propionate | 101 |
| estarrylla | 94 | | | | |
| estradiol | 93 | | | | |
| estradiol valerate | 93 | | | | |

This drug list was last updated on 03/15/2024.

| | | |
|--|---|------------|
| FLUTICASONE | FREESTYLE TEST | 74 |
| PROPIONATE | FRUZAQLA | 26 |
| <i>fluticasone propion-</i> | fulvestrant | 26 |
| <i>salmeterol</i> | furosemide | 57 |
| <i>fluvastatin</i> | FUZEON | 10 |
| <i>fluvoxamine</i> | FYARRO | 26 |
| FOLOTYN | fyavolv | 93 |
| <i>fomepizole</i> | FYCOMPA | 37 |
| <i>fondaparinux</i> | G | |
| <i>formoterol fumarate</i> | <i>gabapentin</i> | 37 |
| <i>fosamprenavir</i> | <i>galantamine</i> | 41 |
| <i>fosaprepitant</i> | GAMASTAN | 85 |
| <i>fosinopril</i> | GAMASTAN S/D | 85 |
| <i>fosinopril-</i> | <i>ganciclovir sodium</i> | 10, 11 |
| <i>hydrochlorothiazide</i> | GARDASIL 9 (PF) | 85 |
| <i>fosphenytoin</i> | GATTEX 30-VIAL | 80 |
| FOTIVDA | GATTEX ONE-VIAL | 80 |
| FREESTYLE FREEDOM | GAUZE PAD | 87 |
| LITE | <i>gavilyte-c</i> | 80 |
| FREESTYLE INSULINX | <i>gavilyte-g</i> | 80 |
| TEST STRIPS | GAVRETO | 26 |
| FREESTYLE LIBRE 14 DAY | GAZYVA | 26 |
| READER | gefitinib | 26 |
| FREESTYLE LIBRE 14 DAY | <i>gemcitabine</i> | 26 |
| SENSOR | GEMCITABINE | 26 |
| FREESTYLE LIBRE 2 | <i>gemfibrozil</i> | 62 |
| READER | generlac | 80 |
| FREESTYLE LIBRE 2 | <i>gengraf</i> | 26 |
| SENSOR | gentamicin | 16, 67, 96 |
| FREESTYLE LIBRE 3 | gentamicin <i>in nacl (iso-osm)</i> | 16 |
| READER | gentamicin sulfate (<i>ped</i>) | |
| FREESTYLE LIBRE 3 | (<i>pf</i>) | 16 |
| SENSOR | GENVOYA | 11 |
| FREESTYLE LITE METER | GIOTRIF | 26 |
| 87 | <i>glatiramer</i> | 41 |
| FREESTYLE LITE STRIPS | <i>glatopa</i> | 42 |
| 74 | GLEOSTINE | 26 |
| FREESTYLE PRECISION | <i>glimepiride</i> | 74 |
| NEO STRIPS | <i>glipizide</i> | 74 |
| You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table. | glipizide-metformin | 74 |
| | <i>glycine urologic</i> | 104 |
| | <i>glycine urologic solution</i> | 104 |
| | <i>glycopyrrolate</i> | 79 |
| | <i>glycopyrrolate (pf) in water</i> | 79 |
| | <i>glydo</i> | 65 |
| | <i>gransetron (pf)</i> | 80 |
| | <i>gransetron hcl</i> | 80 |
| | <i>griseofulvin microsize</i> | 9 |
| | <i>griseofulvin ultramicrosize</i> | 9 |
| | GVOKE | 74 |
| | GVOKE HYPOEN 1-PACK | 74 |
| | GVOKE HYPOEN 2-PACK | 74 |
| | GVOKE PFS 1-PACK | |
| | SYRINGE | 74 |
| | GVOKE PFS 2-PACK | |
| | SYRINGE | 74 |
| | H | |
| | HALAVEN | 26 |
| | <i>halobetasol propionate</i> | 69 |
| | <i>haloperidol</i> | 49 |
| | <i>haloperidol decanoate</i> | 49 |
| | <i>haloperidol lactate</i> | 49 |
| | HARVONI | 11 |
| | HAVRIX (PF) | 85 |
| | <i>heather</i> | 93 |
| | <i>heparin (porcine)</i> | 60, 61 |
| | <i>heparin (porcine) in 5 % dex</i> | 60 |
| | <i>heparin (porcine) in nacl (pf)</i> | 60 |
| | <i>heparin(porcine) in 0.45% nacl</i> | 61 |
| | HEPARIN(PORCINE) IN 0.45% NACL | 61 |
| | <i>heparin, porcine (pf)</i> | 61 |
| | HEPARIN, PORCINE (PF) | 61 |

This drug list was last updated on 03/15/2024.

| | | | | | |
|---|----|---|------------|--|-----|
| HEPLISAV-B (PF)..... | 85 | HUMIRA(CF) PEN (ONLY NDCS STARTING WITH 00074)..... | 91 | <i>hydroxyprogesterone caproate</i> | 93 |
| HIBERIX (PF) | 85 | HUMIRA(CF) PEN | | <i>hydroxyurea</i> | 26 |
| HIZENTRA..... | 85 | CROHNS-UC-HS (ONLY NDCS STARTING WITH 00074)..... | 91 | <i>hydroxyzine hcl</i> | 99 |
| HUMALOG JUNIOR KWIKPEN U-100..... | 74 | HUMIRA(CF) PEN | | HYPERHEP B..... | 85 |
| HUMALOG KWIKPEN INSULIN..... | 74 | PEDIATRIC UC (ONLY NDCS STARTING WITH 00074)..... | 91 | HYPERHEP B NEONATAL | 85 |
| HUMALOG MIX 50-50 INSULN U-100..... | 75 | HUMIRA(CF) PEN PSOR- UV-ADOL HS (ONLY NDCS STARTING WITH 00074)..... | 91 | HYRIMOZ CF (PREFERRED NDCS STARTING WITH 61314)..... | 91 |
| HUMALOG MIX 50-50 KWIKPEN..... | 75 | HUMULIN 70/30 U-100 INSULIN..... | 75 | HYRIMOZ PEN CROHN'S- UC STARTER..... | 91 |
| HUMALOG MIX 75-25 KWIKPEN..... | 75 | HUMULIN 70/30 U-100 KWIKPEN..... | 75 | HYRIMOZ PEN PSORIASIS STARTER | 91 |
| HUMALOG MIX 75-25(U- 100)INSULN..... | 75 | HUMULIN N NPH INSULIN KWIKPEN..... | 75 | HYRIMOZ(CF) PEDI CROHN STARTER..... | 92 |
| HUMALOG U-100 INSULIN | 75 | HUMULIN N NPH U-100 INSULIN | 75 | I | |
| HUMIRA (ONLY NDCS STARTING WITH 00074) | 90 | HUMULIN R REGULAR U- 100 INSULN..... | 75 | <i>ibandronate</i> | 88 |
| HUMIRA PEN (ONLY NDCS STARTING WITH 00074) | 90 | HUMULIN R U-500 (CONC) INSULIN..... | 75 | IBRANCE..... | 26 |
| HUMIRA PEN CROHNS- UC-HS START (ONLY NDCS STARTING WITH 00074) | 90 | HUMULIN R U-500 (CONC) KWIKPEN..... | 75 | <i>ibu</i> | 46 |
| HUMIRA PEN PSOR- UVEITS-ADOL HS (ONLY NDCS STARTING WITH 00074)..... | 90 | <i>hydralazine</i> | 57 | <i>ibuprofen</i> | 46 |
| HUMIRA(CF) (ONLY NDCS STARTING WITH 00074) | 90 | <i>hydrochlorothiazide</i> | 57 | <i>ibutilide fumarate</i> | 55 |
| HUMIRA(CF) PEDI CROHNS STARTER (ONLY NDCS STARTING WITH 00074)..... | 90 | <i>hydrocodone-</i> <i>acetaminophen</i> | 43 | <i>icatibant</i> | 102 |
| | | <i>hydrocodone-ibuprofen</i> | 43 | ICLUSIG | 26 |
| | | <i>hydrocortisone</i> | 69, 72, 80 | <i>icosapent ethyl</i> | 62 |
| | | <i>hydrocortisone-acetic acid</i> | 72 | <i>idarubicin</i> | 26 |
| | | <i>hydromorphone</i> | 44 | IDHIFA | 27 |
| | | <i>hydromorphone (pf)</i> | 44 | <i>ifosfamide</i> | 27 |
| | | <i>hydroxychloroquine</i> | 16 | ILARIS (PF)..... | 84 |
| | | | | <i>imatinib</i> | 27 |
| | | | | IMBRUVICA | 27 |
| | | | | IMFINZI..... | 27 |
| | | | | <i>imipenem-cilastatin</i> | 16 |
| | | | | <i>imipramine hcl</i> | 49 |
| | | | | <i>imipramine pamoate</i> | 49 |
| | | | | <i>imiquimod</i> | 65 |
| | | | | IMJUDO | 27 |
| | | | | IMOVAX RABIES VACCINE (PF) | 85 |
| | | | | <i>incassia</i> | 93 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| | | | | |
|-------------------------------|---------|-------------------------|-------|--|
| INCRELEX | 70 | IWILFIN | 27 | KISQALI FEMARA CO- |
| <i>indapamide</i> | 57 | IXEMPRA | 27 | PACK.....28 |
| INFANRIX (DTAP) (PF) | 85 | IXIARO (PF) | 85 | <i>klayesta</i>67 |
| INFLECTRA | 80 | J | | <i>klor-con 10</i>105 |
| INLYTA | 27 | JAKAFI | 27 | <i>klor-con 8</i>105 |
| INQOVI | 27 | <i>jantoven</i> | 61 | <i>klor-con m10</i>105 |
| INREBIC | 27 | JANUMET | 75 | <i>klor-con m15</i>105 |
| INSULIN GLARGINE | 75 | JANUMET XR | 75 | <i>klor-con m20</i>105 |
| INSULIN LISPRO | 75 | JANUVIA | 75 | <i>klor-con oral packet 20</i>105 |
| INSULIN SYRINGE- | | JARDIANCE | 75 | <i>klor-con/ef</i>105 |
| NEEDLE U-100 | 87 | <i>jasmiel</i> (28) | 94 | KORLYM.....77 |
| INSULIN SYRINGES (NON- | | JAYPIRCA | 28 | KOSELUGO.....28 |
| PREFERRED BRANDS) | 87 | JEMPERLI | 28 | <i>kourzeq</i>72 |
| INTELENCE | 11 | <i>jencycla</i> | 93 | K-PHOS NO 2.....104 |
| <i>intralipid</i> | 107 | JEVTANA | 28 | K-PHOS ORIGINAL.....104 |
| <i>introvale</i> | 94 | <i>jinteli</i> | 93 | KRAZATI.....28 |
| INVEGA HAFYERA | 50 | <i>jolessa</i> | 94 | <i>kurvelo</i> (28).....95 |
| INVEGA SUSTENNA | 50 | <i>juleber</i> | 94 | KYPROLIS.....28 |
| INVEGA TRINZA | 50 | JULUCA | 11 | L |
| IPOL | 85 | JUXTAPID | 62 | <i>Inorgest/e.estradiol-</i> |
| <i>ipratropium bromide</i> | 72, 102 | JYNNEOS (PF) | 85 | <i>e.estrad</i>95 |
| <i>ipratropium-albuterol</i> | 102 | K | | <i>labetalol</i>57 |
| <i>irbesartan</i> | 57 | KADCYLA | 28 | <i>lacosamide</i>37 |
| <i>irbesartan-</i> | | <i>kalliga</i> | 94 | <i>lactated ringers</i>69, 105 |
| <i>hydrochlorothiazide</i> | 57 | KALYDECO | 102 | <i>lactulose</i>81 |
| <i>irinotecan</i> | 27 | KANUMA | 77 | LAGEVRIO (EUA) |
| ISENTRESS | 11 | <i>kariva</i> (28) | 94 | 11 |
| ISENTRESS HD | 11 | <i>kelnor 1/35</i> (28) | 94 | <i>lamivudine</i>11 |
| <i>isibloom</i> | 94 | <i>kelnor 1-50</i> (28) | 94 | <i>lamivudine-zidovudine</i> |
| ISOLYTE SPH 7.4 | 107 | <i>kemoplat</i> | 28 | 11 |
| ISOLYTE-P IN 5 % | | KEPIVANCE | 21 | <i>lamotrigine</i>37 |
| DEXTROSE | 107 | KERENDIA | 57 | <i>lansoprazole</i>83 |
| ISOLYTE-S | 107 | KESIMPTA PEN | 42 | LANTUS SOLOSTAR U-100 |
| <i>isoniazid</i> | 16 | <i>ketoconazole</i> | 9, 67 | INSULIN.....75 |
| <i>isosorbide dinitrate</i> | 63 | <i>ketorolac</i> | 98 | |
| <i>isosorbide mononitrate</i> | 63 | KEYTRUDA | 28 | LANTUS U-100 INSULIN 75 |
| <i>isotretinoin</i> | 66 | KHAPZORY | 21 | <i>lapatinib</i>28 |
| ISTODAX | 27 | KIMMTRAK | 28 | |
| <i>itraconazole</i> | 9 | KINRIX (PF) | 85 | <i>larin 1.5/30</i> (21).....95 |
| <i>ivermectin</i> | 16, 66 | KISQALI | 28 | <i>larin 1/20</i> (21).....95 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| | | | | | |
|--|--------|---------------------------------------|--------|-----------------------------------|-----|
| <i>lenalidomide</i> | 28 | <i>linezolid</i> | 16 | LYTGOBI | 29 |
| LENVIMA | 28, 29 | <i>linezolid in dextrose 5%</i> | 16 | LYUMJEV KWIKPEN U-100 | |
| <i>lessina</i> | 95 | <i>linezolid-0.9% sodium chloride</i> | 16 | INSULIN | 75 |
| <i>letrozole</i> | 29 | LINZESS | 81 | LYUMJEV KWIKPEN U-200 | |
| <i>leucovorin calcium</i> | 21 | LIORESAL | 42 | INSULIN | 75 |
| LEUKERAN | 29 | <i>liothyronine</i> | 79 | LYUMJEV U-100 INSULIN | |
| LEUKINE | 84 | <i>lisinopril</i> | 57 | <i>lyza</i> | 93 |
| <i>leuprolide</i> | 29 | <i>lisinopril-hydrochlorothiazide</i> | 57 | M | |
| <i>levetiracetam</i> | 37, 38 | <i>lithium carbonate</i> | 50 | <i>magnesium chloride</i> | 105 |
| <i>levetiracetam in nacl (isos)</i> | 37 | <i>lithium citrate</i> | 50 | <i>magnesium sulfate</i> | 105 |
| <i>levobunolol</i> | 97 | LOKELMA | 70 | MAGNESIUM SULFATE IN D5W | 105 |
| <i>levocarnitine</i> | 70 | LONSURF | 29 | <i>magnesium sulfate in water</i> | 105 |
| <i>levocarnitine (with sugar)</i> | 70 | <i>loperamide</i> | 79 | <i>malathion</i> | 69 |
| <i>levocetirizine</i> | 99 | <i>lopinavir-ritonavir</i> | 11 | <i>mannitol 20 %</i> | 57 |
| <i>levofloxacin</i> | 19, 96 | LOQTORZI | 29 | <i>mannitol 25 %</i> | 57 |
| <i>levofloxacin in d5w</i> | 19 | <i>lorazepam</i> | 50, 51 | <i>maraviroc</i> | 11 |
| <i>levoleucovorin calcium</i> | 21 | <i>lorazepam intensol</i> | 50 | MARGENZA | 29 |
| <i>levonest (28)</i> | 95 | LORBRENA | 29 | <i>marlissa (28)</i> | 95 |
| <i>levonorgestrel-ethynodiol estrad</i> | 95 | <i>loryna (28)</i> | 95 | MARPLAN | 51 |
| <i>levonorg-eth estrad triphasic</i> | 95 | <i>losartan</i> | 57 | MATULANE | 29 |
| <i>levora-28</i> | 95 | <i>losartan-hydrochlorothiazide</i> | 57 | <i>matzim la</i> | 57 |
| <i>levo-t</i> | 78 | <i>loteprednol etabonate</i> | 98 | <i>meclizine</i> | 81 |
| <i>levothyroxine</i> | 79 | <i>lovastatin</i> | 62 | <i>medroxyprogesterone</i> | 93 |
| <i>levoxyl</i> | 79 | <i>low-ogestrel (28)</i> | 95 | <i>mefloquine</i> | 16 |
| LEXIVA | 11 | <i>loxapine succinate</i> | 51 | <i>megestrol</i> | 29 |
| LIBTAYO | 29 | <i>lo-zumandimine (28)</i> | 95 | MEKINIST | 29 |
| <i>lidocaine</i> | 65 | <i>lubiprostone</i> | 81 | MEKTOVI | 29 |
| <i>lidocaine (pf)</i> | 55, 65 | LUMAKRAS | 29 | <i>meloxicam</i> | 46 |
| <i>lidocaine hcl</i> | 65 | LUMIZYME | 77 | <i>melphalan</i> | 29 |
| <i>lidocaine in 5 % dextrose (pf)</i> | 55 | LUNSUMIO | 29 | <i>melphalan hcl</i> | 29 |
| <i>lidocaine viscous</i> | 65 | LUPRON DEPOT | 29 | <i>memantine</i> | 42 |
| <i>lidocaine-epinephrine</i> | 65 | <i>lurasidone</i> | 51 | MENACTRA (PF) | 85 |
| <i>lidocaine-epinephrine (pf)</i> | 65 | <i>lutera (28)</i> | 95 | MENEST | 93 |
| <i>lidocaine-prilocaine</i> | 66 | <i>lyeq</i> | 93 | MENQUADFI (PF) | 85 |
| <i>lidocan iii</i> | 66 | <i>lyllana</i> | 93 | MENVEO A-C-Y-W-135-DIP (PF) | 85 |
| <i>lincomycin</i> | 16 | LYNPARZA | 29 | MEPSEVII | 77 |
| You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table. | | | | | |

This drug list was last updated on 03/15/2024.

| | | | | | |
|--|------------|---|------------|---|--------|
| <i>mercaptopurine</i> | 29 | <i>microgestin 1/20 (21)</i> | 95 | MYLOTARG | 30 |
| <i>meropenem</i> | 16 | <i>microgestin fe 1.5/30 (28)</i> | 95 | MYRBETRIQ | 104 |
| <i>mesalamine</i> | 81 | <i>microgestin fe 1/20 (28)</i> | 95 | N | |
| <i>mesalamine with cleansing wipe</i> | 81 | <i>midodrine</i> | 70 | <i>nabumetone</i> | 46 |
| <i>mesna</i> | 21 | <i>mifepristone</i> | 77, 94 | <i>nadolol</i> | 58 |
| MESNEX | 21 | <i>mili</i> | 95 | <i>nafcillin</i> | 19 |
| <i>metformin</i> | 75, 76 | <i>milrinone</i> | 63 | <i>nafcillin in dextrose iso-osm</i> | |
| <i>methadone</i> | 44 | <i>milrinone in 5 % dextrose</i> | 63 | | 18 |
| <i>methadone intensol</i> | 44 | <i>mimvey</i> | 93 | <i>naftifine</i> | 67 |
| <i>methadose</i> | 44 | <i>minocycline</i> | 20 | NAGLAZYME | 77 |
| <i>methazolamide</i> | 98 | <i>minoxidil</i> | 58 | <i>nalbuphine</i> | 46 |
| <i>methenamine hippurate</i> | 20 | <i>miostat</i> | 98 | <i>naloxone</i> | 46 |
| <i>methenamine mandelate</i> | 20 | <i>mirtazapine</i> | 51 | <i>naltrexone</i> | 46 |
| <i>methimazole</i> | 73 | <i>misoprostol</i> | 83 | NAMZARIC | 42 |
| <i>methotrexate sodium</i> | 29 | <i>mitomycin</i> | 30 | <i>naproxen</i> | 46 |
| <i>methotrexate sodium (pf)</i> | 30 | <i>mitoxantrone</i> | 30 | <i>naratriptan</i> | 40 |
| <i>methoxsalen</i> | 66 | <i>M-M-R II (PF)</i> | 85 | NATACYN | 97 |
| <i>methsuximide</i> | 38 | <i>modafinil</i> | 51 | <i>nateglinide</i> | 76 |
| <i>methylergonovine</i> | 96 | <i>moexipril</i> | 58 | NATPARA | 77 |
| <i>methylphenidate hcl</i> | 51 | <i>molindone</i> | 51 | NAYZILAM | 38 |
| <i>methylprednisolone</i> | 72 | <i>mometasone</i> | 69 | <i>nebivolol</i> | 58 |
| <i>methylprednisolone acetate</i> | | <i>monodoxyne nl</i> | 20 | <i>nefazodone</i> | 51 |
| | 72 | <i>MONJUVI</i> | 30 | <i>nelarabine</i> | 30 |
| <i>methylprednisolone sodium succ</i> | 73 | <i>mono-linyah</i> | 95 | <i>neomycin</i> | 16 |
| <i>metoclopramide hcl</i> | 81 | <i>montelukast</i> | 102 | <i>neomycin-bacitracin-poly- hc</i> | 98 |
| <i>metolazone</i> | 57 | <i>morphine</i> | 44, 45 | <i>neomycin-bacitracin- polymyxin</i> | 97 |
| <i>metoprolol succinate</i> | 57 | <i>morphine (pf)</i> | 44 | <i>neomycin-polymyxin b gu</i> | 69 |
| <i>metoprolol ta-</i> | | <i>morphine concentrate</i> | 44 | <i>neomycin-polymyxin b- dexameth</i> | 98 |
| <i>hydrochlorothiaz</i> | 57 | <i>MOVANTIK</i> | 81 | <i>neomycin-polymyxin- gramicidin</i> | 97 |
| <i>metoprolol tartrate</i> | 57, 58 | <i>oxifloxacin</i> | 19, 96, 97 | <i>neomycin-polymyxin-hc</i> | 72, 98 |
| <i>metro i.v.</i> | 16 | <i>oxifloxacin- sod.chloride(iso)</i> | 19 | <i>neo-polycin</i> | 97 |
| <i>metronidazole</i> | 16, 66, 94 | <i>MOZOBIL</i> | 84 | <i>neo-polycin hc</i> | 98 |
| <i>metronidazole in nacl (iso- os)</i> | 16 | <i>mupirocin</i> | 67 | <i>NERLYNX</i> | 30 |
| <i>metyrosine</i> | 58 | <i>MYALEPT</i> | 77 | <i>NEUPRO</i> | 40 |
| <i>mexiletine</i> | 55 | <i>mycophenolate mofetil</i> | 30 | <i>nevirapine</i> | 11 |
| <i>micafungin</i> | 9 | <i>mycophenolate mofetil (hcl)</i> | 30 | | |
| <i>microgestin 1.5/30 (21)</i> | 95 | <i>mycophenolate sodium</i> | 30 | | |
| You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table. | | | | | |

This drug list was last updated on 03/15/2024.

| | | | | | |
|--|--------|--|--------|---|-----|
| <i>niacin</i> | 62 | NUPLAZID | 51 | ONETOUCH ULTRA TEST | 76 |
| <i>nicardipine</i> | 58 | NURTEC ODT | 40 | ONETOUCH ULTRA2 METER | 88 |
| NICOTROL | 71 | <i>nyamyc</i> | 67 | ONETOUCH VERIO FLEX METER | 88 |
| NICOTROL NS..... | 71 | <i>nystatin</i> | 9, 67 | ONETOUCH VERIO REFLECT METER | 88 |
| <i>nifedipine</i> | 58 | <i>nystatin-triamcinolone</i> | 67 | ONETOUCH VERIO TEST STRIPS | 76 |
| <i>nikki</i> (28) | 95 | <i>nystop</i> | 67 | ONIVYDE | 30 |
| <i>nilutamide</i> | 30 | NYVEPRIA | 84 | ONUREG | 31 |
| <i>nimodipine</i> | 58 | O | | OPDIVO | 31 |
| NINLARO..... | 30 | OCALIVA..... | 81 | OPDUALAG | 31 |
| <i>nitazoxanide</i> | 16 | <i>octreotide acetate</i> | 30 | <i>opium tincture</i> | 79 |
| <i>nitisinone</i> | 70 | ODEFSEY | 11 | OPSUMIT | 102 |
| <i>nitro-bid</i> | 63 | ODOMZO..... | 30 | oralone | 72 |
| <i>nitrofurantoin macrocrystal</i> | 20 | OFEV | 102 | ORENCIA | 92 |
| <i>nitrofurantoin monohyd/m-cryst</i> | 20 | ofloxacin | 72, 97 | ORENCIA (WITH MALTOSE) | 92 |
| <i>nitroglycerin</i> | 64 | OJJAARA | 30 | ORENCIA CLICKJECT | 92 |
| <i>nitroglycerin in 5 % dextrose</i> | 64 | olanzapine | 51 | ORGOVYX | 31 |
| NIVESTYM | 84 | olmesartan | 58 | ORKAMBI | 102 |
| <i>nora-be</i> | 93 | olmesartan-amlopidipine-hctiazid | 58 | ORSERDU | 31 |
| <i>norepinephrine bitartrate</i> | 63 | olmesartan-..... | | oseltamivir | 11 |
| <i>norethindrone</i> (contraceptive) | 93 | hydrochlorothiazide | 58 | osmitrol 20 % | 58 |
| <i>norethindrone acetate</i> | 93 | olopatadine | 97 | OTEZLA | 92 |
| <i>norethindrone ac-eth</i> estradiol | 93, 95 | omega-3 acid ethyl esters | 62 | OTEZLA STARTER | 92 |
| <i>norethindrone-e.estriadiol-iron</i> | 95 | omeprazole | 83 | oxacillin | 19 |
| <i>norgestimate-ethynodiol</i> | | OMNIPOD 5 G6 INTRO KIT (GEN 5) | 88 | <i>oxacillin in dextrose(iso-osm)</i> | 19 |
| estradiol | 95, 96 | OMNIPOD 5 G6 PODS (GEN 5) | 88 | oxaliplatin | 31 |
| <i>nortrel 0.5/35 (28)</i> | 96 | OMNIPOD CLASSIC PODS (GEN 3) | 88 | oxaprozin | 46 |
| <i>nortrel 1/35 (21)</i> | 96 | OMNIPOD DASH INTRO KIT (GEN 4) | 88 | oxcarbazepine | 38 |
| <i>nortrel 1/35 (28)</i> | 96 | OMNIPOD DASH PODS (GEN 4) | 88 | OXERVATE | 97 |
| <i>nortrel 7/7/7 (28)</i> | 96 | OMNITROPE | 84 | <i>oxybutynin chloride</i> | 104 |
| <i>nortriptyline</i> | 51 | ONCASPAR | 30 | oxycodone | 45 |
| NORVIR | 11 | ondansetron | 81 | oxycodone-acetaminophen | 45 |
| NUBEQA | 30 | ondansetron hcl | 81 | OZURDEX | 98 |
| NUEDEXTA | 42 | ondansetron hcl (pf) | 81 | | |
| NULOJIX | 30 | | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| | |
|---|--------|
| P | |
| pacerone | 55 |
| paclitaxel | 31 |
| PADCEV | 31 |
| paliperidone | 51 |
| palonosetron..... | 81 |
| pamidronate..... | 77 |
| PANRETIN..... | 66 |
| pantoprazole..... | 83 |
| paraplatin | 31 |
| paricalcitol | 77, 78 |
| paromomycin | 16 |
| paroxetine hcl..... | 51, 52 |
| PAXLOVID | 11, 12 |
| pazopanib | 31 |
| PEDIARIX (PF) | 85 |
| PEDVAX HIB (PF) | 85 |
| peg 3350-electrolytes..... | 81 |
| peg3350-sod sul-nacl-kcl- asb-c | 82 |
| PEGASYS | 84 |
| peg-electrolyte..... | 82 |
| PEMAZYRE..... | 31 |
| pemetrexed disodium..... | 31 |
| PEN NEEDLES (NON- PREFERRED BRANDS) | 88 |
| PENBRAYA (PF) | 85 |
| penciclovir..... | 67 |
| penicillamine | 92 |
| penicillin g potassium..... | 19 |
| penicillin g sodium..... | 19 |
| penicillin v potassium..... | 19 |
| PENTACEL (PF)..... | 86 |
| pentamidine | 16, 17 |
| PENTASA | 82 |
| pentoxifylline | 61 |
| perindopril erbumine..... | 58 |
| periogard..... | 72 |
| PERJETA | 31 |
| permethrin | 69 |
| perphenazine..... | 52 |
| PERSERIS | 52 |
| pfiberpen-g..... | 19 |
| phenelzine | 52 |
| phenobarbital | 38 |
| phenobarbital sodium | 38 |
| phentolamine | 58 |
| phenytoin..... | 38 |
| phenytoin sodium | 38 |
| phenytoin sodium extended | 38 |
| PHOSPHOLINE IODIDE | 97 |
| PIFELTRO..... | 12 |
| pilocarpine hcl..... | 70, 97 |
| pimecrolimus | 66 |
| pimozone | 52 |
| pimtrea (28) | 96 |
| pindolol..... | 58 |
| pioglitazone | 76 |
| piperacillin-tazobactam..... | 19 |
| PIQRAY | 31 |
| pirfenidone..... | 102 |
| piroxicam | 46 |
| pitavastatin calcium | 62 |
| plasbumin 25 %..... | 105 |
| plasbumin 5 % | 105 |
| PLASMA-LYTE A..... | 107 |
| plasmanate | 107 |
| PLENAMINE | 107 |
| plerixafor..... | 84 |
| podofilox..... | 66 |
| POLIVY | 31 |
| polocaine | 66 |
| polocaine-mpf | 66 |
| polycin | 97 |
| polymyxin b sulf- trimethoprim | 97 |
| POMALYST | 31 |
| portia 28 | 96 |
| PORTRAZZA | 31 |
| posaconazole | 9 |
| potassium acetate | 105 |
| potassium chlorid-d5- 0.45%nacl..... | 105 |
| potassium chloride | 106 |
| potassium chloride in 0.9%nacl | 105 |
| potassium chloride in 5 % dex | 105 |
| potassium chloride in lr-d5 | 105 |
| potassium chloride in water | 106 |
| potassium chloride-0.45 % nacl | 106 |
| potassium chloride-d5- 0.2%nacl..... | 106 |
| potassium chloride-d5- 0.9%nacl | 106 |
| potassium citrate..... | 104 |
| potassium phosphate m-/d- basic | 106 |
| POTELIGEO | 31 |
| pramipexole..... | 40 |
| prasugrel..... | 61 |
| pravastatin | 62 |
| praziquantel..... | 17 |
| prazosin | 58 |
| PRECISION XTRA MONITOR | 88 |
| PRECISION XTRA TEST .. | 76 |
| prednicarbate | 69 |
| prednisolone | 73 |
| prednisolone acetate | 98 |
| prednisolone sodium phosphate | 73, 98 |
| prednisone | 73 |
| prednisone intensol | 73 |
| pregabalin | 38 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| | | | | | |
|------------------------------------|-----|----------------------------|-----|--------------------------------|---------|
| PREHEVBARIO (PF)..... | 86 | pyrazinamide | 17 | revonto..... | 43 |
| premasol 10 %..... | 107 | pyridostigmine bromide ... | 42, | REXULTI | 52 |
| prenatal vitamin oral tablet | 107 | 43 | | REYATAZ | 12 |
| prevalite..... | 62 | pyrimethamine..... | 17 | REZLIDHIA | 32 |
| PREVYMIS | 12 | Q | | REZUROCK..... | 32 |
| PREZCOBIX | 12 | QINLOCK..... | 31 | ribavirin | 12 |
| PREZISTA..... | 12 | QUADRACEL (PF) | 86 | RIDAURA..... | 92 |
| PRIFTIN..... | 17 | quetiapine | 52 | rifabutin | 17 |
| PRIMAQUINE..... | 17 | quinapril | 58 | rifampin..... | 17 |
| primidone | 38 | quinapril- | | riluzole | 71 |
| PRIMIDONE..... | 38 | hydrochlorothiazide | 58 | rimantadine | 12 |
| PRIORIX (PF)..... | 86 | quinidine sulfate..... | 55 | ringer's..... | 69, 106 |
| PRIVIGEN | 86 | quinine sulfate | 17 | RINVOQ | 92 |
| probenecid | 88 | QVAR REDIHALER..... | 102 | RISPERDAL CONSTA | 52 |
| probenecid-colchicine..... | 88 | R | | risperidone | 52, 53 |
| procainamide | 55 | RABAVERT (PF)..... | 86 | risperidone microspheres | 52 |
| prochlorperazine | 82 | RADICAVA ORS | 42 | ritonavir..... | 12 |
| prochlorperazine edisylate | 82 | RADICAVA ORS STARTER | | rivastigmine | 42 |
| prochlorperazine maleate | | KIT SUSP | 42 | rivastigmine tartrate | 42 |
| oral..... | 82 | raloxifene..... | 89 | rizatriptan | 40 |
| PROCIT | 84 | ramelteon | 52 | roflumilast | 102 |
| procto-med hc | 82 | ramipril..... | 58 | romidepsin | 32 |
| proctosol hc | 82 | ranolazine | 63 | ropinirole | 40 |
| protozone-hc | 82 | rasagiline | 40 | rosuvastatin | 62 |
| progesterone | 93 | reclipsen (28) | 96 | ROTARIX..... | 86 |
| progesterone micronized. | 93 | RECOMBIVAX HB (PF).... | 86 | ROTATEQ VACCINE | 86 |
| PROGRAF | 31 | RECTIV..... | 82 | roweepra | 38 |
| PROLASTIN-C..... | 70 | REGRANEX..... | 66 | ROZLYTREK | 32 |
| PROLIA | 88 | RELENZA DISKHALER | 12 | RUBRACA | 32 |
| PROMACTA | 61 | RELISTOR..... | 82 | rufinamide | 38, 39 |
| promethazine..... | 99 | RENACIDIN | 104 | RUKOBIA | 12 |
| propafenone | 55 | repaglinide | 76 | RUXIENCE | 32 |
| propranolol | 58 | REPATHA..... | 62 | RYBREVANT | 32 |
| propylthiouracil..... | 73 | REPATHA PUSHTRONEX | 62 | RYDAPT | 32 |
| PROQUAD (PF)..... | 86 | REPATHA SURECLICK..... | 62 | RYLAZE | 32 |
| protamine | 61 | RETACRIT | 84 | S | |
| protriptyline..... | 52 | RETEVMO..... | 32 | sajazir | 102 |
| PULMOZYME..... | 102 | RETROVIR | 12 | salsalate | 46 |
| PURIXAN | 31 | REVCovi..... | 71 | SANDIMMUNE | 32 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| | |
|---|----------|
| SANDOSTATIN LAR | |
| DEPOT | 32 |
| SANTYL | 66 |
| sapropterin | 78 |
| SARCLISA | 32 |
| saxagliptin | 76 |
| saxagliptin-metformin..... | 76 |
| SCEMBLIX | 32 |
| scopolamine base | 82 |
| SECUADO..... | 53 |
| selegiline hcl..... | 40 |
| selenium sulfide | 64 |
| SELZENTRY | 12 |
| sertraline | 53 |
| setlakin..... | 96 |
| sevelamer carbonate | 71 |
| sf 72 | |
| sf 5000 plus..... | 72 |
| sharobel..... | 93 |
| SHINGRIX (PF) | 86 |
| SIGNIFOR | 32 |
| sildenafil (pulmonary arterial hypertension)..... | 102, 103 |
| silver sulfadiazine | 66 |
| SIMULECT | 32 |
| simvastatin | 62 |
| sirolimus..... | 32 |
| SIRTURO | 17 |
| SKYRIZI | 64, 82 |
| sodium acetate | 106 |
| sodium benzoate-sod phenylacet | 71 |
| sodium bicarbonate..... | 106 |
| sodium chloride..... | 71, 106 |
| sodium chloride 0.45 % ... | 106 |
| sodium chloride 0.9 % | 71 |
| sodium chloride 3 % hypertonic | 106 |
| sodium chloride 5 % hypertonic | 106 |
| sodium fluoride 5000 dry mouth | 72 |
| sodium fluoride 5000 plus..... | 72 |
| sodium fluoride-pot nitrate | 72 |
| sodium nitroprusside | 63 |
| SODIUM OXYBATE | 53 |
| sodium phenylbutyrate | 71 |
| sodium phosphate..... | 106 |
| sodium polystyrene sulfonate | 71 |
| sodium,potassium,mag sulfates | 82 |
| SOLIQUA 100/33 | 76 |
| SOLTAMOX..... | 32 |
| SOMATULINE DEPOT | 32 |
| SOMAVERT..... | 78 |
| sorafenib..... | 32 |
| sorine | 55 |
| sotalol | 55 |
| sotalol af | 55 |
| SPIRIVA RESPIMAT | 103 |
| spironolactone | 58 |
| spironolacton- hydrochlorothiaz..... | 58 |
| SPRAVATO | 53 |
| sprintec (28)..... | 96 |
| SPRITAM..... | 39 |
| SPRYCEL..... | 32, 33 |
| sps (with sorbitol) | 71 |
| sronyx | 96 |
| ssd..... | 66 |
| STELARA | 64 |
| STIOLTO RESPIMAT | 103 |
| STIVARGA | 33 |
| STREPTOMYCIN | 17 |
| STRIBILD..... | 12 |
| STRIVERDI RESPIMAT | 103 |
| subvenite | 39 |
| SUCRAID..... | 82 |
| sucralfate | 83 |
| sulfacetamide sodium..... | 98 |
| sulfacetamide sodium (acne) | 67 |
| sulfacetamide-prednisolone | 98 |
| sulfadiazine | 19 |
| sulfamethoxazole- trimethoprim | 20 |
| sulfasalazine | 82 |
| sulindac | 46 |
| sumatriptan | 41 |
| sumatriptan succinate | 41 |
| sunitinib malate..... | 33 |
| SUNLENCA | 12 |
| syeda | 96 |
| SYMDEKO | 103 |
| SYMPAZAN | 39 |
| SYMTUZA..... | 12 |
| SYNAGIS | 12 |
| SYNJARDY | 76 |
| SYNJARDY XR..... | 76 |
| T | |
| TABLOID | 33 |
| TABRECTA | 33 |
| tacrolimus | 33, 66 |
| tadalafil (pulmonary arterial hypertension) oral tablet 20 mg | 103 |
| TAFINLAR | 33 |
| tafluprost (pf)..... | 98 |
| TAGRISSO | 33 |
| TALTZ AUTOINJECTOR | 64 |
| TALTZ AUTOINJECTOR (2 PACK)..... | 64 |
| TALTZ AUTOINJECTOR (3 PACK)..... | 64 |
| TALTZ SYRINGE | 64 |
| TALVEY | 33 |
| TALZENNA | 33 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| | |
|-------------------------------|------------|
| tamoxifen | 33 |
| tamsulosin | 104 |
| tarina fe 1-20 eq (28) | 96 |
| TASIGNA | 33 |
| tazarotene | 66 |
| tazicef | 14 |
| taztia xt | 58 |
| TAZVERIK | 33 |
| TDVAX | 86 |
| TECENTRIQ | 33 |
| TECVAYLI | 33 |
| TEFLARO | 14 |
| telmisartan | 58 |
| telmisartan-amlodipine | 58 |
| telmisartan- | |
| hydrochlorothiazid | 58 |
| TEMODAR | 33 |
| temsirolimus | 33 |
| TENIVAC (PF) | 86 |
| tenofovir disoproxil fumarate | |
| | 12 |
| TEPMETKO | 33 |
| terazosin | 58 |
| terbinafine hcl | 9 |
| terbutaline | 103 |
| terconazole | 94 |
| teriflunomide | 42 |
| TERIPARATIDE | 89 |
| testosterone | 78 |
| testosterone cypionate | 78 |
| testosterone enanthate | 78 |
| TETANUS,DIPHTHERIA | |
| TOX PED(PF) | 86 |
| tetrabenazine | 42 |
| tetracycline | 20 |
| THALOMID | 33 |
| THEO-24 | 103 |
| theophylline | 103 |
| thioridazine | 53 |
| thiotepa | 33 |
| thiothixene | 53 |
| tiadylt er | 58 |
| tiagabine | 39 |
| TIBSOVO | 33 |
| TICE BCG | 86 |
| TICOVAC | 86 |
| tigecycline | 17 |
| tilia fe | 96 |
| timolol maleate | 59, 97 |
| tinidazole | 17 |
| tiotropium bromide | 103 |
| TIVDAK | 33 |
| TIVICAY | 12 |
| TIVICAY PD | 12 |
| tizanidine | 43 |
| tobramycin | 17, 97 |
| tobramycin in 0.225 % nac/17 | |
| tobramycin sulfate | 17 |
| tobramycin-dexamethasone | |
| | 98 |
| tolterodine | 104 |
| tolvaptan | 78 |
| topiramate | 39 |
| topotecan | 33 |
| toremifene | 33 |
| torsemide | 59 |
| TOUJEO MAX U-300 | |
| SOLOSTAR | 76 |
| TOUJEO SOLOSTAR U- | |
| 300 INSULIN | 76 |
| tramadol | 46 |
| tramadol-acetaminophen | 46 |
| trandolapril | 59 |
| tranexamic acid | 94 |
| tranylcypromine | 53 |
| travasol 10 % | 107 |
| travoprost | 98 |
| TRAZIMERA | 33 |
| trazodone | 53 |
| TRECATOR | 17 |
| TRELSTAR | 33 |
| treprostinil sodium | 59 |
| tretinoin (antineoplastic) | 33 |
| tretinoin topical | 66 |
| triamcinolone acetonide | 69, 72, 73 |
| triamterene- | |
| hydrochlorothiazid | 59 |
| triderm | 69 |
| trientine | 71 |
| tri-estarrylla | 96 |
| trifluoperazine | 53 |
| trifluridine | 97 |
| TRIKAFTA | 103 |
| tri-legest fe | 96 |
| tri-linyah | 96 |
| tri-lo-estarrylla | 96 |
| tri-lo-marzia | 96 |
| tri-lo-sprintec | 96 |
| trimethoprim | 20 |
| trimipramine | 53 |
| TRINTELLIX | 53 |
| tri-sprintec (28) | 96 |
| TRIUMEQ | 12 |
| TRIUMEQ PD | 12 |
| trivora (28) | 96 |
| TRIZIVIR | 12 |
| TRODELVY | 34 |
| TROGARZO | 12 |
| TROPHAMINE 10 % | 107 |
| trospium | 104 |
| TRULANCE | 82 |
| TRULICITY | 77 |
| TRUMENBA | 86 |
| TRUQAP | 34 |
| TUKYSA | 34 |
| TURALIO | 34 |
| turqoz (28) | 96 |
| TWINRIX (PF) | 86 |
| TYPHIM VI | 86 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

| | | | | | |
|---------------------------------------|--------|--------------------|----|-----------------------|----------|
| TYVASO | 103 | VEMLIDY | 13 | WELIREG | 34 |
| TYVASO INSTITUTIONAL | | VENCLEXTA | 34 | wera (28) | 96 |
| START KIT | 103 | VENCLEXTA STARTING | | wescap-pn dha | 107 |
| TYVASO REFILL KIT | 103 | PACK | 34 | wixela inhub | 103 |
| TYVASO STARTER KIT | 103 | venlafaxine | 54 | X | |
| U | | verapamil | 59 | XALKORI | 34 |
| <i>unithroid</i> | 79 | VERQUVO | 63 | XARELTO | 61 |
| UNITUXIN | 34 | VERSACLOZ | 54 | XARELTO DVT-PE TREAT | |
| UPTRAVI | 59 | VERZENIO | 34 | 30D START | 61 |
| <i>ursodiol</i> | 82 | vestura (28) | 96 | XATMEP | 34 |
| UZEDY | 53, 54 | V-GO 20 | 88 | XCOPRI | 39 |
| V | | V-GO 30 | 88 | XCOPRI MAINTENANCE | |
| <i>valacyclovir</i> | 12 | V-GO 40 | 88 | PACK | 39 |
| VALCHLOR | 66 | vienva | 96 | XCOPRI TITRATION PACK | |
| <i>valganciclovir</i> | 12 | vigabatrin | 39 | XDEMVY | 98 |
| <i>valproate sodium</i> | 39 | vigadrone | 39 | XELJANZ | 92 |
| <i>valproic acid</i> | 39 | vigpoder | 39 | XELJANZ XR | 92 |
| <i>valproic acid (as sodium salt)</i> | 39 | vilazodone | 54 | XERMELO | 35 |
| <i>valrubicin</i> | 34 | VIMIZIM | 78 | XGEVA | 21 |
| <i>valsartan</i> | 59 | vinblastine | 34 | XIAFLEX | 71 |
| <i>valsartan-</i> | | vincristine | 34 | XIFAXAN | 18 |
| <i>hydrochlorothiazide</i> | 59 | vinorelbine | 34 | XIGDUO XR | 77 |
| VALTOCO | 39 | VIOKACE | 82 | XiIDRA | 98 |
| <i>vancomycin</i> | 17, 18 | viorele (28) | 96 | XOLAIR | 103, 104 |
| VANCOMYCIN IN 0.9 % | | VIRACEPT | 13 | XOSPATA | 35 |
| SODIUM CHL | 17 | VIREAD | 13 | XPOVIO | 35 |
| <i>vandazole</i> | 94 | VISTOGARD | 21 | XTANDI | 35 |
| VANFLYTA | 34 | VITRAKVI | 34 | xulane | 94 |
| VAQTA (PF) | 86 | VIVITROL | 46 | Y | |
| <i>varenicline</i> | 71 | VIZIMPRO | 34 | YEROY | 35 |
| VARIVAX (PF) | 86 | VONJO | 34 | YF-VAX (PF) | 86 |
| VARIZIG | 86 | voriconazole | 9 | YONDELIS | 35 |
| VARUBI | 82 | VOSEVI | 13 | yuvafem | 93 |
| VECAMYL | 63 | VOTRIENT | 34 | Z | |
| VECTIBIX | 34 | VRAYLAR | 54 | zafemy | 94 |
| VEKLURY | 12 | VYNDAMAX | 63 | zaflirlukast | 104 |
| <i>veletri</i> | 59 | VYXEOS | 34 | zaleplon | 54 |
| <i>velvet triphasic regimen</i> | | W | | ZALTRAP | 35 |
| (28) | 96 | <i>warfarin</i> | 61 | ZANOSAR | 35 |
| <i>water for irrigation, sterile</i> | .71 | | | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| | | | | | |
|----------------------------|----|---------------------------|--------|------------------------|----|
| ZEJULA..... | 35 | ZOLADEX | 35 | ZTALMY | 40 |
| ZELBORAF | 35 | zoledronic acid..... | 78 | zumandimine (28) | 96 |
| zenatane..... | 66 | zoledronic acid-mannitol- | | ZURZUVAE | 54 |
| ZEPZELCA..... | 35 | water..... | 71, 78 | ZYDELIG | 35 |
| zidovudine..... | 13 | ZOLINZA..... | 35 | ZYKADIA | 35 |
| ziprasidone hcl..... | 54 | zolpidem | 54 | ZYNLONTA | 35 |
| ziprasidone mesylate | 54 | ZONISADE..... | 39 | ZYNYZ | 35 |
| ZIRABEV | 35 | zonisamide | 40 | ZYPREXA RELPREVV | 54 |
| ZIRGAN | 97 | zovia 1-35 (28) | 96 | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.

This formulary was updated on 03/25/2024. For more recent information or other questions, please contact the WellSense Health Plan Member Services department at 855-833-8128 (TTY users should call 711), Monday through Friday 8 a.m. to 8 p.m. (April 1 through September 30, except holidays) or seven days a week (October 1 through March 31) or visit wellsense.org/medicare.

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

This drug list was last updated on 03/15/2024.